

## Publicaties der leden 1999

---

### Klinische (Bio)chemie en Methodologie

#### Lipiden

Bont N de, Geijtenbeek TBH, Netea MG, Smilde TJ, Demacker PNM, Figdor CG, van der Meer JWM, Stalenhoef AFH. Integrin mediated adhesion of mononuclear cells from patients with familial hypercholesterolemia. *Eur J Clin Invest* 1999; 29: 749-757.

Bont N de, Netea MG, Demacker PNM, Verschueren I, Kullberg BJ, Willems van Dijk K, van der Meer JWM, Stalenhoef AFH. Apolipoprotein E knock-out mice are highly susceptible to endotoxemia and *Klebsiella pneumoniae* infection. *J Lipid Res* 1999; 40: 680-685.

Demacker PNM. Complement activation by oxidatively modified low-density lipoproteins. *Eur J Clin Invest* 1999; 29: 811-813.

Keijzer MH de, Elbers D, Baadenhuijsen H, Demacker PNM. Evaluation of five different high-density lipoprotein cholesterol assays: the most precise are not the most accurate. *Ann Clin Biochem* 1999; 36: 168-175.

Kroon AA, Demacker PNM, Kleinveld HA, Stalenhoef AFH. The rebound of lipoproteins after LDL-apheresis. Effects on chemical composition and LDL-oxidizability. *Atherosclerosis* 1999; 147: 105-113.

Netea MG, Curfs JH, Demacker PNM, Meis JF, Meer JW van der, Kullberg BJ. Infusion of lipoproteins into volunteers enhances the growth of *Candida albicans*. *Clin Infect Dis* 1999; 28: 1148-1151.

Netea MR, Netea MG, Bredie SJH, Demacker PNM, Hancu N, Thien Th, Stalenhoef AFH. Lipoprotein(a) concentrations in patients with familial combined hyperlipidemia and hypertension. *Neth J Med* 1999; 55: 39-45.

#### Enzymen

Al Aqeel AI, Rashed MS, Wanders RJA. Carnitine-acylcarnitine translocase deficiency is a treatable disease. *J Inher Metab Dis* 1999; 22: 271-275.

Baadenhuijsen H, de Keijzer R, Ballieux B, Jansen R, Treskes M, Bekers O, Franck PFH. "Position paper" harmonisatie enzymresultaten. *Ned Tijdschr Klin Chem* 1999; 24: 258-261.

Biermann J, Gootjes J, Humbel BM, Dansen TB, Wanders RJA, Bosch H van den. Immunological analyses of alkyl-dihydroxyacetone-phosphate synthase in human peroxisomal disorders. *Eur J Cell Biol* 1999; 78: 339-348.

Biermann J, Just WW, Wanders RJA, Bosch H van den. Alkyl-dihydroxyacetone phosphate synthase and dihydroxyatone phosphate acyltransferase form a protein complex in peroxisomes. *Eur J Biochem* 1999; 261: 492-499.

Boonstra JG, Witteveen SAGJ, Gorsira MB, Backer ET. Ec-topische productie van CK-MB bij een patiënt verdacht van een acuut myocard infarct. *Ned Tijdschr Geneesk* 1999; 24: 194-198.

Cobben NAM, Jacobs JA, Dieijen-Visser MP van, Mulder PGH, Wouters EFM, Drent M. Diagnostic value of BAL fluid cellular profile and enzymes in infectious pulmonary disorders. *Eur Respir J* 1999; 14: 496-502.

Cobben NAM, Drent M, Jacobs JA, Schmitz MPJ, Mulder PGH, Henderson RF, Wouters EFM, Dieijen-Visser MP van. Relationship between enzymatic markers of pulmonary cell damage and cellular profile: A study in bronchoalveolar lavage fluid. *Exp Lung Res* 1999; 25: 99-111.

Cobben NAM, Drent M, Dieijen-Visser MP van, Mulder PGH, Wouters EFM, Henderson RF. Usefulness of monitoring  $\beta$ -glucuronidase in pleural effusions. *Clin Biochem* 1999; 32: 653-658.

Cobben NAM, Drent M, Vries J de, Wouters EFM, Dieijen-Visser MP van, Henderson RF. Serum  $\beta$ -glucuronidase activity in a population of ex-coalminers. *Clin Biochem* 1999; 32: 659-664.

Drent M, Cobben NAM, Henderson RF, Schmitz MPJ, Dieijen-Visser MP van. Measurement of markers of cell damage or death in bronchoalveolar lavage fluid. *Eur Respir Rev* 1999; 9: 141-144.

Grunsven EG van, Mooijer PA, Aubourgh P, Wanders RJA. Enoyl-CoA hydratase deficiency: identification of a new type of D-bifunctional protein deficiency. *Hum Mol Gen* 1999; 8: 1509-1516.

Houten SM, Kuis W, Duran M, Koning TJ de, Royen-Kerkhof A van, Romeijn GJ, Frenkel J, et al. Mutations in *MVK*, encoding mevalonate kinase, cause hyperimmunoglobulinaemia D and periodic fever syndrome. *Nat Gen* 1999; 22: 175-177.

Houten SM, Romeijn GJ, Koster J, Gray RGF, Darbyshire P, Smit GPA, Klerk JBC de, et al. Identification and characterization of three novel missense mutations in mevalonate kinase cDNA causing mevalonic aciduria, a disorder of isoprene biosynthesis. *Hum Mol Gen* 1999; 8: 1523-1528.

Kuilenburg ABP van, Vreken P, Abeling NGGM, Bakker HD, Meinsma R, Lente H van, Abreu RA de, Smeiting JAM, et al. Genotype and phenotype in patients with dihydropyrimidine dehydrogenase deficiency. *Hum Genet* 1999; 104: 1-9.

Kuilenburg ABP van, Lenthe H van, Gennip AH van. A radiochemical assay for beta-ureidopropionase using radiolabeled N-carbamyl-beta-alanine obtained via hydrolysis of [2-(14)C]5, 6-dihydrouracil. *Anal Biochem* 1999; 272: 250-253.

Kuilenburg ABP van, Lenthe H van, Gennip AH van. Radiochemical assay for determination of dihydropyrimidinase activity using reversed-phase high-performance liquid chromatography. *J Chrom B* 1999; 729: 307-314.

- Ofman R, Hogenhout EM, Wanders RJA. Identification and characterization of the mouse cDNA encoding acyl-CoA: dihydroxyacetone phosphate acyltransferase. *Biochim Biophys Acta* 1999; 1439: 89-94.
- Sacksteder KA, Morrell JC, Wanders RJA, Matalon R, Gould SJ. MCD encodes peroxisomal and cytoplasmic forms of malonyl-CoA decarboxylase and is mutated in malonyl-CoA decarboxylase deficiency. *J Biol Chem*; 274: 24461-24468.
- Vaz FM, Gool S van, Ofman R, IJlst L, Wanders RJA. Carnitine biosynthesis. Purification of  $\gamma$ -butyrobetaine hydroxylase from rat liver. *Adv Exp Med Biol* 1999; 466: 117-124.
- Verschuur AC, Gennip AH van, Muller EJ, Voûte PA, Vreken P, Kuilenburg ABP van. Cytidine triphosphate synthase activity and mRNA expression in normal human blood cells. *Biol Chem* 1999; 380: 41-46.
- Vet ECJM de, IJlst L, Oostheim W, Dekker C, Moser HW, Bosch H van den, Wanders RJA. Ether lipid biosynthesis: alkyl-dihydroxyacetonephosphate synthase protein deficiency leads to reduced dihydroxyacetonephosphate acyltransferase activities. *J Lipid Res* 1999; 40: 1998-2003.
- Wanders RJA, Mooijer PAW, Dekker C, Suzuki Y, Shimozawa N. Disorders of peroxisome biogenesis: complementation analysis shows genetic heterogeneity with strong overrepresentation of one group (PEX1 deficiency). *J Inher Metab Dis* 1999; 22: 314-318.
- Waterham HR, Wanders RJA. Smith-Lemli-Opitz syndroom (7-dehydrocholesterol reductase deficientie). *Nieuwsbrief Landelijk overleg DNA-diagnostiek* 1999; 7: 1-3.
- Winter RJ de, Bholasingh R, Nieuwenhuijs AB, Koster RW, Peters RJG, Sanders GT. Ruling out acute myocardial infarction early with two serial creatine kinase-MB<sub>mass</sub> determinations. *Eur Heart J* 1999; 20: 967-972.
- Eiwitten*
- Barth PG, Wanders RJA, Vreken P, Janssen EAM, Lam J, Baas F. X-linked cardioskeletal myopathy and neutropenia (Barth syndrome) (MIM 3020600). *J Inher Metab Dis* 1999; 22: 555-567.
- Bekers O, Ramsey G, Keijzer MH de, Dieijen-Visser MP van. Verhoogd eiwit in urine na toediening plasmavervanger. *Ned Tijdschr Klin Chem* 1999; 24: 198-199.
- Biermann J, Gootjes J, Wanders RJA, Bosch H van den. Stability of alkyl-dihydroxyacetone-phosphate synthase in human control and peroxisomal disorders fibroblasts. *Life* 1999; 48: 635-639.
- Dansen TB, Westerman J, Wouters FS, Wanders RJA, Hoek A van, Gadella ThWJ, Wirtz KWA. High-affinity binding of very-long-chain fatty acyl-CoA esters to the peroxisomal non-specific lipid-transfer protein (sterol carrier protein-2). *Biochem J* 1999; 339: 193-199.
- Drent M, Wirsberger RM, Vries JE de, Dieijen-Visser MP van, Wouters EFM, Schols AMWJ. Association of fatigue with an acute phase response in sarcoidosis. *Eur Respir J* 1999; 13: 718-722.
- Grunsven EG van, Berkel E van, Mooijer PAW, Watkins PA, Moser HW, Suzuki Y, Jiang LL, et al. Peroxisomal bifunctional protein deficiency revisited: resolution of its true enzymatic and molecular basis. *Am J Hum Genet* 1999; 64: 99-107.
- Hordijk W, Klasen IS, Keijzer MH de, Branten AJW, Wetzels JFM. Pseudoproteinuria following gelatin infusion. *Nephrol Dial Transplant* 1999; 14: 2782-2783.
- Housteck J, Klement P, Hermanská, Antonická H, Houstková H, Stratilová L, Wanders RJA, et al. Complex approach to prenatal diagnosis of cytochrome c oxidase deficiencies. *Prenat Diag* 1999; 19: 552-558.
- Jansen GA, Ofman R, Denis S, Ferdinandusse S, Hogenhout E, Jakobs C, Wanders RJA. Phytanoyl-CoA hydroxylase from rat liver: protein purification and cDNA cloning with implications for the subcellular localization of phytanic acid $\alpha$ -oxidation. *J Lipid Res* 1999; 2244-2254.
- Key G, Schreiber A, Feldbrügge R, McNeil CJ, Jørgensen P, Pelsers MMAL, Glatz JFC, Spener F. Multicenter evaluation of an amperometric immunosensor for plasma fatty acid-binding protein: an early marker for acute myocardial infarction. *Clin Biochem* 1999; 32: 229-231.
- Keijzer MH de, Klasen IS, Branten AJ, Hordijk W, Wetzels JF. Infusion of plasma expanders may lead to unexpected results in urinary protein assays. *Scand J Clin Lab Invest* 1999; 59: 133-138.
- Klasen IS, Reichert LJ, Kat Angelino C de, Wetzels JF. Quantitative determination of low and high molecular weight proteins in human urine: influence of temperature and storage time. *Clin Chem* 1999; 45: 430-432.
- Kool M, Linden M van der, Haas M de, Scheffer GL, Vree JML de, Smith AJ, Jansen G, et al. MRP3, an organic anion transporter able to transport anti-cancer drugs. *Proc Natl Acad Sci USA* 1999; 96: 6914-6919.
- Kuilenburg ABP van, Lenthe H van, Blom MJ, Mul EPJ, Gennip AH van. Profound variation in dihydropyrimidine dehydrogenase activity in human blood cells: major implications for the detection of partly deficient patients. *Br J Canc* 1999; 79: 620-626.
- Loman S, Jansen HM, Out TA, Lutter R. Interleukin-4 and interferon- $\gamma$  synergistically increase secretory component gene expression, but are additive in stimulating secretory immunoglobulin A release by Calu-3 airway epithelial cells. *Immunology* 1999; 96: 537-543.
- Merrill WW, Out TA. Measurement of immunoglobulins in bronchoalveolar lavage fluid. *Eur Respir Rev* 1999; 9: 70-75.
- Pelsers MMAL, Chapelle J-P, Knapen M, Vermeer C, Muijtjens AMM, Hermens WT, Glatz JFC. Influence of age and sex and day-to-day and within-day biological variation on plasma concentrations of fatty acid-binding protein and myoglobin in healthy subjects. *Clin Chem* 1999; 45: 441-443.
- Poll T van der, Endert E, Coyle SM, Agosti JM, Lowry SF. Neutralization of TNF does not influence endotoxin-induced changes in thyroid hormone metabolism in humans. *Am J Physiol* 1999; 276: R357-R362.
- Pronk-Admiraal J, Bartels PCM, Mulder K. Eosinophil cationic protein in serum from nonatopic and asymptomatic atopic individuals after standardized blood clotting at 37°C. *Ann Clin Biochem* 1999; 36: 353-358.
- Renneberg R, Cheng S, Kaptein WA, McNeil CJ, Rishpon J, Gründig B, Sanderson J, Chu AC, Glatz JFC. Novel immunosensors for rapid diagnosis of acute myocardial infarction. *Adv Biosensors* 1999; 4: 241-272.

Rinat Ch, Wanders RJA, Drukker A, Halle D, Frishberg Y. Primary hyperoxaluria type I: a model for multiple mutations in a monogenic disease within a distinct ethnic group. *J Am Soc Nephrol* 1999; 10: 2352-2352.

Robers M, Rensink IJAM, Hack EC, Aarden LA, Reutelingsperger CPM, Glatz JFC, Hermens WT. A new principle for rapid immunoassay of proteins based on in situ precipitate-enhanced ellipsometry. *Biophys J* 1999; 76: 2769-2776.

Schaar CG, Kaiser U, Ong F, Snijder S, Hermans J, Franck PFH, Kluin-Nelemans JC. Serum Interleukin-6 has no discriminatory role in paraproteinaemia nor a prognostic role in multiple myeloma. *Brit J Haematol* 1999; 107: 132-138.

Shimozawa N, Suzuki Y, Zhang Z, Imamura A, Toyama R, Mukai S, Fujiki Y, et al. Nonsense and temperature-sensitive mutations in PEX13 are the cause of complementation group H of peroxisome biogenesis disorders. *Hum Mol Gen* 1999; 8: 1077-1083.

Shimozawa N, Zhang Z, Suzuki Y, Imamura A, Tsukamoto T, Osumi T, Fujiki Y, et al. Functional heterogeneity of C-terminal peroxisome targeting signal 1 in PEX5-defective patients. *Biochem Biophys Res Comm* 1999; 262: 504-508.

Toorenenbergen AW van, Gerth van Wijk R, Vermeulen AM. Allergen-induced matrix metalloproteinase-9 in nasal lavage fluid. *Allergy* 1999; 54: 293-294.

Toyama R, Mukai S, Itagaki A, Tamura S, Shimozawa N, Suzuki Y, Kondo N, et al. Isolation, characterization and mutation analysis of PEX13-defective Chinese hamster ovary cell mutants. *Hum Mol Gen* 1999; 8: 1673-1681.

Verschuur AC, Gennip AH van, Muller EJ, Voûte PAT, Vreken P, Kuilenburg ABP van. Cytidine triphosphate synthase activity and mRNA expression in normal human blood cells. *Biol Chem Vol* 1999; 380: 41-46.

Wanders RJA. Peroxisomal disorders: clinical, biochemical, and molecular aspects. *Neuroch Res* 1999; 24: 555-570.

Wanders RJA, Vreken P, Boer MEJ den, Wijburg FA, Gennip AH van, IJlst L. Disorders of mitochondrial fatty acyl-CoA oxidation. *J Inher Metab Dis* 1999; 22: 442-487.

### *Electrolyten*

Huijgen HJ, Sanders R, Cecco SA, Rehak NN, Sanders GT, Elin RJ. Serum ionized magnesium: comparison of results obtained with three ion-selective analyzers. *Clin Chem Lab Med* 1999; 37: 465-470.

Huijgen HJ, Soesan M, Sanders R, Mairuhu WM, Kesecioglu J, Sanders GT. Hypomagnesemia in critically ill patients. *Crit Care Test* 1999; 3: 2-3.

Huijgen HJ, Sanders R, Cecco SA, Rehak NN, Sanders GT, Elin RJ. Serum ionized magnesium: comparison of results obtained with three ion-selective analyzers. *Clin Chem Lab Med* 1999; 37: 465-470.

Keijzer MH de, Koene RAP, Baadenhuijsen H, Willems JL. De grootte van de 'anion gap'. *Ned Tijdschr Geneesk* 1999; 143: 666-667.

Lindemans J, Hoefkens P, Kessel AL van, Bonnay M, Kulpmann WR, Suijlen JD van. Portable blood gas and electrolyte analyzer evaluated in a multiinstitutional study. *Clin Chem* 1999; 45: 111-117.

Sanders GT, Huijgen HJ, Sanders R. Magnesium in disease: a review with special emphasis on the serum ionized magnesium. *Clin Chem Lab Med* 1999; 37: 1011-1033.

### *Endocrinologie*

Blankenstein MA. Borsttumoren produceren hun eigen oestrogenen. *T Kanker* 1999; 23: 30-33.

Blankenstein MA, Ven J van de, Maitimu-Smeele I, Donker GH, Jong PChr de, Daroszewski J, Szymczak J, Milewicz A, Thijssen JHH. Intratumoral levels of estrogens in breast cancer. *J Steroid Biochem Molec Biol* 1999; 69: 293-297.

Bonte HA, Hoven RJ van den, Sluijs Veer G van der, Vermes I. The use of free cortisol index for laboratory assessment of pituitary-adrenal function. *Clin Chem and Lab Med* 1999; 37: 127-132.

Bruin T, Huijgen HJ, Endert E. Kanttekeningen bij de bepaling van T4. *NTKC* 1999; 24: 326-328.

Burg MPM van der, Suylichem PTR van, Guicherit OR, Frölich M, Lemkes HHPJ, Gooszen HG. The relative contribution of insulin secretory capacity, insulin action, and incretins to metabolic control after islet transplantation in dogs. *J Mol Med* 1999; 77: 104-106.

Feelders RA, Swaak AJ, Romijn JA, Eggermont AM, Tielens ET, Vreugdenhil G, Endert E, et al. Characteristics of recovery from the euthyroid sick syndrome induced by tumor necrosis factor alpha in cancer patients. *Metabolism Clin Exp* 1999; 48: 324-329.

Höppener J, Oosterwijk C, Nieuwenhuis MG, Posthuma G, Thijssen JH, Vroom TM, Ahren B, Lips CJ. Extensive islet amyloid formation is induced by development of Type II diabetes mellitus and contributes to its progression: pathogenesis of diabetes in a mouse model. *Diabetologia* 1999; 42: 427-434.

Hulst KL van, Oosterwijk C, Born W, Vroom ThM, Nieuwenhuis MG, Blankenstein MA, Lips CJM, Fischer JA, Höppener JWM. Islet amyloid polypeptide/amylin messenger RNA and protein expression in human insulinomas in relation to amyloid formation. *Eur J Endocrinol* 1999; 140: 69-78.

Janssen GMC, Maassen JA, Ouweland JMW van den. The diabetes-associated 3243 mutation in the mitochondrial tRNA-Leu(UUR) gene causes severe mitochondrial dysfunction without a strong decrease in protein synthesis rate. *J Biol Chem* 1999; 274: 29744-29748.

Jong FH de, Tebar M, Wessels HT, Schaik RHN van. Inhibin and activin: their production and action in normal and abnormal tissues. *Rev Arg Endocrinol Met* 1999; 36: 14 - 16.

Lentjes EGWM, Romijn FHTPN. Temperature-dependent cortisol distribution among the blood compartments in man. *J Clin Endocr Metab* 1999; 84: 682-687.

Malmegrim KCR, Beishuizen A, Sluijs Veer G van der, Vermes I. Time-resolved Fluorometric Immunoassay of Macrophage Migration Inhibitory Factor: Technical and Clinical aspects. *J of Clin Ligand Assay* 1999; 22: 1-7.

Moli R le, Endert E, Fliers E, Mulder T, Prummel MF, Romijn JA, Wiersinga WM. Establishment of reference values for endocrine tests. II: Hyperprolactinemia. *Neth J Med* 1999; 55: 71-75.

Möller G, Leenders F, Grunsvan EG van, Dolez V, Qualmann B, Kessels MM, Markus M, et al. Characterization of the HSD17B4 gene: D-specific multifunctional protein 2/17b-hydroxysteroid dehydrogenase IV. *J Steroid Biochem Molec Biol* 1999; 69: 441-446.

Ouweland JMW van den, Maechler P, Wollheim CB, Attardi G, Maassen JA. Functional and morphological abnormalities of mitochondria harbouring the tRNA<sup>Leu</sup>(UUR) mutation in mitochondrial DNA derived from patients with maternally inherited diabetes and deafness (MIDD) and progressive kidney disease. *Diabetologia* 1999; 42: 485-492.

Roelen CAM, Koppeschaar HPF, Vries WR de, Doerga ME, Snel YEM, Bol E, Zelissen PMJ, Thijssen JHH, Blankenstein MA. High affinity growth hormone (GH)-binding protein (GHBP), body fat mass, and insulin-like growth factor-binding protein-3 predict the GHBP response to GH therapy in adult GH-deficiency syndrome. *Metabolism* 1999; 48: 314-318.

Thijssen JHH, Druckmann R. Effects of progestins on bone: an update. *Gynecol Endocrinol* 1999; 13: Suppl 4: 25-39.

Thijssen JHH, Druckmann R. Quantitative assessment of bone mineral density during estrogen replacement therapy. *Gynecol Endocrinol* 1999; 13, Suppl 6: 29-34.

Wagensveld BA van, Gulik TM van, Gelderblom HC, Scheepers JJ, Bosma A, Endert E, Gouma DJ. Prolonged continuous or intermittent vascular inflow occlusion during hemihepatectomy in pigs. *Annals Surg* 1999; 229: 376-384.

Weijtens O, Feron EJ, Schoemaker RC, Cohen AF, Lentjes EGWM, Romijn FPHTM, Meurs JC van. High concentration of dexamethasone in aqueous and vitreous after subconjunctival injection. *Am J Ophthalmol* 1999; 28: 192-197.

Wongergem J, Persons CCM, Zurcher C, Frölich M, Leer JWH, Broerse JJ. Changes in circulating atrial natriuretic peptide in relation to the cardiac status of Rhesus monkeys after total-body irradiation. *Radiotherapy and Oncology* 1999; 51: 1-9.

### *Tumor markers*

Baay MFD, Duk JM, Burger MPM, Bruijn HWA de, Stolz E, Herbrink P. Humoral immune response against proteins E6 and E7 in cervical carcinoma patients positive for human papilloma virus type 16 during treatment and follow-up. *Eur J Clin Microbiol Infect Dis* 1999; 18: 126-132.

Blijenberg BG, Storm BN, Zelst BD van, Boeken Kruger AE, Schröder FH. New developments in the standardization of total prostate-specific antigen. *Clin Biochem* 1999; 32: 627-634.

Blijenberg BG, Storm BN, Boeken Kruger AE, Schröder FH. On the standardization of total prostate-specific antigen: an exercise with two reference preparations. *Clin Chem Lab Med* 1999; 37: 545-552.

Bruijn HWA de, Duk JM, Aalders JG. The use of serological tumor markers; specific goals in gynecological gynecology. In: *Biology and clinical usefulness on tumor markers*. Molina R, Ballesta AM eds. Sant Quirze, Barcelona, 1999; 1: 78-87.

Dalen A van, Favier J, Baumgartner L, Hasholzner U, Bruijn HWA de, Dobbler D, Dombi VH, Fink D, Giai M, McGing P, Harlozinska A, Kainz Ch, Markowska J, Molina R, Sturgeon C, Einarsson R. Prognostic significance of CA 125 and TPS levels after chemotherapy in ovarian cancer patients. *Anti-cancer Res* 1999; 19: 2523-2526.

Esajas MD, Bruijn HWA de, Aalders JG, Zee AGJ van der, Duk MJ. Ervaringen met 10 jaar bepaling van de tumormarker squamous cell carcinoma antigen in de follow-up van patiënten met >low risk= cervixcarcinoom. *Ned Tijdschr Obstet Gynaecol* 1999; 112: 65-69.

### *Hematologie*

Harthoorn-Lasthuizen EJ, Lindemans J, Langenhuijsen MM. Influence of iron deficiency anaemia on haemoglobin A2 levels: possible consequences for beta-thalassaemia screening. *Scand J Clin Lab Invest*. 1999; 59: 65-70.

Jong K de, Larkin SK, Eber S, Franck PFH, Roelofsen B, Kuypers FA. Hereditary Spherocytosis and Elliptocytosis Erythrocytes Show a Normal Transbilayer Phospholipid Distribution. *Blood* 1999; 94: 319-325.

Lombarts AJPF, Zijlstra JJ, Peters RHM, Thomasson CG, Franck PFH. Accurate platelet counting in an insidious case of Pseudothrombocytopenia. *Clin Chem Lab Med* 1999; 37: 1063-1066.

Meer W van der, Keijzer MH de. De drumstick: meer dan alleen een aanhangsel? *Analyse* 1999; 8: 243-244.

### *Stolling*

Boer AW de, Levi M, Reddingius RE, Willems JL, Bosch S van den, Schröder CH, Monnens LAH. Intraperitoneal hypercoagulation and hypofibrinolysis is present in childhood peritonitis. *Pediatr Nephrol* 1999; 13: 284-287.

Hackeng CM, Huigsloot M, Pladet MW, Nieuwenhuis HK, Rijn HJM van, Akkerman J-WN. Low-Density Lipoprotein Enhances Platelet Secretion Via Integrin- $\alpha_{IIb}\beta_3$ -Mediated Signaling. *Arterioscler Thromb Vasc Biol* 1999; 19: 239-247.

Hackeng CM, Pladet MW, Akkerman J-WN, Rijn HJM van. Low Density Lipoprotein Phosphorylates the Focal Adhesion-associated Kinase p125<sup>FAK</sup> in Human Platelets Independent of Integrin  $\alpha_{IIb}\beta_3$ . *J Biol Chem* 1999; 274: 384-388.

Hackeng CM, Relou IAM, Pladet MW, Gorter G, Rijn HJM van, Akkerman J-WN. Early Platelet Activation by Low Density Lipoprotein via p38<sup>MAP</sup> Kinase. *Throm Haemost* 1999; 82: 1749-1756.

### *Geneesmiddelen; pharmakinetica*

Bergh FAJTM van den, Bon MAM, Kraan H, Vermes I. De rol van het Cytochrom P450-systeem op de kinetiek van geneesmiddelen, in het bijzonder van psychofarmaca. *Ned Tijdschr Klin Chem* 1999; 24: 220-223.

Meer W van der, Keijzer MH de. Paracetamol-intoxicatie en vacuolisatie in bloedcellen. *Ned Tijdschr Klin Chem* 1999; 24: 354-355.

Sewell AC, Herwig J, Böhles, Abeling NGGM, Gennip AH van. Normal kynurenine metabolism in 2-oxoadipic aciduria. *J Inher Metab Dis* 1999; 22: 949-950.

Weide J van der, Steijns LSW. Cytochrome P450 enzyme system: genetic polymorphisms and impact on clinical pharmacology. *Ann Clin Biochem* 1999; 36: 722-729.

- Leussink BT, Slikkerveer A, Engelbrecht MRW, Heer E de, Voet GB van der, Wolff FA de, Bruijn JA. Colloidal bismuth subcitrate induced nephrotoxicity: reversibility and morphology. *Kidney International* 1999; 55: 1170.
- Reneman L, Booij J, Lavalaye J, Bruin K de, Wolff FA de, Koopmans RP, Stoof JC, Heeten GJ den. Comparative in vivo study of iodine-123-labeled  $\beta$ -CIT and nor- $\beta$ -CIT binding to serotonin transporters in rat brain. *Synapse* 1999; 34: 77-80.
- Voet GB van der, Schijns O, Wolff FA de. Fluoride enhances the effect of aluminium chloride on interconnections between aggregates of hippocampal neurons. *Arch Physiol Biochem* 1999; 107: 15-21.
- Voet GB van der, Wolff FA de. Metals. In: side effects of drugs. Annual 22 (J.K. Aronson ed.). Amsterdam Elsevier, chapter 22 1999: 242-253. ISBN 0-444-50092- 8.
- Wolff FA de. Maimonides in Dokters van Eeuwen. Twintig artsen uit twee millennia (Everdingen JJE van, Kaandorp CJE eds).Overeen, Belvédère, chapter 12 1999: 83-90. ISBN 90 73459 20 6.
- Wolff FA de. Risico-communicatie. In: Zorgen na morgen. Visies op de geneeskunst in de 21ste eeuw (A.L.M. Lagro-Jansen e.d.). Utrecht, Van der Wees 1999: p141. ISBN 0 444 50092 8.
- Wolff FA de. Farmacogenetica in historisch perspectief. *Tijdschr Belg Ver Lab Technol* 1999; 26: 413-425.
- Wolff FA de. Give the magic mushroom a bad name and hang it - facts and fiction of 'shroom' drugs. *Eurotox Newsletter* 1999; 22: 58-59.
- Wolff FA de. Speuren naar sporen: de medisch toxicoloog in zijn element. *Ned Tijdschr Klin Chem* 1999; 24: 247-256.
- Wolff FA de. Gerechtelijke geneeskunde in onderwijs. *Medisch Contact* 1999; 42: 1423.
- Wolff FA de. Afschaffen van aluminiumpannen vermindert de kans op dementie. *Medische Misvattingen. Nieuwe inzichten in de geneeskundige praktijk. Neurologie, Hfd 13; 1999: 148-149. ISBN 90 313 2776 X.*
- Wolff FA de. Onbespoten nederwiel kan geen kwaad. *Medische Misvattingen. Nieuwe inzichten in de geneeskundige praktijk. Neurologie, Hfd 13; 1999: 149-150. ISBN 90 313 2776 X.*
- Wolff FA de. Farmacogenetica in historisch perspectief. Symposium; Biotransformatie en polymorfisme: nieuwe ontwikkelingen in de klinische chemie. *Ned Tijdschr Klin Chem* 1999; 24: 215-219.
- Wolff FA de. Gezwam in de ruimte: over het wel en wee van de paddo, *TCDD* 1999; 22: 27.
- Moleculaire biologie*
- Andresen BS, Olpin S, Kvittingen EA, Augoustides-Savvopoulou, Lindhout D, Halley DJJ, et al. DNA-based prenatal diagnosis for very-long-chain acyl-CoA dehydrogenase deficiency. *J Inher Metab Dis* 1999; 22: 281-285.
- Coo IFM de, Renier WO, Ruitenbeek W, Laak HJ ter, Bakker M, Schägger H, Oost BA van, Smeets HJM. A 4-base pair deletion in the mitochondrial cytochrome b gene associated with Parkinsonism/MELAS overlap syndrome. *Ann Neurol* 1999; 45: 130-133.
- Drenth JPH, Cuisset L, Grateau G, Vasseur C, Velde-Visser SD van der, Jong JGN de, Beckmann JS, Meer JWM van der, Delpech M. Mutations in the gene encoding mevalonate kinase cause hyper-IgD and periodic fever syndrome. *Nat Genet* 1999; 22: 178-181.
- Griffioen PH, Zwang L, Schaik RHN van, Engel H, Lindemans J, Cobbaert CM. Optimization of apolipoprotein(a) genotyping with pulsed field gel electrophoresis. *Clin Chem* 1999; 45: 771-776.
- IJlst L, Oostheim W, Werkhoven M van, Willemsen MAA, Wanders RJA. Molecular basis of Sjögren-Larsson syndrome: Frequency of the 1297-1298 del GA and 943 @ T mutation in 29 patients. *J Inher Metab Dis* 1999; 22: 319-321.
- IJlst L, Ruiter JP, Oostheim W, Niezen-Koning KE, Palmieri F, Wanders RJ. Identification of a missense mutation in a patient with lethal carnitine acyl-carnitine carrier deficiency. *Adv Exp Med Biol* 1999; 466: 347-351.
- Jacobs HM, Spriel AB van, Koehorst SGA, Thijssen JHH, Blankenstein MA. The truncated estrogen receptor alpha variant lacking exon 5 is not involved in progesterone receptor expression in human meningiomas. *J Steroid Biochem Molec Biol* 1999; 71: 167-172.
- Kok JB de, Zendman AJ, Locht LT van de, Ruers TJ, Muijen GN van, Mensink EJ, Swinkels DW. Real-time hTERT quantification: a promising telomerase-associated tumor marker. *Lab Invest* 1999; 79: 911-912.
- Lissens W, Vreken P, Barth PG, Wijburg FA, Ruitenbeek W, Wanders RJA, Seneca S, et al. Cerebral palsy and pyruvate dehydrogenase deficiency: identification of two new mutations in the E1" gene. *Eur J Pediatr* 1999; 158: 853-857.
- Loman S, Jansen HM, Out TA, Lutter R. Interleukin-4 and interferon-gamma synergistically increase secretory component gene expression, but are additive in stimulating secretory immunoglobulin A release by Calu-3 airway epithelial cells. *Immunology* 1999; 96: 537-543.
- Marx PTJ, Mulder AB, Bergh FAJTM van den, Overbeeke R, Haanen C, Vermes I. Apoptosis inducers endotoxin and Fas-ligation enhance the expression of vascular endothelial growth factor in human endothelial cells. *Endothelium* 1999; 6: 335-340.
- Overbeeke R, Yildirim M, Reutelingsperger CPM, Haanen C, Vermes I. Sequential occurrence of mitochondrial and plasma membrane alterations, fluctuations in cellular Ca<sup>2+</sup> and pH during initial and later phases of cell death. *Apoptosis* 1999; 4: 455-460.
- Prins J, Leus FR, Bouma BN, Rijn HJM van. The Identification of Polymorphisms in the Coding Region of the Apolipoprotein (a) Gene. *Thromb Haemost* 1999; 82: 1709-1717.
- Roermund CWT van, Hettema EH, Berg M van den, Tabak HF, Wanders RJA. Molecular characterization of carnitine-dependent transport of acetyl-CoA from peroxisomes to mitochondria in *saccharomyces cerevisiae* and identification of a plasma membrane carnitine transporter, *agp2p*. *EMBO J* 1999; 18: 5843-5852.
- Schaik RHN van, Wildt SN de, Lindemans J. Cytochrom P450- polymorfismen en de behandeling van kanker. *Ned Tijdschr Klin Chem* 1999; 24: 232-237.

- Shimozawa N, Imamura A, Zhang Z, Suzuki Y, Orii T, Tsukamoto T, Osumi T, et al. Defective *PEX* gene products correlate with the protein import, biochemical abnormalities, and phenotypic heterogeneity in peroxisome biogenesis disorders. *J Med Genet* 1999; 36: 779-781.
- Slingerland RJ, Savelkoul A, Gijssels N, Nivillac NJF, Kruijff IJM de, Salemans JMJI, Vader HL. Genen en hun variaties: nieuwe hemochromatose genmutaties. *Med Journ* 1999; 28: 117-121.
- Smit ML, Giesendorf BAJ, Trijbels JMF, Vet JAM, Blom HJ. Automatisering van mutatie analyse. *Ned Tijdschr Klin Chem* 1999; 24: 341-343.
- Swinkels DW. Overschatting van de Cys282Tyr-mutatie-frequentie door een HFE-polymorfisme? *Ned Tijdschr Klin Chem* 1999; 24: 300-301.
- Ulfman LH, Kuijper PHM, Linden JA van der, Lammers JW, Zwaginga JW, Koenderman L. Characterization of eosinophil adhesion to TNF-alpha-activated endothelium under flow conditions: alpha4 integrins mediate initial attachment and E-selectin mediates rolling. *J Immunol* 1999; 163: 343-350.
- Ventura FV, Costa CG, Struys EA, Ruiter J, Allers P, IJlst L, Tavares de Almeida I, et al. Quantitative acylcarnitine profiling in fibroblasts using [ $^{13}\text{C}$ ] palmitic acid: an improved tool for the diagnosis of fatty acid oxidation defects. *Clin Chim Acta* 1999; 281: 1-17.
- Vreken P, Kuilenburg ABP van, Hamajima N, Meinsma R, Lenthe H van, Göhlich-Ratmann G, Assmann BE, et al. CDNA cloning, genomic structure and chromosomal localization of the human BUP-1 gene encoding b-ureidopropionase. *Biochim Biophys Acta* 1999; 1447: 251-257.
- Wevers RA, Engelke UFH, Moolenaar SH, Bräutigam C, Jong JGN de, Duran R, Abreu RA de, et al.  $^1\text{H-NMR}$  spectroscopy of body fluids: inborn errors of purine and pyrimidine metabolism. *Clin Chem* 1999; 45:4 539-548.
- Willemsen MAAP, IJlst L, Steijlen PM, Jong JGN de, Rotteveel JJ, Werkhoven MA van, Wanders RJA. A novel 4-bp deletion mutation in the *FALDH* gene segregating in a Turkish family with Sjögren-Larsson syndrome. *J Invest Dermatol* 1999; 112: 827-828.
- Zhang Z, Suzuki Y, Shimozawa N, Fukuda S, Imamura A, Tsukamoto T, Osumi T, et al. Genomic structure and identification of 11 novel mutations of the *PEX6* (peroxisome assembly factor-2) gene in patients with peroxisome biogenesis disorders. *Hum Mut* 1999; 13: 487-496.
- Diversen*
- Acker BAC van, Meyenfeldt MF von, Hulst RRWG van der, Hulsewe KWE, Wagenmakers AJM, Deutz NEP, Blaauw I de, Dejong CHC, Kreel BK van, Soeters PB. Glutamine: the pivot of our nitrogen economy? *J Parenter Enteral Nutr* 1999; 23: S45-S48.
- Bootsma AH, Overmars H, Rooij A van, Lint AEM van, Wanders RJA, Gennip AH van, Vreken P. Rapid analysis of conjugated bile acids in plasma using electrospray tandem mass spectrometry: application for selective screening of peroxisomal disorders. *J Inher Metab Dis* 1999; 22: 307-310.
- Bruin T, Niers M, Sanders GT. De evaluatie van een kreatinine meting in volbloed met de NOVA 16 CRT analyser. *Ned Tijdschr Klin Chem* 1999; 24: 188-190.
- Gennip AH van. Diagnosis of molybdenum cofactor deficiency. *The Lancet* 1999; 353: 675.
- Ham ECH van den, Kooman JP, Christiaans MHL, Nieman FHM, Kreel BK van, Heidendal GAK, Hooff JP van. Body composition in Renal Transplant Patients: Bioimpedance analysis compared to isotope dilution, dual energy X-ray absorptiometry and anthropometry. *J Am Soc Nephrol* 1999; 10: 1067-1079.
- Hermens FH, Kievit JK, Nederstigt BM, Daemen JH, Kreel BK van, Kootstra G. The value of dextran 12.000 in ischemically damaged canine kidneys during machine perfusion. *Transpl Int* 1999; 12: 372-377.
- Janssen HW, Bookelman H, Dols JLS, Elion Gerritzen WE, Keijzer RH de. Point-of-Care testing: the views of the Working Group of the Dutch Association of Clinical Chemistry. *Clin Chem Lab Med* 1999; 37: 675-680.
- Jonge N de, Polderman AM, Verhave JP. Diagnose van malaria. *Ned Tijdschr Klin Chem* 1999; 24: 34-37.
- Keijzer MH de. Diagnostisch Kompas 1999/2000: voorlichting over aanvullende diagnostiek, tweede editie, eindred. HAIM van Leusden, Amstelveen; ISBN 90-70918-2108. - colloïd osmotische druk (COD): pg 494-5; identificatie verschillende lichaamsvochten: 544-6; zweetproef: pg 656.
- Keijzer MH de, Brandts RW, Brans PGW. Evaluation of a biosensor for the measurement of lactate in whole blood. *Clin Biochem* 1999; 32: 109-112.
- Kuilenburg ABP van, Lenthe H van, Gennip AH van. A radiochemical assay for b-ureidopropionase using radiolabeled N-carbamyl-b-alanine obtained via hydrolysis of [ $^{14}\text{C}$ ]5,6-dihydrouracil. *Anal Biochem* 1999; 272: 250-253.
- Messina A, Oliva M, Rosato C, Huizing M, Ruitenbeek W, Heuvel LPWJ van den, Forte M, Rocchi M, Pinto V de. Mapping of the human voltage-dependent anion channel isoforms 1 and 2 reconsidered. *Biochem Biophys Res Commun* 1999; 255: 707-710.
- Out TA, Smeenk RJT, Hooijkaas H. Immunologie in de medische praktijk. XXI. Laboratorium-diagnostiek van immunologische ziekten. *Ned Tijdschr Geneesk* 1999; 43: 1027-1033.
- Pekelharing JM, Blankenstein MA, Endert E, Miedema K, Wersch JWJ van eds. *Klinische Chemie*. In: Diagnostisch Kompas 1999/2000, Leusden HAIM van, et al eds. College voor Zorgverzekering, Amstelveen 1999: 429-656.
- Rijn JLML van, Endert E. The influence of heparin in sample tubes on free thyroxine measurement. *Ned Tijdschr Klin Chem* 1999; 24: 191-192.
- Thijssen JHH, Nieuwenhuysen H eds. *DHEA: a comprehensive review*. The Parthenon Publishing Group, New York, London 1999, 1-176.
- Verhoeven NM, Schor DSM, Struys EA, Jansen EEW, Brink HJ ten, Wanders RJA, Jakobs C. Analysis of pristanic acid b-oxidation intermediates in plasma from healthy controls and patients affected with peroxisomal disorders by stable isotope dilution gas chromatography mass spectrometry. *J Lip Res* 1999; 40: 260-266.
- Vreken P, Lint AEM van, Bootsma AH, Overmars H, Wanders RJA, Gennip AH van. Quantitative plasma acylcarnitine analysis using electrospray tandem mass spectrometry for the diagnosis of organic acidurias and fatty acid oxidation defects. *J Inher Metab Dis* 1999; 22: 302-306.

Wagensveld BA van, Gulik TM van, Gelderbom HC, Scheepers JJG, Bosma A, Ender E, Gouma DJ. Prolonged continuous or intermittent vascular inflow occlusion during hemihepatectomy in pigs. *Annals Surg* 1999; 229: 376-384.

## Klinische studies

### *Maligniteiten*

Ahmed FY, Johnston SJ, Cassidy J, O'Kelly T, Binnie N, Murray GI, Gennip AH van, Abeling NGGM, Knight S, McLeod HL. Eniluracil treatment completely inactivates dihydropyrimidine dehydrogenase in colorectal tumors. *J Clin Oncol* 1999; 17: 2439-2445.

Kuilenburg ABP van, Lenthe H van, Blom MJ, Mul EPJ, Gennip AH van. Profound variation in dihydropyrimidine dehydrogenase activity in human blood cells: major implications for the detection of partly deficient patients. *Br J Cancer* 1999; 79: 620-626.

Mertens IJR, Klerk JMH de, Zelissen PMJ, Thijssen JHH, Sie-Go DMDS, Han SH, Rijk PP van. Undetectable serum thyroglobulin in a patient with metastatic follicular thyroid cancer. *Clin Nucl Med* 1999; 24: 346-349.

Schaar CG, Kaiser U, Ong F, Snijder S, Hermans J, Franck PFH, Kluin-Nelemans JC. Serum Interleukin-6 has no discriminatory role in paraproteinaemia nor a prognostic role in multiple myeloma. *Brit J Haematol* 1999; 107: 132-138.

### *Allergie*

Metz J de, Out TA, Wever PC, Reyneke RMR, Sprangers F, Sauerwein HP, Romijn JA, et al. Interferon- $\gamma$  preferentially reduces memory/effector CD8 T lymphocytes in healthy subjects. *J Lab Clin Med* 1999; 134: 147-153.

Nocker RE, Weller FR, Out TA, Riemer MJ de, Jansen HM, Zee JS van der. A double-blind study on the effect of inhaled corticosteroids on plasma protein exudation in asthma. *Am J Respir Crit Care Med* 1999; 159: 1499-1505.

Nocker RET, Out TA, Weller FR, Mul EPJ, Jansen HM, Zee JS van der. Influx of neutrophils into the airway lumen at 4 h after segmental allergen challenge in asthma. *Int Arch Allergy Immunol* 1999; 119: 45-53.

Nocker RET, Zee J van der, Weller FR, Overveld FJ van, Jansen HM, Out TA. Segmental allergen challenge induces plasma protein leakage into the airways of asthmatic subjects at 4 hours but not at 5 minutes after challenge. *J Lab Clin Med* 1999; 134: 74-82.

### *Neurologie en psychiatrie*

Bon MAM, Jansen-Steur ENH, Vos RAI de, Vermes I. Neurogenetic correlates of Parkinson's disease Apolipoprotein-E Cytochrome P450 2D6 genetic polymorphism. *Neuroscience Letters* 1999; 266: 149-151.

Cath DC, Gijsman HJ, Schoemaker RC, Griensven JMT van, Troost N, Kempen GMJ van, Cohen AF. The effect of m-CPP on tics and obsessive-compulsive phenomena in Tourette's syndrome. *Psychopharmacology* 1999; 144: 137-143.

Domburg PHMF van, Willemsen MAAP, Rotteveel JJ, Jong JGN de, Thijssen HOM, Heerschap A, Cruysberg JRM, et al. Sjögren-Larsson syndrome, clinical and MRI/MRS findings in FALDH-deficient patients. *Neurology* 1999; 52: 1345-1352.

Geel BM van, Assies J, Haverkort EB, Koelman JHTM, Verbeeten Jr B, Wanders RJA, Barth PG. Progression of abnormalities in adrenomyeloneuropathy and neurologically asymptomatic X-linked adrenoleukodystrophy despite treatment with "Lorenzo's oil". *J N Neurosurg Psych* 1999; 67: 290-299.

Honk J van, Tuiten A, Verbaten R, Hout M van den, Koppeschaar H, Thijssen J, Haan E de. Correlations among salivary testosterone, mood and selective attention to threat in humans. *Horm Behav* 1999; 26: 17-24.

Houweling PL, Ionescu TI, Braams R, Borgdorff PJ, Winckers EKA, Thijssen JHH. Hormonal responses and pharmacokinetics after intradural (spinal) morphine and general anaesthesia for abdominal aortic surgery. *Clin Drug Invest* 1999; 17: 357-364.

Kalmijn S, Launer LJ, Lindemans J, Bots ML, Hofman A, Breteler MM. Total homocysteine and cognitive decline in a community-based sample of elderly subjects: the Rotterdam Study. *Am J Epidemiol*. 1999; 150: 283-289.

Lamers KJB. Klassieke en moderne liquordiagnostiek. *Ned Tijdschr Neurologie* 1999; 3: 152-158.

Pineda MK, Girós M, Roels F, Espeel M, Ruiz M, Moser AM, Moser HW, et al. Diagnosis and follow-up of a case of peroxisomal disorder with peroxisomal mosaicism. *J Child Neurol* 1999; 14: 434-439.

Verhoeven WMA, Tuinier S, Berg YWMM van den, Coppus AMW, Fekkes D, Peppinkhuizen L, Thijssen JHH. Stress and self-injurious behavior; hormonal and serotonergic parameters in mentally retarded subjects. *Pharmacopsychiatry* 1999; 32: 13-20.

Vermes I, Jansen Steur ENH, Reutelingsperger CPM, Haanen C. Decreased concentration of Annexin V in Parkinsonian cerebrospinal fluid: Speculation on the underlying cause. *Movem Dis* 1999; 14: 1008-1010.

Weide J van der, Weelden MJM van, Steijns LSW. Genotyping bij psychiatrische behandeling: is het echt bruikbaar? *Ned Tijdschr Klin Chem* 1999; 24: 223-228.

### *Hart- en vaatziekten*

Beynum IM van, Smeitink JAM, Heijer M den, Poele-Pothoff MTWB te, Blom HJ. Hyperhomocysteinemia. A risk factor for ischemic stroke in children. *Circulation* 1999; 99: 2070-2072.

Bots ML, Launer LJ, Lindemans J, Hoes AW, Hofman A, Witteman JC, Koudstaal PJ, Grobbee DE. Homocysteine and short-term risk of myocardial infarction and stroke in the elderly: the Rotterdam Study. *Arch Intern Med*. 1999; 159: 38-44.

Engelse MA, Neele JM, Agterberg TAE, Aken BE van, Schaik RHN van, Pannekoek H, Vries CJM de. Human activin-A is expressed in the atherosclerotic lesion and promotes the contractile phenotype of smooth muscle cells. *Circ Res* 1999; 85: 931-939.

Fransen EJ, Maessen JG, Elenbaas ThWO, Aarnhem EEHL van, Dieijen-Visser MP van. Enhanced preoperative C-reactive protein plasma levels as a risk factor for postoperative infections after cardiac surgery. *Ann Thorac Surg* 1999; 67: 134-138.

Graaff JC de, Hemmes GJ, Bruin T, Ubbink DR, Michels RPF, Jacobs MJHM, Sanders GTB. Influence of repetitive finger puncturing on skin perfusion and capillary blood analysis in patients with diabetes mellitus. *Clin Chem* 1999; 45:12 2200-2206.

Groot JM de, Wodzig KWH, Simoons ML, Glatz JFC, Hermens WTh. Measurement of myocardial infarct size from plasma fatty acid-binding protein or myoglobin, using individually estimated clearance rates. *Cardiovasc Res* 1999; 44: 315-324.

Heijer M den, Rosendaal FR, Blom HJ, Gerrits WBJ, Bos GMJ. Hyperhomocysteinemia and venous thrombosis: a meta-analysis. *Thromb Haemostasis* 1999; 80: 874-877.

Klipstein-Grobusch K, Grobbee DE, Koster JF, Lindemans J, Boeing H, Hofman A, Witteman JC. Serum caeruloplasmin as a coronary risk factor in the elderly: the Rotterdam Study. *Br J Nutr* 1999; 81: 139-144.

Klipstein-Grobusch K, Koster JF, Grobbee DE, Lindemans J, Boeing H, Hofman A, Witteman JC. Serum ferritin and risk of myocardial infarction in the elderly: the Rotterdam Study. *Am J Clin Nutr* 1999; 69: 1231-1236.

Kluijtmans LAJ, Blom HJ, Boers GHJ, Willems F. Methyl-entetrahydrofolate reductase mutation and coronary artery disease. *Circulation* 1999; 98: 2932-2933.

Kragten JA, Brombacher PJ, Diejzen-Visser MP van. Het gebruik van marker-eiwitten bij patiënten met acute coronaire insufficiëntie. *Hartbulletin* 1999; 30: 92-95.

Umans VA, Cornel JH, Schrijver-Velthoven S van, Kloeg P, Bartels P, Bronzwaer J. Safety and efficacy of treatment with platelet GPIIb/IIIa receptor blockade in unstable angina patients awaiting PTCA at a referring clinic. *Int J Cardiovasc Intervent* 1999; 2: 223-230.

Valk HW de, Rijn HJM van, Geerdink RA, Senden PJ, Struyvenberg A, Erkelens DW. Plasma Magnesium and Epinephrine Levels after Acute Myocardial Infarction. *Clin Chem Enzym Commun* 1999; 8: 139-150.

Verhaar MC, Wever RM, Kastelein JJ, Loon D van, Milstien S, Koomans HA, Raelink TJ. Effects of oral folic acid supplementation on endothelial function in familial hypercholesterolemia. A randomized placebo-controlled trial. *Circulation* 1999; 100: 335-338.

Wever R, Boer P, Hijmering M, Stroes E, Verhaar M, Kastelein J, et al. Nitric oxide production is reduced in patients with chronic renal failure. *Arterioscler Thromb Vasc Biol* 1999; 19: 1168-1172.

Willems HPJ, Heijer M den, Blom HJ, Gerrits WBJ, Rosendaal FR, Bos GMJ. Hyperhomocysteinemie als risicofactor voor veneuze trombose. *Ned Tijdschr Geneesk* 1999; 143: 552-556.

Wilmink HW, Stroes ES, Erkelens WD, Gerritsen WB, Wever R, Banga JD, Rabelink TJ. Influence of folic acid on postprandial endothelial dysfunction. *Arterioscler Thromb Vasc Biol* 1999; 20: 185-188.

Winter RJ de, Bholasingh R, Lijmer JG, Koster RW, Gorgels PMC, Schouten Y, Hoek FJ, et al. Independent prognostic value of C-reactive protein and trioponin I in patients with unstable angina or non-Q-wave myocardial infarction. *Cardiovasc Res* 1999; 42: 240-245.

Wolffenbittel BHB, Sels JPJE, Rondas-Colbers GJWM, Menheere PPCA. Prognostic factors for successful insulin therapy in subjects with type 2 diabetes. *Neth J Med* 199; 54: 63-69.

## *Interne geneeskunde*

Beishuizen A, Haanen C, Hylkema BS, Vermes I. Diagnosis of relative adrenal insufficiency in critically ill patients. *Lancet* 1999; 354: 774-775.

Beishuizen A, Vermes I. Relative eosinophilia (Thorn test) as a Bioassay to Judge the Clinical Relevance of Cortisol Values during Severe Stress. *J Clin Endocrinol Metab* 1999; 84: 3400.

Beishuizen A, Vermes I, Hylkema BS, Haanen C. Relative eosinophilia and functional adrenal insufficiency in critically ill patients. *Lancet* 1999; 353: 1675-1676.

Bindels AJGH, Westendorp RGJ, Frölich M, Seidell JC, Blokstra A, Smelt AHM. The prevalence of subclinical hypothyroidism at different total plasma cholesterol levels in middle aged men and women: a need for case-finding? *Clin Endocrinol* 1999; 50: 217-220.

Enomoto DN, Mekkes JR, Bossuyt PM, Yong SL, Out TA, Hoekzema R, Rie MA de, et al. Treatment of patients with systemic sclerosis with extracorporeal photochemotherapy (photopheresis). *J Am Acad Dermatol* 1999; 41: 915-922.

Feelders RA, Swaak AJG, Romijn JA, Eggermont AMM, Tielens ET, Vreugdenhil G, Endert E, et al. Characteristics of recovery from the euthyroid sick syndrome induced by tumor necrosis factor alpha in cancer patients. *Met* 1999; 48: 324-329.

Groote Veldman R, Berg G. van den, Pincus SM, Frölich M, Veldhuis JD, Roelfsema F. Increased episodic release and disorderliness of prolactin secretion in both micro- and macroprolactinomas. *Eur J Endocrinol* 1999; 140: 192-200.

Haanen C, Vermes I. Arseentrioxide, een nieuw therapeuticum bij de behandeling van acute promyelocytenukemie in geval van resistentie tegen tretinoïne. *Ned Tijdschr Geneesk* 1999; 143: 1738-1741.

Huber JC, Campagnoli C, Druckmann R, Ebert C, Pasqualini JR, Ruby J, Schweppe KW, Schindler AE, Thijssen JHH, European Progestin Club. Recommendations for estrogen and progestin replacement in the climacteric and postmenopause. *Maturitas* 1999; 33: 197-209.

Jacobs EM, Vervoort G, Branten AJ, Klasen I, Smits P, Wetzels JF. Atrial natriuretic peptide increases albuminuria in type I diabetic patients: evidence for blockade of tubular protein reabsorption. *Eur J Clin Invest* 1999; 29: 109-115.

Janssen YJH, Frölich M, Roelfsema F. The absorption profile and availability of a physiological subcutaneously administered dose of recombinant human growth hormone (GH) in adults with GH deficiency. *Br J Clin Pharmacol* 1999; 47: 273-278.

Kamphuisen PW, Eikenboom JC, Vos HL, Pablo R, Sturk A, Bertina RM, Rosendaal FR. Increased levels of factor VIII and fibrinogen in patients with venous thrombosis are not caused by acute phase reactions. *Thromb Haemost* 1999; 81: 680-683.

Lam WF, Masclee AAM, Souverijn JHM, Lamers CBHW. Effect of acute hyperglycemia on basal, secretin and secretin + cholecystokinin stimulated exocrine pancreatic secretion in humans. *Life Sci* 1999; 64: 617-626.

Lam WF, Gielkens HAJ, Coenraad M, Souverijn JHM, Lamers CBHW, Masclee AAM. Effect of insulin and glucose on basal and cholecystokinin-stimulated exocrine pancreatic secretion in humans. *Pancreas* 1999; 18: 252-258.



- Langendonk JG, Meinders AE, Burggraaf J, Frölich M, Roelen CAM, Schoemaker RC, Cohen AF, Pijl H. Influence of obesity and body fat distribution on growth hormone kinetics in humans. *Am J Physiol* 1999; 277: 824-829.
- Lazarov R, Konijnenberg A, Post van der JAM, Sturk A, Boer K. Preëclampsie (nog) niet te voorspellen door metingen aan de bloedplaatjes. *Ned Tijdschr Geneesk* 1999; 143: 10-13.
- Ligtenberg PC, Hoekstra JBL, Frölich M, Meinders AE, Erkelens DW. Serum leptin levels are not influenced by physical training in type 2 diabetes mellitus patients. *Diab Obesity Metab* 1999; 1: 23-27.
- Marta RF, Montero VS, Hack CE, Sturk A, Maiztegui JJ, Molinas FC. Proinflammatory cytokines and elastase-1-antitrypsin in argentine hemorrhagic fever. *Am J Trop Med Hyg* 1999; 60: 85-89.
- Metz J de, Sprangers F, Endert E, Ackermans MT, Berge IJM ten, Sauerwein HP, Romijn JA. Interferon-gamma has immunomodulatory effects with minor endocrine and metabolic effects in humans. *J App Phys, Respir Environm Exerc Phys* 1999; 86: 517-522.
- Nocker RE, Weller FR, Out TA, Riemer MJ de, Jansen HM, Zee JS van der. A double-blind study on the effect of inhaled corticosteroids on plasma protein exudation in asthma. *Am J Respir Crit Care Med* 1999; 159: 1499-1505.
- Pijl JW van der, Lemkes HPJ, Frölich M, Woude FJ van der, Meer FJM van der, Es LA van. Effect of danaparoid sodium on proteinuria, von Willebrand factor, and hard exudates in patients with diabetes mellitus type 2. *J Am Soc Nephrol* 1999; 10: 1331-1336.
- Poll T van der, Endert E, Coyle SM, Agosti JM, Lowry SF. Neutralization of TNF does not influence indotoxin-induced changes in thyroid hormone metabolism in humans. *Am J Phys* 1999; 276: R357-R362.
- Smit PC, Thijssen JHH, Borel Rinkes JHM, Vroonhoven ThJMV van. Peroperatieve parathormoonbepaling: zekerstelling van geslaagde chirurgische behandeling van primaire hyperparathyreoïdie - *Ned Tijdschr Geneesk* 1999; 143: 742-746.
- Swinkels DW, Marx J. Diagnostiek en behandeling van hereditaire hemochromatose. *Ned Tijdschr Geneesk* 1999; 143: 1404-1408.
- Swinkels DW. Diagnostiek van hereditaire hemochromatose. Nieuwsbrief van de Nederlandse Vereniging voor Hepatologie. 1999; 23: 4-6.
- Swinkels DW, Marx JJM. Welke parameters (ferritine, transferrine) moet men hanteren bij de follow-up van hemochromatose? Welke waarden zijn na te streven bij behandeling? *Internisten Vademecum* 1999; 17.
- Tjong MY, Vange N van der, ten Kate FJW, Tjong-A-Hung SP, Schegget J ter, Burger MPM, Out TA. Increased IL-6 and IL-8 levels in cervicovaginal secretions of patients with cervical cancer. *Gynecol Oncol* 1999; 73: 285-291.
- Veen S van, Frölich M, Chang PC. Acute hyperglycaemia in the forearm induces vasodilation that is not modified by hyperinsulinaemia. *J Hum Hypertens* 1999; 13: 263-268.
- Verhage B, Vervoort G, Wolkotte C, Elving E, Wetzels J, Willems H, Smits P, Verbeek A, Berden J. Prevalence of "syndrome X" features in parents of type 1 diabetic patients with or without nephropathy. *Diabetes Care* 1999; 22: 1048-1052.
- Vu MK, Veek PPJ van der, Frölich M, Souverijn JHM, Biemond I, Lamers CBHW, Masclee AAM. Does jejunal feeding activate exocrine pancreatic secretion? *Eur J Clin Invest* 1999; 29: 1053-1059.
- Wenting-van Wijk MJG, Blankenstein MA, Lafeber FPJG, Bijlsma JWJ. Relation of plasma dexamethasone to clinical response. *Clin Exp Rheumatol* 1999; 17: 305-312.
- Wever R, Boer P, Hijmering M, Stroes E, Verhaar M, Kastelein J, Versluis K, Lagerwerf F, Rijn H van, Koomans H, Rabelink T. Nitric oxide production is reduced in patients with chronic renal failure. *Arterioscler Thromb Vasc Biol* 1999; 19: 1168-1172.

#### *Stoornissen in het intermediaire metabolisme*

- Abeling NGGM, Gennip AH van, Blom H, Wevers RA, Vreken P, Tinteren HLG van, Bakker HD. Rapid diagnosis and methionine administration: basis for a favourable outcome in a patient with methylene tetrahydrofolate reductase deficiency. *J Inher Metab Dis* 1999; 22: 240-242.
- Al Aqeel AI, Rashed MS en Wanders RJA. Carnitine-acylcarnitine translocase deficiency is a treatable disease. *J Inher Metab Dis* 1999; 22: 271-275.
- Andresen BS, Olpin SE, Kvittingen EA, Augoustides-Savvopoulou P, Lindhout D, Halley DJJ, Vianey-Saban C, Wanders RJA, IJlst L, Schroeder LD, Bolund L en Gregersen N. DNA-based prenatal diagnosis for very-long-chain acyl-CoA dehydrogenase deficiency. *J Inher Metab Dis* 1999; 22: 281-285.
- Andresen BS, Olpin S, Poorthuis BJHM, Scholte HR, Vianey-Saban C, Wanders RJA, IJlst L, et al. Clear correlation of genotype with disease phenotype in very-long-chain acyl-CoA dehydrogenase deficiency. *Am J Hum Genet* 1999; 64: 479-494.
- Ausems MGEM, Berg K ten, Kroos MA, Diggelen OP van, Wevers RA, Poorthuis BJHM, Niezen-Koning KE, et al. Glycogen storage disease type II: Birth prevalence agrees with predicted genotype frequency. *Community Genetics* 1999; 2: 91-96.
- Barth PG, Wanders RJA, Vreken P, Janssen EAM, Lam J en Baas F. X-linked cardioskeletal myopathy and neutropenia (Barth syndrome) (MIM 302060). *J Inher Metab Dis* 1999; 22: 555-567.
- Barth PG, Wanders RJA, Vreken P. X-linked cardioskeletal myopathy and neutropenia (Barth syndrome) - MIM 302060. *J Ped* 1999; 135: 273-276.
- Beekvelt MCP van, Colier WJNM, Wevers RA, Engelen BGM van. Quantitative measurement of oxygen consumption and forearm blood flow in patients with mitochondrial myopathies. In: *Oxygen transport to tissue XXI*. Eke A, Delpy DT, eds. Kluwer academic 1999: 313-319.
- Beekvelt M van, Engelen BGM van, Wevers RA, Colier WJNM. Quantitative Near-Infrared Spectroscopy discriminates between mitochondrial myopathies and normal muscle. *Ann Neurol* 1999; 46: 667-670.
- Bennett MJ, Spotswood SD, Ross KF, Comfort S, Koonce R, Boriack RL, IJlst L en Wanders RJA. Fatal hepatic short-chain L-3-hydroxyacyl-coenzyme A dehydrogenase deficiency: clinical, biochemical, and pathological studies on three subjects with this recently identified disorder of mitochondrial  $\beta$ -oxidation. *Pediatr Dev Pathol* 1999; 2: 337-345.

- Biermann J, Gootjes J, Humbel BM, Dansen TB, Wanders RJA, Bosch H van den. Immunological analyses of alkyl-dihydroxyacetone-phosphate synthase in human peroxisomal disorders. *Eur J Cell Biol* 1999; 78: 339-348.
- Biermann J, Gootjes J, Wanders RJA, Bosch H van den. Stability of alkyl-dihydroxyacetonephosphate synthase in human control and peroxisomal disorder fibroblasts. *Life* 1999; 48: 635-639.
- Biermann J, Just WW, Wanders RJA, Bosch H van den. Alkyl-dihydroxyacetone phosphate synthase and dihydroxyacetone phosphate acyltransferase form a protein complex in peroxisomes. *Eur J Biochem* 1999; 261: 492-499.
- Bootsma AH, Overmars H, Rooij A van, Lint AEM van, Wanders RJA, Gennip AH van, Vreken P. Rapid analysis of conjugated bile acids in plasma using electrospray tandem mass spectrometry: application for selective screening of peroxisomal disorders. *J Inher Metab Dis* 1999; 22: 307-310.
- Bräutigam C, Steenbergen-Spanjers GCH, Hoffmann GF, Dionisi-Vici C, Heuvel LPWJ van den, Smeitink JAM, Wevers RA. Biochemical and molecular genetic characteristics of the severe form of tyrosine hydroxylase deficiency. *Clin Chem* 1999; 45: 2073-2078.
- Brouwer IA, Dusseldorp M van, Duran M, Thomas CMG, Hautvast JGAJ, Eskes TKAB, Steegers-Theunissen RPM. Low-dose folic acid supplementation does not influence plasma methionine concentrations. *Br J Nutr* 1999; 82: 85-89.
- Brouwer IA, Dusseldorp M van, Thomas CMG, Duran M, Hautvast JGAJ, Eskes TKAB, Steegers-Theunissen RPM. Low-dose folic acid supplementation decreases plasma homocysteine concentrations: a randomized trial. *Amer J Clin Nutr* 1999; 69: 99-104.
- Brouwer IA, Dusseldorp M van, West CE, Meyboom S, Thomas CMG, Duran M, et al. Dietary folate from vegetables and citrus fruit decreases plasma homocysteine concentrations in humans in a dietary controlled trial. *J Nutr* 1999; 129: 1135-1139.
- Bull LN, Juijn JA, Liao M, Eijk MJT van, Sinke RJ, Stricker NL, et al. Fine-resolution mapping by haplotype evaluation: the examples of PFIC1 and BRIC. *Hum Genet* 1999; 104: 241-248.
- Cardo E, Campistol J, Caritg J, Ruiz S, Vilaseca MA, Kirkham F, Blom HJ. Fatal haemorrhagic infarct in an infant with homocystinuria. *Dev Med Child Neurol* 1999; 41: 132-135.
- Coenen MJH, Heuvel LPWJ van den, Nijtmans LG, Morava E, Marquardt I, Girschick HJ, Trijbels JMF, Grivell L, Smeitink JAM. SURFEIT-1 gene analysis and two-dimensional blue native gel electrophoresis in cytochrome c oxidase deficiency. *Biochem Biophys Res Commun* 1999; 265: 339-344.
- Costa CG, Tavares de Almeida I, Poll-The BT, Duran M, Jakobs C. Dynamic changes of plasma acylcarnitine levels induced by fasting and sunflower oil challenge test in normal children. *Pediatr Res* 1999; 46: 440-444.
- Custers JWH, Poll-The BT, Duran M, Klerk JBC de, Uiterwaal CSPM, Helders PJM. Muscle strength in children with medium-chain acyl-CoA dehydrogenase deficiency. *J Inher Metab Dis* 1999; 22: 200-201.
- Dansen TB, Westerman J, Wouters FS, Wanders RJA, Hoek A van, Gadella TWJ, Wirtz KWA. High-affinity binding of very-long-chain fatty acyl-CoA esters to the peroxisomal non-specific lipid-transfer protein (sterol carrier protein-2). *Biochem J* 1999; 339: 193-199.
- Die-Smulders CE de, Waterham HR, Fryns JP. Unexpected molecular findings in 2 previously described brothers with Smith-Lemli-Opitz syndrome. *Genet Counseling* 1999; 10: 403.
- Domburg PHMF van, Willems MAAP, Rotteveel JJ, Jong JGN de, Thijssen HOM, Heerschap A, Cruysberg JRM, Wanders RJA, Gabreëls FJM, Steijlen PM. Sjögren-Larsson syndrom: clinical and MRI/MRS findings in FALD-deficient patients. *Neurology* 1999; 52: 1345-1352.
- Ferdinandusse S, Mulders J, IJlst L, Denis S, Dacremont G, Waterham HR, Wanders RJA. Molecular cloning and expression of human carnitine octanoyltransferase: evidence for its role in the peroxisomal  $\beta$ -oxidation of branched-chain fatty acids. *Biochem Biophys Res Commun* 1999; 263: 213-218.
- Geel BM van, Assies J, Haverkort EB, Koelman JHTM, Verbeeten B, Wanders RJA, Barth PG. Progression of abnormalities in adrenomyeloneuropathy and neurologically asymptomatic X-linked adrenoleukodystrophy despite treatment with "Lorenzo's oil". *J Neurol Neurosurg Psychiatry* 1999; 67: 290-299.
- Gennip AH van. Defects in metabolism of purines and pyrimidines. *Ned Tijdsch Klin Chem* 1999; 24: 171-175.
- Gennip AH van. Defects in metabolism of purines and pyrimidines. In: *Pädiatrie-Grundlagen und Praxis* (Lentze MJ, Schaub J, Schulk FJ and Spranger J, ed.). Springer-Verlag, Heidelberg (1999).
- Gennip AH van. Nierstenen: metabole oorzaken. *Ned Tijdschr Klin Chem* 1999; 24: 176-180.
- Graaf-Hess A de, Trijbels JMF, Blom HJ. New method for determining cystine in leukocytes and fibroblasts. *Clin Chem* 1999; 45: 2224-2228.
- Griend R van der, Haas FJLM, Biesma DH, Duran M, Meuwissen OJATH, Banga JD. Combination of low-dose folic acid and pyridoxine for treatment of hyperhomo-cysteinaemia in patients with premature arterial disease and their relatives. *Atherosclerosis* 1999; 143: 177-183.
- Grünwald S, Huyben CLMC, Jong JGN de, Smeitink JAM, Rubio Gozalbo ME, Boers GHJ, Harald S, Conradt HS, Wendel UAH, Wevers RA.  $\beta$ -Trace protein in human cerebrospinal fluid: a diagnostic marker for N-glycosylation defects in brain. *Biochim Biophys Acta* 1999; 1455: 54-60.
- Grunsven EG van, Berkel E van, Denis S, Mooijer PAW, Wanders RJA. D-hydroxyacyl-CoA dehydrogenase deficiency. Identification of a new peroxisomal disorder with implications for other disorders of  $\beta$ -oxidation. *Adv Exp Med Biol* 1999; 466: 365-369.
- Grunsven EG van, Berkel E van, Mooijer PAW, Watkins PA, Moser HW, Suzuki Y, Jiang LL, Hashimoto T, Hoefler G, Adamski J, Wanders RJA. Peroxisomal bifunctional protein deficiency revisited: resolution of its true enzymatic and molecular basis. *Am J Hum Genet* 1999; 64: 99-107.
- Grunsven EG van, Mooijer PAW, Aubourg P, Wanders RJA. Enoyl-CoA hydratase deficiency: identification of a new type of D-bifunctional protein deficiency. *Hum Mol Genet* 1999; 8: 1509-1516.
- Guldener C van, Kulik W, Berger R, Dijkstra DA, Jakobs C, Reijngoud DJ, et al. Homocysteine and methionine metabolism in ESRD: A stable isotope study. *Kidney Int* 1999; 56: 1064-1071.

- Haagsma CJ, Blom HJ, Riel PLCM van, Hof MA van 't, Giesendorf BAJ, Oppenraaij-Emmerzaal D van, Putte LBA van de. Influence of sulphasalazine, methotrexate, and the combination of both on plasma homocysteine concentrations in patients with rheumatoid arthritis. *Ann Rheum Dis* 1999; 58: 79-84.
- Heil SG, Put NMJ van der, Trijbels JMF, Gabreëls FJM, Blom HJ. Molecular genetic analysis of human folate receptors in neural tube defects. *Eur J Hum Genet* 1999; 7: 393-396.
- Housteck J, Klement P, Hermanská J, Antonická H, Houštková H, Stratilová L, Wanders RJA, Zeman J. Complex approach to prenatal diagnosis of cytochrome c oxidase deficiencies. *Prenat Diagn* 1999; 19: 552-558.
- Houten SM, Romeijn GJ, Koster J, Gray RGF, Darbyshire P, Smit GPA, et al. Identification and characterization of three novel missense mutations in mevalonate kinase cDNA causing mevalonic aciduria, a disorder of isoprene biosynthesis. *Hum Mol Genet* 1999; 8: 1523-1528.
- Houten SM, Kuis W, Duran M, Koning TJ de, Royen-Kerkhof A van, Romeijn GJ, et al. Mutations in MVK, encoding mevalonate kinase, cause hyperimmunoglobulinaemia D and periodic fever syndrome. *Nature Genet* 1999; 22: 175-177.
- Huizing M, Trijbels JMF, Smeitink JAM, Heuvel LPWJ van den, Palmieri F, Ruitenbeek W. Muscle mitochondrial transmembrane processes in mitochondriopathies. In: Understanding the process of aging: the roles of mitochondria, free radicals and antioxidants. Cadenas E & Packer L, eds. Marcel Dekker Inc, New York 1999: 327-360.
- IJlst L, Oostheim W, Werkhoven MA van, Willemsen MA, Wanders RJA. Molecular basis of Sjögren-Larsson syndrome: frequency of the 1297-1298 del GA and 943C-T mutation in 29 patients. *J Inher Metab Dis* 1999; 22: 319-321.
- IJlst L, Ruitenbeek W, Oostheim W, Niezen-Koning KE, Palmieri F, Wanders RJA. Identification of a missense mutation in a patient with lethal carnitine acylcarnitine carrier deficiency. *Adv Exp Med Biol* 1999; 466: 347-351.
- Imbach T, Burda P, Kuhnert P, Wevers RA, Aebi M, Berger EG, Hennet T. A mutation in the human ortholog of the *Saccharomyces cerevisiae* ALG6 gene causes carbohydrate deficient glycoprotein syndrome type Ic. *Natl Acad Sci USA* 1999; 96: 6982-6987.
- Jansen GA, Ferdinandusse S, Hogenhout EM, Verhoeven NM, Jakobs C, Wanders RJA. Phytanoyl-CoA hydroxylase deficiency. Enzymological and molecular basis of classical Refsum disease. *Adv Exp Med Biol* 1999; 466: 371-376.
- Jansen GA, Ofman R, Denis S, Ferdinandusse S, Hogenhout EM, Jakobs C, Wanders RJA. Phytanoyl-CoA hydroxylase from rat liver: protein purification and cDNA cloning with implications for the subcellular localization of phytanic acid  $\alpha$ -oxidation. *J Lipid Res* 1999; 40: 2244-2254.
- Jansen GA, Verhoeven NM, Denis S, Romeijn GJ, Jakobs C, Brink HJ ten, Wanders RJA. Phytanic acid  $\alpha$ -oxidation: identification of 2-hydroxyphytanoyl-CoA lyase in rat liver and its localisation in peroxisomes. *Biochim Biophys Acta* 1999; 1440: 176-182.
- Jongh S de, Vreken P, Bakker HD. Fanconi-Bickel syndrome. Identification of a new mutation in the GLUT 2 facilitative glucose transporter. *Pediatric Clinics Amsterdam* 1999; 6-7.
- Jongh S de, Vreken P, IJlst L, Wanders RJA, Jakobs C, Bakker HD. Spontaneous pregnancy in a patient with classical galactosaemia. *J Inher Metab Dis* 1999; 22: 754-755.
- Kapusta L, Haagmans MLM, Steegers EAP, Cuypers MHM, Blom HJ, Eskes TKAB. Congenital heart defects and maternal derangement of homocysteine metabolism. *J Pediatr* 1999; 135: 773-774.
- Kluijtmans LAJ, Boers GHJ, Kraus JP, Heuvel LPWJ van den, Cruysberg JRM, Trijbels JMF, Blom HJ. The molecular basis of cystathionine beta-synthase deficiency in Dutch patients with homocystinuria: effect of CBS genotype on biochemical and clinical phenotype and on response to treatment. *Am J Hum Genet* 1999; 65: 59-67.
- Knaap MS van der, Jakobs C, Hoffmann GF, Duran M, Muntau AC, Schweitzer S, et al. D-2-Hydroxyglutaric aciduria: Further clinical delineation. *J Inher Metab Dis* 1999; 22: 404-413.
- Knaap MS van der, Wevers RA, Kure S, Gabreëls FJM, Verhoeven NM, Raaij-Selten AHJ van, Jaeken J. Increased cerebrospinal fluid glycine: a biochemical marker for a leukoencephalopathy with vanishing white matter. *J Child Neurol* 1999; 14: 728-731.
- Knaap MS van der, Wevers RA, Struys EA, Verhoeven NM, Pouwels PJ, Engelke U, Feikema W, Valk J, Jakobs C. Leukoencephalopathy associated with a disturbance in the metabolism of polyols. *Ann Neurol* 1999; 46: 925-928.
- Koning TJ de, Dorland L, Berge Henegouwen GP van. Phosphomannose isomerase deficiency as a cause of congenital hepatic fibrosis and protein-losing enteropathy. *J Hepatol* 1999; 31: 557-560.
- Koning TJ de, Vries LS de, Groenendaal F, Ruitenbeek W, Jansen GH, Poll-The BT, Barth PG. Pontocerebellar hypoplasia associated with respiratory-chain defects. *Neuropediatrics* 1999; 30: 93-95.
- Kraus JP, Janosik M, Kozich V, Mandell R, Shih V, Sperando MP, Sebastio G, Franchis R de, Andria G, Kluijtmans LAJ, Blom HJ, Boers GHJ, Gordon RB, Kamoun P, Tsai MY, Kruger WD, Koch H-G, Ohura T, Gaustadnes M. Cystathionine  $\beta$ -synthase mutations in homocystinuria. *Hum Mutat* 1999; 13: 362-375.
- Kuilenburg ABP van, Vreken P, Abeling NGGM, Bakker HD, Meinsma R, Lenthe H van, et al. Genotype and phenotype in patients with dihydropyrimidine dehydrogenase deficiency. *Hum Genet* 1999; 104: 1-9.
- Kuilenburg ABP van, Vreken P, Riva D, Botteon G, Abeling NGGM, Bakker HD, Gennip AH van. Clinical and biochemical abnormalities in a patient with dihydropyrimidine dehydrogenase deficiency due to homozygosity for the C29R mutation. *J Inher Metab Dis* 1999; 22: 191-192.
- Lehnert W, Stögmann W, Engelke U, Wevers RA, Berg GB van de. Long-term follow-up of a new case of hawkinsinuria. *Eur J Pediatr* 1999; 158: 478-582.
- Lilien MR, Duran M, Hoeck KJM van, Poll-The BT, Schröder CH. Hyperhomocyst(e)inaemia in children with chronic renal failure. *Nephrol Dial Transpl* 1999; 14: 366-368.
- Lissens W, Vreken P, Barth PG, Wijburg FA, Ruitenbeek W, Wanders RJA, Seneca S, Liebaers I, Meirleir L de. Cerebral palsy and pyruvate dehydrogenase deficiency: identification of two new mutations in the E1 $\alpha$  gene. *Eur J Pediatr* 1999; 158: 853-857.

- Liu Y, Björkman J, Urguhart A, Wanders RJA, Crane DI, Gould SJ. PEX13 is mutated in complementation group 13 of the peroxisome-biogenesis disorders. *Am J Hum Genet* 1999; 65: 621-634.
- Loeffen JLCM, Smeets RJP, Smeitink JAM, Triepels RH, Sengers RCA, Trijbels JMF, Heuvel LPWJ van den. The human NADH:ubiquinone oxidoreductase NDUFS5 (15kDa) subunit: cDNA cloning, chromosomal localization, tissue distribution and the absence of mutations in isolated complex I-deficient patients. *J Inher Metab Dis* 1999; 22: 19-28.
- Mancini GM, Stojanov L, Willemsen R, Kleijer WJ, Huijman JG, Diggelen OP van, Klerk JB de, Vuzevski VD, Oranje AP. Juvenile hyaline fibromatosis: clinical heterogeneity in three patients. *Dermatology* 1999; 198: 18-25.
- Matsuzono Y, Kinoshita N, Tamura S, Shimozawa N, Hamasaki M, Ghaedi K, Wanders RJA, et al. Human PEX19: cDNA cloning by functional complementation, mutation analysis in a patient with Zellweger syndrome, and potential role in peroxisomal membrane assembly. *Proc Natl Acad Sci USA* 1999; 96: 2116-2121.
- Meer CA de, Gulmans VAM, Westerterp KR, Houwen RHJ, Berger R. Skinfold measurements in children with cystic fibrosis: monitoring fat-free mass and exercise effects. *Eur J Pediatr* 1999; 158: 800-806.
- Möller G, Leenders F, Grunsvan EG van, Dolez V, Qualmann B, Kessels MM, Markus M, Krazeisen A, Husen B, Wanders RJA, Launoit Y de, Adamski J. Characterization of the HSD17B4 gene: D-specific multifunctional protein 2/17b-hydroxysteroid dehydrogenase IV. *J Steroid Biochem Mol Biol* 1999; 69: 441-446.
- Moolenaar S, Poggi-Bach J, Engelke U, Corstiaensen JMB, Heerschap A, Jong JGN de, Binzak BA, Vockley J, Wevers RA. Defect in dimethylglycine dehydrogenase, a new inborn error of metabolism: NMR spectroscopy study. *Clin Chem* 1999; 45: 459-464.
- Nelen WLDM, Steegers EAP, Blom HJ, Eskes TKAB. Homocysteïne en foliumzuur als risicofactoren voor herhaalde miskraam. *Ned Ts Obstet Gynaec* 1999; 112: 12-13.
- Ofman R, Hogenhout EM, Wanders RJA. Identification and characterization of the mouse cDNA encoding acyl-CoA: dihydroxyacetone phosphate acyltransferase. *Biochim Biophys Acta* 1999; 1439: 89-94.
- Pineda M, Girós M, Roels F, Espeel M, Ruiz M, Moser AB, Moser HW, Wanders RJA, Pavia C, Conill J, Aracil A, Amat L, Pampols T. Diagnosis and follow-up of a case of peroxisomal disorder with peroxisomal mosaicism. *J Child Neurol* 1999; 14: 434-439.
- Poll-The BT, Wevers RA, Duran M. Biochemische analyse. In: *Leerboek Medische Genetica*. Pronk JC, Leschot NJ, Bijlsma EK, Beemer FA, Gereadts JPM, Liebaers I, eds. Elsevier Bunge 1999: 251-267.
- Poorthuis BJ, Wevers RA, Kleijer WJ, Groener JE, Jong JG de, Weely S van, Niezen-Koning KE, Diggelen OP van. The frequency of lysosomal storage diseases in The Netherlands. *Hum Genet* 1999; 105: 151-156.
- Rinat C, Wanders RJA, Drukker A, Halle D en Frishberg Y. Primary hyperoxaluria type I: A model for multiple mutations in a monogenic disease within a distinct ethnic group. *J Am Soc Nephrol* 1999; 10: 2352-2358.
- Roermund CWT van, Hettema EH, Berg M van den, Tabak HF, Wanders RJA. Molecular characterization of carnitine-dependent transport of acetyl-CoA from peroxisomes to mitochondria in *Saccharomyces cerevisiae* and identification of a plasma membrane carnitine transporter, Agp2p. *EMBO J* 1999; 18: 5843-5852.
- Rondot P, Wevers RA. Recessive dopa-responsive form due to a mutation of the tyrosine hydroxylase gene. *Bull Acad Natl Med* 1999; 183: 639-646.
- Rubio Gozalbo ME, Heerschap A, Trijbels JMF, Meirleir L de, Smeitink JAM, Thijssen HOM. Proton MR spectroscopy in a child with pyruvate dehydrogenase complex deficiency. *Magn Reson Imaging* 1999; 17: 939-944.
- Ruyter CJ de, Wevers RA, Engelen BGM van, Verdijk PW, Haan ALM de. Muscle function in a patient with Brody's disease. *Muscle Nerve* 1999; 22: 704-711.
- Rzeski M, Kuran W, Mierzevska H, Vreken P, Wanders RJA en Zaremba J. Adrenomielineuropatia - jedna z postaci adrenoleukodystrofii sprezonej z chromosomem X - badania rodziny. *J Neur Neurochir Pol* 1999; 33: 1173-1185.
- Sacksteder KA, Morell JC, Wanders RJA, Matalon R, Gould SJ. MCD encodes peroxisomal and cytoplasmic forms of malonyl-CoA decarboxylase and is mutated in malonyl-CoA decarboxylase deficiency. *J Biol Chem* 1999; 274: 24461-24468.
- Schröder CH, Boer AW de, Giesen AM, Monnens LAH, Blom HJ. Treatment of hyperhomocysteinemia in childhood on dialysis by folic acid. *Pediatr Nephrol* 1999; 13: 583-585.
- Schülke M, Smeitink JAM, Mariman ECM, Loeffen JLCM, Plecko B, Trijbels JMF, Stöckler-Ipsiroglu S, Heuvel LPWJ van den. Mutant NDUFV1 subunit of mitochondrial complex I causes leukodystrophy and myoclonic epilepsy. *Nat Genet* 1999; 21: 260-261.
- Sewell AC, Herwig J, Böhles H, Abeling NGGM, Gennip AH van. Normal kynurenine metabolism in 2-oxoadipic aciduria. *J Inher Metab Dis* 1999; 22: 949-950.
- Shimozawa N, Imamura A, Zhang Z, Suzuki Y, Orii T, Tsukamoto T, Osumi T, Fujiki Y, Wanders RJA, Besley GT, Kondo N. Defective PEX gene products correlate with the protein import, biochemical abnormalities, and phenotypic heterogeneity in peroxisome biogenesis disorders. *J Med Genet* 1999; 36: 779-781.
- Shimozawa N, Suzuki Y, Zhang Z, Imamura A, Toyama R, Mukai S, Fujiki Y, Tsukamoto T, Osumi T, Orii T, Wanders RJA, Kondo N. Nonsense and temperature-sensitive mutations in PEX13 are the cause of complementation group H of peroxisome biogenesis disorders. *Hum Mol Genet* 1999; 8: 1077-1083.
- Shimozawa N, Zhang Z, Suzuki Y, Imamura A, Tsukamoto T, Osumi T, Fujiki Y, Orii T, Barth PG, Wanders RJA, Kondo N. Functional heterogeneity of C-terminal peroxisome targeting signal 1 in PEX5-defective patients. *Biochem Biophys Res Commun* 1999; 262: 504-508.
- Simmonds HA and van Gennip AH. Nucleotide Degradation. In: *Encyclopedia of Life Sciences* (1999) article 1398.
- Steen C, Baumgartner ER, Duran M, Lehnert W, Suomalainen T, Fingerhut R, Stehn M, Kohlschütter A. Metabolic stroke in isolated 3-methylcrotonyl-CoA carboxylase deficiency. *Eur J Pediatr* 1999; 158: 730-733.

- Theil C, Baudach S, Schnackenberg U, Vreken P, Wanders RJA. Long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency: Neonatal manifestation at the first day of life presenting with tachypnoea. *J Inher Metab Dis* 1999; 22: 839-840.
- Toyama R, Mukai S, Itagaki A, Tamura S, Shimozawa N, Suzuki Y, Kondo N, Wanders RJA, Fujiki Y. Isolation, characterization and mutation analysis of PEX13-defective Chinese hamster ovary cell mutants. *Hum Mol Genet* 1999; 8: 1673-1681.
- Trefz FK, Vreken P, Hermann U, Frauendienst-Egger G, Matern D, Göggerle M, Korall H. Trifunktionaler Proteindefekt: eine Ursache für den plötzlichen Kindstod? Aktuelle Neuropädiatrie 1998, Uitg. K.H.P. Bentele, A. Kohlschütter. Nürnberg 1999; 182-188.
- Triepels RH, Heuvel LPWJ van den, Loeffen JLCM, Buskens CAF, Smeets RJP, Rubio Gozalbo ME, Budde SMS, Mariman ECM, Wijburg FA, Barth PG, Trijbels JMF, Smeitink JAM. Leigh syndrome associated with a mutation in the NDUF57 (PSST) nuclear encoded subunit of complex I. *Ann Neurol* 1999; 45: 787-790.
- Triepels RH, Smeitink JAM, Loeffen JLCM, Smeets RJP, Buskens CAF, Trijbels JMF, Heuvel LPWJ van den. The human nuclear-encoded acyl carrier subunit (NDUFAB1) of the mitochondrial complex I in human pathology. *J Inher Metab Dis* 1999; 22: 163-173.
- Ubbink JB, Christianson A, Bester MJ, Allen MI van, Venter PA, Delpont R, Blom HJ, Merwe A van der, Potgieter H, Vermaak WJH. Folate status, homocysteine metabolism, and methylene tetrahydrofolate reductase genotype in rural South African blacks with a history of pregnancy complicated by neural tube defects. *Metabolism* 1999; 48: 269-274.
- Vaz FM, Scholte HR, Rüter JPN, Hussaarts-Odijk LM, Pereira RR, Schweitzer S, Klerk JB de, Waterham HR, Wanders RJA. Identification of two novel mutations in OCTN2 of three patients with systemic carnitine deficiency. *Hum Genet* 1999; 105: 157-161.
- Ventura FV, Costa CG, Struys EA, Rüter J, Allers P, IJlst L, et al. Quantitative acylcarnitine profiling in fibroblasts using [U-13C] palmitic acid: an improved tool for the diagnosis of fatty acid oxidation defects. *Clin Chim Acta* 1999; 281: 1-17.
- Verhoeven NM, Schor DS, Struys EA, Jansen EEW, Brink HJ ten, Wanders RJA, Jakobs C. Analysis of pristanic acid beta-oxidation intermediates in plasma from healthy controls and patients affected with peroxisomal disorders by stable isotope dilution gas chromatography mass spectrometry. *J Lipid Res* 1999; 40: 260-266.
- Verrips A, Lycklama a Nijeholt GJ, Barkhof F, Engelen BGM van, Wesseling P, Luyten JAFM, Wevers RA, Stam J, Wokke JHJ, Heuvel LPWJ van den, Keyser A, Gabreëls FJM. Spinal xanthomatosis: a variant of cerebrotendinous xanthomatosis. *Brain* 1999; 122: 1589-1595.
- Verrips A, Wevers RA, Engelen BGM van, Keyser A, Wolthers BG, Barkhof F, Stalenhoef AFH, Graaf R de, Janssen-Zijlstra FSM, Spreken ACGA van, Gabreëls FJM. Effect of simvastatin in addition to chenodeoxycholic acid in patients with cerebrotendinous xanthomatosis. *Metabolism* 1999; 48: 233-238.
- Verrips A, Wevers RA, Heuvel LPWJ van den, Engelen BGM van, Keyser A, Gabreëls FJM. Cerebrotendineuze xanthomatosis. *Ned Tijdschr Klin Chem* 1999; 24: 166-170.
- Verzijl HTFM, Engelen BGM van, Luyten JAFM, Steenbergen GCH, Heuvel LPWJ van den, Laak HJ ter, Padberg GWAM, Wevers RA. Response to: Primary, secondary, and coincidental types of myo-AMP deaminase deficiency (mADD). *Annals of Neurology* 1999; 45: 548.
- Vet ECJM de, IJlst L, Oostheim W, Dekker C, Moser HW, Bosch H van den, Wanders RJA. Ether lipid biosynthesis. Alkyl-dihydroxyacetonephosphate synthase protein deficiency leads to reduced dihydroxyacetonephosphate acyltransferase activities. *J Lipid Res* 1999; 40: 1998-2003.
- Vreken P, Kuilenburg ABP van, Hamajima N, Meinsma R, Lenthe H van, Göhlich Ratmann G, Assmann BE, Wevers RA, Gennip AH van. cDNA cloning, genomic structure and chromosomal localization of the human BUP-1 gene encoding  $\beta$ -ureidopropionase. *Biochim Biophys Acta* 1999; 1447: 251-257.
- Vreken P, Lint AEM van, Bootsma AH, Overmars H, Wanders RJA, Gennip AH van. Quantitative plasma acylcarnitine analysis using electrospray tandem mass spectrometry for the diagnosis of organic acidaemias and fatty acid oxidation defects. *J Inher Metab Dis* 1999; 22: 302-306.
- Vreken P, Lint AEM van, Bootsma AH, Overmars H, Wanders RJA, Gennip AH van. Rapid diagnosis of organic acidemias and fatty acid-oxidation defects by quantitative electrospray tandem-MS acylcarnitine analysis in plasma. *Adv Exp Med Biol* 1999; 466: 327-337.
- Wanders RJA. Functions and dysfunctions of peroxisomes in fatty acid  $\alpha$ - and  $\beta$ -oxidation. New insights. *Adv Exp Med Biol* 1999; 466: 283-299.
- Wanders RJA. Peroxisomal disorders: clinical, biochemical, and molecular aspects. *Neurochem Res* 1999; 24: 565-580.
- Wanders RJA, Mooijer PAW, Dekker C, Suzuki Y, Shimozawa N. Disorders of peroxisome biogenesis: complementation analysis shows genetic heterogeneity with strong overrepresentation of one group (PEX1 deficiency). *J Inher Metab Dis* 1999; 22: 314-318.
- Wanders RJA, Vreken P, Boer MEJ den, Wijburg FA, Gennip AH van, IJlst L. Disorders of mitochondrial fatty acyl-CoA beta-oxidation. *J Inher Metab Dis* 1999; 22: 442-487.
- Waterham HR. Het Smith-Lemli-Opitz syndroom: een erfelijke ziekte veroorzaakt door een defect in de synthese van cholesterol. *Analyse* 1999; 41-43.
- Waterham HR en Wanders RJA. Smith-Lemli-Opitz syndroom (7-dehydrocholesterol reductase deficientie). *Nieuwsbrief landelijk overleg DNA-diagnostiek* 7 1999; 1-3.
- Wevers RA, Engelke U, Moolenaar S, Bräutigam C, Jong JGN de, Duran R, Abreu RA de, Gennip AH van. 1H-NMR spectroscopy of body fluids: Inborn errors of purine and pyrimidine metabolism. *Clin Chem* 1999; 45: 539-548.
- Wevers RA, Rijk-van An del JF de, Bräutigam C, Geurtz B, Heuvel LPWJ van den, Steenbergen-Spanjers GCH, Smeitink JAM, Hoffmann GF, Gabreëls FJM. A review of biochemical and molecular genetic aspects of tyrosine hydroxylase deficiency including a novel mutation. *J Inher Metab Dis* 1999; 22: 364-373.
- Willemsen MAAP, Rotteveel JJ, Steijlen PM, Wanders RJA. Incomplete Sjögren-Larsson Syndrome in two Japanese siblings? *Dermatology* 1999; 199: 187.

Willemsen MAA, Steijlen PM, Jong JGN de, Rotteveel JJ, IJlst L, Werkhoven MA van, Wanders RJA. A novel 4 bp deletion mutation in the FALDH gene segregating in a Turkish family with Sjögren-Larsson syndrome. *J Invest Derm* 1999; 112: 827-828.

Wong WY, Eskes TKAB, Kuijpers-Jagtman AM, Spauwen PHM, Steegers EAP, Thomas CMG, Hamel BCJ, Blom HJ, Steegers-Theunissen RPM. Nonsyndromic orofacial clefts: association with maternal hyperhomocysteinemia. *Teratology* 1999; 60: 253-257.

Zhang Z, Suzuki Y, Shimozawa N, Fukuda S, Imamura A, Tsukamoto T, Osumi T, Fujiki Y, Orii T, Wanders RJA, Barth PG, Moser HW, Paton BC, Besley GT, Kondo N. Genomic structure and identification of 11 novel mutations of the PEX6 (peroxisome assembly factor-2) gene in patients with peroxisome biogenesis disorders. *Hum Mutat* 1999; 13: 487-496.

### *Gynaecologie en obstetrie*

Feitz WFJ, Kiemeny LALM, Hamse N, Willemsen J, Blom HJ, Steegers-Theunissen RPM. Maternal vitamin status and non-syndromic hypospadias. *Eur Soc Pediatr Urol* 1999; 83: 116.

Jongh S de, Vreken P, IJlst L, Wanders RJA, Jacobs C, Bakker HD. Spontaneous pregnancy in a patient with classical galactosaemia. *J Inher Metab Dis* 1999; 22: 754-755.

Kauffman HF, Hovinga H, Bruijn HWA de, Beintema JJ. Eosinophil derived neurotoxin levels in commercial human urinary preparations of glycoprotein hormones. *Eur J Obstet Gynecol* 1999; 111-113.

Pop VJM, Kuijpers JL, Baar AL v, Verkerk G, Son MM v, Vijlder JJ de, Vulmsa T, Wiersinga WM, Drexhage HA, Vader HL. Low maternal free thyroxine concentrations during early pregnancy are associated with impaired psychomotor development in infancy. *Clin Endocrinol* 1999; 50: 149-155.

Rijn M van, Schouw YT van der, Hagens AM, Visser GHA, Christiaens GCML. Adverse obstetric outcome in low- and high-risk pregnancies: predictive value of maternal serum screening. *Obstetrics Gynaecology* 1999; 94: 929-934.

### *Diversen*

Bennett MJ, Spotswood SD, Ross KR, Comfort S, Koonce R, Boriack RL, IJlst L, et al. Fatal hepatic short-chain L-3-hydroxyacyl-Coenzyme A dehydrogenase deficiency: clinical biochemical, and pathological studies on three subjects with this recently identified disorder of mitochondrial  $\beta$ -oxidation. *Pediatric Developmental Pathology* 1999; 2: 337-345.

Dam RM van, Schuit AJ, Schouten EG, Vader HL, Pop VJM. Serum cholesterol decline and depression in the postpartum period. *Journal of Psychosomatic Research* 1999; 46: 385-390.

Huijgen H, Soesan M, Sanders R, Mairuhu W, Kesecioglu J, Sanders G. Hypomagnesemia in critically ill patients. *Critical Care Testing* 1999; 3: 2-3.

Keijzer MH de, Brandts R, Giesendorf BAJ. Comment on the overestimation of methemoglobin concentrations in neonatal samples with the Chiron 800 System CO-oximeter module. *Clin Chem* 1999; 45: 1313-1314.

Sanders GT, Huijgen HJ, Sanders R. Magnesium in disease: a review with special emphasis on the serum ionized magnesium. *Clin Chem Lab Med* 1999; 37: 1011-1033.

Vaz FM, Scholte HR, Ruiter J, Hussarts-Odijk L, Rodrigues Pereira R, Schweitzer S, Klerk JBC de. Identification of two novel mutations in *OCTN2* of three patients with systemic carnitine deficiency. *Hum Genet* 1999; 105: 157-161.

Vader HL. Wat cellen vertellen. Van chemische gegevens naar klinische informatie. *Ned Tijdschr Klin Chem* 1999; 24: 200-207.

### **Kwaliteitsbewaking, data handling, referentiewaarden en statistiek**

Bartels PCM, Schoorl M. Sense and nonsense of laboratory accreditation. *Accred Qual Ass* 1999; 4: 107-108.

Bartels PC M, Schoorl M. Doelgericht communiceren om voortdurend te verbeteren. *CCKL Bulletin* 1999; 14: 5-7.

Bousquet B, Brombacher PJ, Zérah S, Beastall GH, Blaton V, Charret J, Gurr E, et al. EC4 European Syllabus for Post-Graduate Training in Clinical Chemistry. Version 2 - 1999. *Clin Chem Lab* 1999; 37:119-1127.

Cobbaert C, Mulder PGH, Baadenhuijsen H, Zwang L, Weykamp CW, Demacker PNM. Survey of total error of precipitation and homogeneous HDL-cholesterol methods and simultaneous evaluation of lyophilized saccharose-containing candidate reference material for HDL-cholesterol. *Clin Chem* 1999; 45: 360-370.

Dieijen-Visser MP van. Klinische chemie: robotiseren, analyseren en communiceren. Jubileumspecial Medisch Contact, november 1999: 26.

Dieijen-Visser MP van. Klinische chemie: robotiseren, analyseren en communiceren. Jubileumbundel "Zorgen na Morgen" van de KNMG 1999: 35-36. ISBN 90 5805 024 6.

Fischer JC, Sanders GTB. Beschouwingen. Communicatie bij een 36-urige werkweek. *Ned Tijdschr Klin Chem* 1999; 24: 208-209.

Keijzer R de, Elbers D, Baadenhuijsen H, Demacker PNM. Evaluation of five different high density lipoprotein cholesterol assays: the most precise are not the most accurate. *Ann Clin Biochem* 1999; 36: 168-175.

Loeber JG, Webster D, Aznarez A. Quality evaluation of newborn screening programs. *Acta Paediatr* 1999; Suppl. 432: 3-6.

Sanders GT, Jansen RT, Beastall G, Gurr E, Kenny D, Kohse KP, Zérah S. Recent activities of EC4 in harmonization of clinical chemistry in the European Union. *Clin Chem Lab Med* 1999; 37: 477-480.

### **Dissertaties**

Cobben N: Enzymatic markers in monitoring pulmonary inflammation and damage. Maastricht 1999. Promotor: Prof. dr. M.P. van Dieijen-Visser en Prof. dr. E.F.M. Wouters.

Hackeng CM. Prothrombotic properties of Low Density Lipoprotein, Utrecht, 12 januari 1999. Promotor: Prof.dr. J.W.N. Akkerman. Co-promotor: Dr. H.J.M. van Rijn.

Huijgen HJ. Relevancy of serum ionized magnesium in clinical chemistry, Universiteit van Amsterdam, 1999. Promotor: Prof. dr. G.T.B. Sanders. Co-promotor: Dr R. Sanders.

Put NMJ. Homocysteine, folate and neural tube defects. Biochemical and molecular genetic analysis, Nijmegen, 1999. Promotores: prof. dr. J.M.F. Trijbels en prof. dr. T.K.A.B. Eskes. Co-promotores: dr. H.J. Blom en dr. R.P.M. Steegers-Theunissen.

Rijn M van. Maternal serum screening in Dutch obstetric practice. Proefschrift. Utrecht, 1999. Promotores: Prof. dr. G.H.A. Visser en Prof.dr. J.M. Bensing. Co-promotores: Dr. G.C.M.L. Christiaens en Dr.Ir. Y.T. van der Schouw.

Jakobs BS. Function and dysfunction of the mitochondrial and peroxisomal beta-oxidation systems in human cells and their functional interaction. Universiteit van Amsterdam. Promotor: prof.dr. R.J.A. Wanders.

Kemp S. Molecular biology and pharmacogenetics of X-linked adrenoleukodystrophy. (Co)Promot.: prof.dr. R.J.A. Wanders, prof.dr. H.W. Moser (John Hopkins University), dr. P.A. Bolhuis en dr. K.D. Smith (Johns Hopkins University).

Wever RMF. Functional relationships of endothelial nitric oxide synthase. Implications for vascular function, Utrecht 1999. Promotor Prof. Dr. T.J.Rabelink, Prof. Dr. H.A. Koomans. Co-promotor: Dr. H.J.M. van Rijn.

#### **Dankbetuiging**

De redactie dankt Lucienne Theeuwen voor haar bijdrage bij de totstandkoming van dit overzicht.