

Publicaties der leden 2001

Klinische (Bio)chemie en Methodologie

Lipiden

Bredie SJ, Bosch FH, Demacker PN, Stalenhoef AF, Leusen R van. Effect of peritoneal dialysis with an overnight icodextrin dwell on parameters of glucose and lipid metabolism. *Perit Dial* 2001; 21: 275-281.

Houterman S, Verschuren WMM, Oomen CM, Cobbaert CM, Kromhout D. Trends in total and HDL cholesterol and their determinants in the Netherlands between 1993 and 1997. *Int J Epidemiol* 2001; 30: 1063-1070.

Lie J, Crom R de, Jauhiainen M, Gent T van, Haperen R van, Scheek L, Jansen H, Ehnholm C, Tol A van. Evaluation of phospholipid transfer protein and cholesteryl ester transfer protein as contributors to the generation of pre beta-high-density lipoproteins. *Biochem J* 2001; 360: 379-385.

Ruiter AF, Ackermans MT, Endert E. Simultaneous gas chromatographic determination of concentration and isotopic enrichment of fatty acids in human plasma using flame ionization and mass spectrometric detection. *J Chromatogr B Biomed Sci Appl* 2001; 759: 169-174.

Stalenhoef AF, Hectors M, Demacker PN. Effect of plant sterol-enriched margarine on plasma lipids and sterols in subjects heterozygous for phytosterolaemia. *J Intern Med* 2001; 249: 163-166.

Tits LJ van, Waart F de, Hak-Lemmers HL, Heijst P van, Graaf J de, Demacker PNM, Stalenhoef AFH. Effect of alpha-tocopherol on superoxide production and plasma intercellular adhesion molecule-1 and antibodies to oxidised LDL in chronic smokers. *Free Radic Biol Med* 2001; 15: 1122-1129.

Zandberg P, Peters JLM, Demacker PN, Reeder EG de, Smit MJ, Meuleman DG. Comparison of the antiatherosclerotic effect of tibolone with that of estradiol and ethinyl estradiol in cholesterol-fed ovariectomised rabbits. *Menopause* 2001; 8: 96-105.

Enzymen

Kramers C, Danilov SM, Deinum J, Bayasnikova IV, Scharenborg N, Looman M, Boosma F, Keijzer MH de, Duijn C van, Martin S, Soubrier F, Adema GJ. A point mutation in the stalk of angiotensin-converting enzyme causes a dramatic increase in serum ACE, but no cardiovascular disease. *Circulation* 2001; 104: 1236-1240.

IJlst L, Roermund CWT van, Iacobazzi V, Oostheim W, Ruiter JPN, Williams JC, Palmieri F, et al. Functional analysis of mutant human carnitine acylcarnitine translocases in yeast. *BBRC* 2001; 280: 700-706.

Eiwitten

Dam MA ten, Branten AJ, Klasen IS, Wetzels JF. The gelatin-derived plasma substitute Gelofusine causes low-molecular-weight proteinuria by decreasing tubular protein reabsorption. *J Crit Care* 2001; 16: 115-120.

Grauw WJC de, Lisdonk EH van de, Gerwen WHEM van, Verstappen M., Hoogen HJM van den, Willems JL, Weel C van. Microalbuminuria in patients with Type 2 diabetes mellitus from general practice: course and predictive value. *Diabetic Medicine* 2001; 18: 139-143.

Klasen IS, Goertz JH, Wiel GA van de, Weemaes CM, Meer JW van der, Drenth JP. Hyper-immunoglobulin A in the hyper-immunoglobulinemia D syndrome. *Clin Diagn Lab Immunol* 2001; 8: 58-61.

Nijenhuis T, Klasen I, Weemaes CM, Preijers F, Vries E de, Meer JW van der. Common variable immunodeficiency (CVID) in a family: an autosomal dominant mode of inheritance. *Neth J Med* 2001; 59: 134-139.

Prinsen BH, Sain-van der Velden MG de, Kaysen GA, Straver HW, Rijn HJ van, Stellaard F, Berger R, Rabelink TJ. Transferrin synthesis is increased in nephrotic patients insufficiently to replace urinary losses. *J Am Soc Nephrol* 2001; 12: 1017-1025.

Schrijver IA, Man YA de, Melief MJ, Laar JM van, Markusse HM, Klasen IS, Hazenberg MP, Laman JD. Reduced systemic IgG levels against peptidoglycan in rheumatoid arthritis (RA) patients. *Clin Exp Immunol* 2001; 123: 140-146.

Elektrolyten

Wong WY, Flik G, Groenen PMW, Swinkels DW, Thomas CMG, Copius-Peereboom JHJ, Merkus HMWM, Steegers-Theunissen RPM. The impact of calcium, magnesium, zinc, and copper in blood and seminal plasma in semen parameters in men. *Reprod Toxicol* 2001; 15: 131-136.

Endocrinologie

Bakker SJ, Maaten JC ter, Popp-Snijders C, Slaets JP, Heine RJ, Gans RO. The relationship between thyrotropin and low density lipoprotein cholesterol is modified by insulin sensitivity in healthy euthyroid subjects. *J Clin Endocrinol Metab* 2001; 86: 1206-1211.

Bravenboer N, Engelbregt MJ, Visser NA, Popp-Snijders C, Lips P. The effect of exercise on systemic and bone concentrations of growth factors in rats. *J Orthop Res* 2001; 19: 945-949.

- Engelbregt MJ, van Weissenbruch MM, Popp-Snijders C, Lips P, Delemarre-van de Waal HA. Body mass index, body composition, and leptin at onset of puberty in male and female rats after intrauterine growth retardation and after early postnatal food restriction. *Pediatr Res* 2001; 50: 474-478.
- Fogteloo AJ, Meinders AE, Pijl H, Kroon AA, Frölich M, Leeuw de PW. Renal clearance of endogenous leptin in hypertensive humans with or without renal artery stenosis. *Am J Physiol (End and Metab)* 2001; 281: 400-404.
- Groote Veldman R, Frölich M, Pincus SM, Veldhuis JD, Roelfsema F. Basal, pulsatile, entropic, and 24-hour-rhythmic features of secondary hyperprolactinemia due to functional pituitary stalk disconnection mimic tumoral (primary) hyperprolactinemia. *J Clin Endocr Metab* 2001; 86: 1562-1565.
- Groote Veldman R, Frölich M, Pincus SM, Veldhuis SM, Roelfsema F. Hyperleptinemia in women with Cushing's disease is driven by high-amplitude pulsatile, but orderly and eurythmic, leptin secretion. *Eur J Endocrinol* 2001; 144: 21-27.
- Muskiet FAJ, Dijck-Brouwer DAJ, Veer E van der, Schaafsma A. Do we really need ≥ 100 μg vitamin D/d, and is it safe for all of us? (Letter) *Am J Clin Nutr* 2001; 74: 862-867.
- Oleksik A, Duong T, Popp-Snijders C, Pliester N, Asma G, Lips P. Effects of the selective oestrogen receptor modulator raloxifene on calcium and PTH secretory dynamics in women with osteoporosis. *Clin Endocrinol (Oxf)*. 2001; 54: 575-582.
- Oleksik AM, Duong T, Pliester N, Asma G, Popp-Snijders C, Lips P. Effects of the selective estrogen receptor modulator, raloxifene, on the somatotrophic axis and insulin-glucose homeostasis. *J Clin Endocrinol Metab* 2001; 86: 2763-2768.
- Pijl H, Langendonk JG, Burggraaf J, Frölich M, Cohen AF, Veldhuis JD, Meinders E. Altered neuroregulation of GH secretion in viscerally obese premenopausal women. *J Clin Endocr Metab* 2001; 86: 5509-5515.
- Pluijm SM, Visser M, Smit JH, Popp-Snijders C, Roos JC, Lips P. Determinants of bone mineral density in older men and women: body composition as mediator. *J Bone Miner Res* 2001; 16: 2142-2151.
- Roelfsema F, Biermasz NR, Groote Veldman R, Veldhuis JD, Frölich M, Stokvis-Brantsma WH, Wit JM. Growth hormone (GH) secretion in patients with an inactivating defect of the GH-releasing hormone (GHRH) receptor is pulsatile: evidence for a role for non-GHRH inputs into the generation of GH pulses. *J Clin Endocr Metab* 2001; 86: 2459-2464.
- Schröder CH, Swinkels LMJW, Reddingius RE, Sweep FGJ, Willems HL, Monnens LAH. Adsorption of erythropoietin and growth hormone to peritoneal dialysis bags and tubing. *PDI* 2001; 21: 90-92.
- Thijssen JHH, Goozen SHM van, Engeland H van, Matute LMP, Blankenstein MA. No detectable prolactin in human saliva. *Biol Psych* 2001; 50: 817-818.
- Visser J, Graffelman W, Blauw B, Haspels I, Lentjes E, Kloet de E.R, Nagelkerken L. LPS-induced IL-10 production in whole blood cultures from chronic fatigue syndrome patients is increased but supersensitive to inhibition by dexamethasone. *J Neuroimmunol* 2001; 119: 343-349.
- Visser J, Lentjes E, Haspels I, Graffelman W, Blauw B, Kloet de R, Nagelkerken L. Increased sensitivity to glucocorticoids in peripheral blood mononuclear cells of chronic fatigue syndrome patients, without evidence for altered density or affinity of glucocorticoid receptors. *J Invest Med* 2001; 49: 195-204.
- Zwart R, Verhaagh S, Buitelaar M, Popp-Snijders C, Barlow DP. Impaired activity of the extraneuronal monoamine transporter system known as uptake-2 in *Orct3/Slc22a3*-deficient mice. *Mol Cell Biol* 2001; 21: 4188-4196.

Tumormarkers

- Blankenstein MA, Lock MTWT. De rol van prostaat-specifiek antigeen (PsA) en andere kallikreïnes in de vroege opsporing van prostaatkanker. *Ned T Urol* 2001; 9: 53-58.
- Blijenberg BG, Yurdakul G, Zelst BD van, Bangma CH, Wildhagen MF, Schröder FH. Discordant performance of assays for free and total prostate-specific antigen in relation to the early detection of prostate cancer. *BJU Int* 2001; 88: 545-550.
- Bon GG, Kenemans P, Verstraeten AA, Go S, Philipi PA, Kamp GJ van, Geijn HP van, Vugt JM van. Maternal serum Ca125 and Ca15-3 antigen levels in normal and pathological pregnancy. *Fetal Diagn Ther* 2001; 16: 166-172.
- Bonfrer JM, Korse CM. Monitoring malignant melanoma with the S-100B tumour marker. *Recent Results Cancer Res* 2001; 158: 149-157.
- Brodie AM, Lu Q, Long BJ, Fulton A, Chen T, Macpherson N, de Jong PC, Blankenstein MA, Nortier JW, Slee PH, van de Ven J, van Gorp JM, Elbers JR, Schipper ME, Blijham GH, Thijssen JHH. Aromatase and COX-2 expression in human breast cancers. *J Steroid Biochem Mol Biol* 2001; 79: 41-47.
- Dik MG, Jonker C, Comijs HC, Bouter LM, Twisk JW, Kamp GJ van, Deeg DJ. Memory complaints and APOE-epsilon4 accelerate cognitive decline in cognitively normal elderly. *Neurology* 2001; 57: 2217-2222.
- Jong PC de, Blankenstein MA, Ven J van de, Nortier JWR, Blijham G, Thijssen JHH. The importance of local aromatase activity in hormone dependent breast cancer: a review. *The Breast* 2001; 10: 91-99.
- Nap M, van Wel T, Andres C, Bellanger L, Bodenmuller H, Bonfrer H, et al. Immunohistochemical profiles of 30 monoclonal antibodies against cytokeratins 8, 18 and 19. Second report of the TD5 workshop. *Tumour Biol* 2001; 22: 4-10.
- Stieber P, Molina R, Chan DW, Fritsche HA, Beyrau R, Bonfrer JM, et al. Evaluation of the analytical and clinical performance of the Elecsys CA 15-3 immunoassay. *Clin Chem* 2001; 47: 2162-2164.
- Ven J van de, Sprong M, Donker GH, Thijssen JHH, Mak-Kregar S, Blankenstein MA. Levels of oestrogen and progesterone receptors in myometrium and leiomyoma tissue after suppression of oestrogens with GnRH analogues. *Gyn Endocrinol* 2001; 15: 61-68.
- Verheijen FM, Sprong M, Jacobs J, Donker TH, Amelink GJ, Thijssen JHH, Blankenstein MA. Progesterone receptor isoform expression in human meningiomas. *Eur J Cancer* 2001; 37: 1488-1495.
- Zelst BD van, Blijenberg BG, Schröder FH. De bepaling van totaal PSA m.b.v. de ACS: 180 in perspectief. *Ned Tijdschr Klin Chem* 2001; 26: 3-8.

Hematologie

Bartels PCM, Schoorl M. Evaluation of M6 leukemia progression with the Sysmex XE-2100. *Sysmex J Int* 2001; 11: 74-76.

Bartels PCM, Schoorl M, van Bodegraven AA. Reduction of preanalytical errors due to in vitro activation of coagulation. *Clin Lab* 2001; 47: 449-452.

Elion-Gerritzen WE. IJzergebrek bij premenopauzale vrouwen en criteria voor ijzersuppletie. *Ned Tijdschr Geneesk* 2001; 145: 11-14.

Hoffmann JJML. EDTA-induced pseudo-neutropenia resolved with kanamycin. *Clin Lab Haematol* 2001; 23: 193-196.

Meer W van der, Jakobs BS, Bocca G, Smeitink JAM, Schuurmans Steekhoven JH, Keijzer MH de. Peripheral blood lymphocyte appearance in a case of I cell disease. *J Clin Pathol* 2001; 54: 724.

Meer W van der, Keijzer MH de, Berkel Y van, Allebes W. Pseudotrombopenie: altijd weer anders. *NVB bulletin* 2001; 4: 35-37.

Pronk-Admiraal CJ, Bartels PCM. Total Amount of ECP per eosinophil as an indicator for the activity state of eosinophils. *Scand J Clin Lab Invest* 2001; 61: 453-457.

Schnog JB, Dijs FPL van der, Fokkema MR, Muskiet FD, Muskiet FAJ. Folate status assessment and folic acid supplements in sickle cell disease. *Letter. J Pediatr Hematol Oncol* 2001; 23: 548.

Wiel A van de, Golde PM van, Kraaijenhagen RJ, Borne PAK van der, Bouma BN, Hart HC. Acute inhibitory effect of alcohol on fibrinolysis. *European J Clin Invest* 2001; 31: 164-170.

Wijk R van, Nieuwenhuis HK, Berg HM van den, Huizinga EG, Meijden BB van der, Kraaijenhagen RJ, Solinge WW van. Five novel mutations in the gene for human blood coagulation factor V associated with type I factor V deficiency. *Blood* 2001; 98: 358-367.

Stolling

Berckmans RJ, Nieuwland R, Böing AN, Romijn FPHTM, Hack CE, Sturk A. Cell-derived microparticles circulate in healthy humans and support low grade trombin generation. *Thromb Haemost* 2001; 85: 639-646.

Besselaar AMHP van den, Dam W van, Sturk A, Bertina RM. Prothrombin time ratio is reduced by magnesium contamination in evacuated blood collection tubes. *Thromb Haemost* 2001; 85: 647-650.

Biró E, Nieuwland R, Wester JPI, Haas FJLM, Sturk A. Laboratoriumdiagnostiek van heparine-geïnduceerde trombocytopenie. *Tijdschrift Belgische Ver Lab Technologen* 2001; 28: 5-15.

Collen A, Maas A, Kooistra T, Lupu F, Grimbergen J, Haas FJLM, Biesma DH, Koolwijk P, Koopman J, Hinsbergh VWM van. Aberrant fibrin formation and cross-linking of fibrinogen Nieuwegein, a variant with a shortened Aa-chain, alters endothelial capillary tube formation. *Blood* 2001; 97: 973-980.

Dekker E den, Gorter G, Vuurst H van der, Heemskerk JW, Akkerman JW. Biogenesis of G-protein mediated calcium signaling in human megakaryocytes. *Thromb Haemost* 2001; 86: 1106-1113.

Dekker E den, Heemskerk JW, Gorter G, Vuurst H van der, Donath J, Kroner C, Mikoshiba K, Akkerman JW. Cyclic AMP raises intracellular Ca(2+) in human megakaryocytes independent of protein kinase A. *Arterioscler Thromb Vasc Biol* 2002; 22: 179-186.

Gómez Carcia EB, Poort SR, Stibbe J, Sturk A, Schaap MCL, Kappers M, Bertina RM. Two novel and one recurrent missense mutation in the factor XIII A gene in two dutch patients with factor XIII deficiency. *Brit J Haematol* 2001; 112: 513-518.

Hoffmann JJML, Janssen WCM. Comparison of three methods for measuring PEG-hirudin in blood. *Blood Coagul Fibrinolysis* 2001; 12: 577-581.

Joop K, Berckmans RJ, Nieuwland R, Berkhout J, Romijn FPHTM, Hack CE, Sturk A. Microparticles from patients with multiple organ dysfunction syndrome and sepsis support coagulation through multiple mechanisms. *Thromb Haem* 2001; 85: 810-820.

Korporaal SJ, Relou IA, Rijn HJ van, Akkerman. Lysophosphatidic acid-independent platelet activation by low-density lipoprotein. *FEBS Lett* 2001; 494: 121-124.

Sijens PE, Oudkerk M, Berghout A, Ingen HE van, Kemperman H. Comparison of a quantitative latex and a quantitative ELISA plasma D-dimer assay in the exclusion of segmental and subsegmental pulmonary embolism. *Thrombosis and Haemostasis* 2001; 86: 1580-1582.

Wester JPI, Sturk A, Haas FJLM, Christiaans HMT, Polderman KH, Spijkstra JJ, Girbes ARJ. Klinische aspecten van heparine-geïnduceerde trombocytopenie. *Tijdschr Belgische Ver Lab Technologen* 2001; 28: 113-126.

Wijk R van, Montefusco MC, Duga S, Asselta R, Santagostino E, Solinge WW van, Malcovati M, Tenchini ML, Mannucci PM. Coexistence of a novel homozygous non-sense mutation in exon 13 of the factor V gene with the homozygous Leiden mutation in two unrelated patients with severe factor V deficiency. *Br J Haematol* 2001; 114: 871-874.

Toxicologie

Demacker PN. Dichlorodiphenylethylene serum concentrations and effect on birthweight. *Lancet* 2001; 17:358: 1732 (letter).

Muskiet FAJ, Fokkema MR. Dopingcontrole, zoals gezien vanuit de Klinische Chemie. *Foliolum II*; 2001; 15: 32-41.

Weide J van der, Steijns LSW. CYP2E1 polymorphism and alcoholism. *Tijdschr Belgische Ver Lab Technologen* 2001; 28: 289-292.

Geneesmiddelen

Veefkind AH. Geslachtsgebonden verschillen in farmacokinetiek en farmacodynamiek. *Tijdschrift voor Psychiatrie* 2001; 43: 163-171.

Weide J van der, Steijns LSW, Weelden MJM van, Haan K de. The effect of genetic polymorphism of cytochrome P450 CYP2C9 on phenytoin dose requirement. *Pharmacogenetics* 2001; 11: 287-291.

Weide J van der, Steijns LSW, Weelden MJM van, Haan K de. Benodigde dagdosis fenytoïne verlaagd bij genetisch bepaald traag geneesmiddelmetabolisme en onbeïnvloed bij gelijktijdig gebruik van andere anti-epileptica. *Ned Tijdschr Geneesk* 2001; 145: 312-315.

Weide J van der, Steijns LSW, Weelden MJM van, Haan K de. Eerst prikken, dan slikken. *Pharmaceutisch Weekblad* 2001; 136: 565-569.

Moleculaire biologie

Botma GJ, Verhoeven AJ, Jansen H. Hepatic lipase promoter activity is reduced by the C-480T and G-216A substitutions present in the common LIPC gene variant, and is increased by Upstream Stimulatory Factor. *Atherosclerosis* 2001; 154: 625-632.

Buijs A, Poddighe P, Wijk R van, Solinge WW van, Borst E, Verdonck L, Pearson P, Hagenbeek A, Lokhorst H. A new CBFA2 single-nucleotide mutation in a Dutch family with familial storage pool deficiency and propensity to develop myeloid malignancies. *Blood* 2001; 98: 2856-2858.

Ede AE van, Laan RFJM, Blom HJ, Huizinga TWJ, Haagsma CJ, Giesendorf BAJ, Boo TM de, Putte LBA van de. The C677T mutation in the methylenetetrahydrofolate gene. A genetic risk factor for methotrexate-related elevation of liver enzymes in rheumatoid arthritis patients. *Arthritis Rheumatism* 2001; 44: 2525-2530.

Heil SG, Levchenko E, Monnens LAH, Trijbels JMF, Put NMJ, Blom HJ. The molecular basis of Dutch infantile nephropathic cystinosis. *Nephron* 2001; 89: 50-55.

Leegwater PA, Vermeulen G, Konst AA, Naidu S, Mulders J, Visser A, Kersbergen P, Mobach D, Fonds D, Berkel CG van, Lemmers RJ, Frants RR, Oudejans CB, Schutgens RB, Pronk JC, Knaap MS van der. Subunits of the translation initiation factor eIF2B are mutant in leukoencephalopathy with vanishing white matter. *Nat Genet* 2001; 29: 383-388.

Leegwater PA, Yuan BQ, van der Steen J, Mulders J, Konst AA, Boor PK, Mejaski-Bosnjak V, Maarel SM van der, Frants RR, Oudejans CB, Schutgens RB, Pronk JC, Knaap MS van der. Mutations of MLC1 (KIAA0027), encoding a putative membrane protein, cause megalencephalic leukoencephalopathy with subcortical cysts. *Am J Hum Genet* 2001; 68: 831-838.

Meulen van der SB, Pouwels JGJ, Abbes AP, Bruggeman BEJM, Engel H. Twee families met de ziekte van Wilson: een klinisch en diagnostisch overzicht. *Ned Tijdschr Klin Chem* 2001; 26: 28-34.

Nijenhuis M, Akker ELT van den, Zalm R, Franken AAM, Abbes AP, Engel H, Wied de D, Peter J, Burbach H. Familial Neurohypophysial Diabetes Insipidus in a Large Dutch Kindred: Effect of the Onset of Diabetes on Growth in Children and Cell Biological Defects of the Mutant Vasopressin Prohormone. *J Clin Endocrinol Metab* 2001; 86: 3410-3420.

Remijn JA, Wijk R van, Nieuwenhuis HK, Zwaginga JJ, Groot PhG de, Solinge WW van. Nature of the *TaqI* polymorphism in the fibrinogen α_2 gene. *Thromb Haemost* 2001; 86: 935-936.

Schaik RH van, Wildt SN de, Brosens R, Fessem M van, Anker JN van den, Lindemans J. The CYP3A4*3 allele: is it really rare? *Clin Chem* 2001; 47: 1104-1106.

Smit ML, Giesendorf BAJ, Vet JAM, Trijbels JMF, Blom HJ. Semiautomated DNA mutation analysis using a robotic workstation and molecular beacons. *Clin Chem* 2001; 47: 739-744.

Triepels R, Hanson B, Heuvel L van den, Sundell L, Marusich M, Smeitink J, Capaldi R. Human complex I defects can be resolved by monoclonal antibody analysis into distinct subunit assembly patterns. *J Biol Chem*, 2001; 276: 8892-8897.

Triepels R, Heuvel L van den, Trijbels F, Smeitink J. Respiratory chain complex I deficiency. *Am J Med Genet*, 2001; 106: 37-45.

Vaz FM, Ofman R, Westinga K, Back JW, Wanders RJA. Molecular and biochemical characterization of rat ϵ -N-trimethyllysine hydroxylase, the first enzyme of carnitine biosynthesis. *J Biol Chem* 2001; 276: 33512-33517.

Diversen

Bergh FAJTM van den, Bartels PCM, Wildeboer GJ. Opzet van een kostprijsmethodiek voor laboratoriumactiviteiten. Eindverslag Projectgroep Bedrijfsvoering NVKC. *Ned Tijdschr Klin Chem* 2001; 26: 44-46.

Duiser HJ, Roelandse FWC, Lentjes EGWM, Loon J van, Souverijn JHM, Sturk A. Iterative model for the calculation of oxyhemoglobin, methemoglobin, and bilirubin in absorbance spectra of cerebrospinal fluid. *Clin Chem* 2001; 47: 338-341.

Gerritsen WBM, Boven WJP van, Driessen AHG, Haas FJLM, Aarts LPHJ. Off-pump versus on-pump coronary artery bypass grafting: oxidative stress and renal function. *Eur J Cardio-Thorac Surg* 2001; 20: 923-929.

Heide H ter, Hendriks HJ, Heijmans H, Menheere PPCA, Spaapen LJ, Bakker JA, Forget PP. Are children with cystic fibrosis who are treated with a proton-pump inhibitor at risk for vitamin B12 deficiency? *J Pediatr Gastroenterol Nutr* 2001; 33: 342-345.

Heijckman CA, Menheere PPCA, Sels JP, Beuls EA, Wolffenbuttel BH. Clinical experience with Sandostatin LAR((R)) in patients with acromegaly. *Neth J Med* 2001; 59: 286-291.

Hendriks HJ, Van Kreeel BK, Forget PP. Effects of therapy with lansoprazole on intestinal permeability and inflammation in young cystic fibrosis patients. *J Pediatr Gastroenterol Nutr* 2001; 33: 260-265.

Horst FAL van der, Seidl-Prech BH, Kerst W. Analytische en klinische evaluatie van de Sperm Quality Analyzer in vergelijking met de conventionele semenanalyse conform de WHO-criteria t.b.v. eerstelijns andrologisch laboratoriumonderzoek. *Ned Tijdschr Klin Chem* 2001; 26: 288-292.

Huisman A, Vuurst H van der, Solinge WW van. Vraagtekens bij een goed bedoelde gewoonte. *Pharmaceutisch Weekblad* 2001; 136: 1293-1294.

Janssens PMW, Engels LLM. Stroomlijning van semenonderzoek door middel van voorscreening met TFSC, gemeten op de Sperm Quality Analyser. *Ned Tijdschr Klin Chem* 2001; 26: 283-288.

Jonge R de, Jong JW de, Giacometti D, Bradamante S. Role of adenosine and glycogen in ischemic preconditioning of rat hearts. *Eur J Pharmacol* 2001; 414: 55-62.

Krasznai A, Froon AHM, Go PMNYH, Burman WA, De Leeuw PW, Van Diejen-Visser MP. No differences in metabolic response after laparoscopic and conventional inguinal hernia repair: a randomised trial. *Le Journal de Coelochirurgie* 2001; 39: 35.

Kreeel BK van. Multi-frequency bioimpedance measurements of children in intensive care. *Med Biol Eng Comput* 2001; 39: 551-557.

Kruijk JR de, Leffers P, Menheere PPCA, Meerhoff S, Twijnstra A. S-100B and neuron-specific enolase in serum of mild traumatic brain injury patients. *Acta Neurol Scand* 2001; 103: 175-179.

Markus PJA, Swinkels DW, Jakobs BS, Wevers RA, Trijbels F, Willems HL. New Technique for diagnosis and monitoring of alcaptonuria: quantification of homogentisic acid in urine with mid-infrared spectrometry. *Anal Chim Acta* 2001; 429: 287-292.

Simmonds HA, Gennip AH van. Nucleotide degradation. *Encyclopedia of Life Sciences* 2001; 1-9.

Vanin AF, Huisman A, Stroes ES, Ruijter-Heijstek FC de, Rabelink TJ, Faassen EE van. Antioxidant capacity of mononitrosyl-iron-dithiocarbamate complexes: implications for NO trapping. *Free Radic Biol Med* 2001; 30: 813-824.

Vos MC, Land JA, Menheere PPCA, Evers JL. Macroprolactinemia, a benign form of hyperprolactinemia. *Ned Tijdschr Geneesk* 2001; 145: 967-970.

Weijnen CF, Hendriks HA, Hoes AW, Verweij WM, Verheij TJ, Wit NJ de. New immunoassays for the detection of *helicobacter pylori* infection compared with urease test, 13C breath test and histology: validation in the primary care setting. *J Microbiol Meth* 2001; 46: 235-240.

Yoshida T, Klinkspoor JH, Kuver R, Poot M, Rabinovitch PS, Wrenn SP, Kaler EW, Lee SP. Effects of bile salts on cholestan-3beta,5alpha,6beta-triol-induced apoptosis in dog gallbladder epithelial cells. *Biochim Biophys Acta* 2001; 1530: 199-208.

Klinische studies

Maligniteiten

Slootmans FCW, Veldman PHJM, Vader HL, Scheltinga MRM, Croiset van Uchelen FAAM, Roumen RMH. Voorspellende waarde van CEA in peritoneale spoelvoelstof met betrekking tot het recidief van een colorectaal carcinoom. *Med Journ* 2001; 30: 55-56.

Tan ACITL, Janssens PMW, Meijer JWR, Mol, JJ. Hypercalcëmie door adult T-celmyeloom bij een Surinaamse man. *Ned Tijdschr Geneesk* 2001; 145: 370-374.

Tjong MY, Vange N van der, ter Schegget JS, Burger MP, Kate FW ten, Out TA. Cytokines in cervicovaginal washing fluid from patients with cervical neoplasia. *Cytokine* 2001; 21: 357-360.

Tjong MY, Zumbach K, Schegget JT, Vange N van der, Out TA, Pawlita M, Struyk L. Antibodies against human papillomavirus type 16 and 18 E6 and E7 proteins in cervicovaginal washings and serum of patients with cervical neoplasia. *Viral Immunol* 2001; 14: 415-424.

Verschuur AC, Brinkman J, Gennip AH van, Leen R, Vet RJWM, Evers LM, Voûte PA, et al. Cyclopentenyl cytosine induces apoptosis and increases cytarabine-induced apoptosis in a T-lymphoblastic leukemic cell-line. *Leukemia Res* 2001; 25: 891-900.

Volk J, Reinke F, Kuilenburg ABP van, Gennip AH van, Schlichting C, Ganser A, Schöffski P. Safe administration of irinotecan, oxaliplatin and raltitrexed in a DPD-deficient patient with metastatic colon cancer. *Annals Oncol* 2001; 12: 569-571.

Allergie

Dijstelbloem HM, Winkel JG van de, Kallenberg CG. Inflammation in autoimmunity: receptors for IgG revisited. *Trends Immunol* 2001; 22: 510-516. Review.

Out TA, De Pater-Huijsen FL, Jansen HM, Corrigan CJ. CD8 T cells: potential therapeutic targets? In: Hansel TT and Barnes PJ eds.: *New drugs for asthma allergy and COPD*. *Prog Respir Res* 2001; 31: 233-236. Karger, Basel 2001.

Pronk-Admiraal C.J, Haitjema Tj, Horikx P, Bartels PCM. Surplus value of eosinophil blood count and serum ECP level to diagnose and monitor asthmatic patients. *Neth J Med* 2001, 58: 9-17.

Pronk-Admiraal CJ, Schilte PP, Bartels PCM. Effect of immunotherapy on eosinophil activation in pollen-sensitive children. *Clin Lab* 2001; 47: 231-238.

Neurologie en psychiatrie

Assies J, Lieverse R, Vreken P, Wanders RJA, Dingemans PMJA, Linszen DH. Significantly reduced docosahexaenoic and docosapentaenoic acid concentrations in erythrocyte membranes from schizophrenic patients compared with a carefully matched control group. *Biol Psychiatry* 2001; 49: 510-522.

Horssen J van, Otte-Höller I, David G, Maat-Schieman MLC, Heuvel LPWJ van den, Wesseling P, Waal RMW de, Verbeek MM. Heparan sulfate proteoglycans in cerebrovascular amyloid deposits in Alzheimer's disease and hereditary cerebral hemorrhage with amyloidosis (Dutch) brains. *Acta Neuropathologica* 2001; 102: 604-614.

Jong N de, Paw MJ, Groot LC de, Rutten RA, Swinkels DW, Kok FJ, Staveren WA van. Nutrient dense foods and exercise in frail elderly; effects on B vitamins, homocysteine, methylmalonic acid, and neuropsychological functioning. *Am J Clin Nutr* 2001; 73: 338-346.

Verbeek MM. Liquor-onderzoek en de diagnose van neurologische aandoeningen. *Analyse* 2001; 2: 7-13.

Vis JC, Verbeek MM, Waal RMW de, Donkelaar HJ ten, Kremer HPH. The mitochondrial toxin 3-nitropropionic acid induces differential expression patterns of apoptosis-related markers in rat striatum. *Neuropathol Appl Neurobiol* 2001; 27: 68-76.

Weide J van der, Steijns LSW. Genotyping in psychiatric patients: an overview. *Ned Tijdschr Klin Chem* 2001; 26: 195-196.

Weide J van der, Steijns LSW. Het nut van cytochroom P450 onderzoek bij toedienen van psychofarmaca. *Cobo-bulletin* 2001; 2: 30-33.

Willemsen MAAP, Verrips A, Verbeek MM, Voit T, Klepper J. Hypoglycorrachia: a simple clue, simply missed. *Ann Neurol* 2001; 49: 685-686.

Hart- en vaatziekten

Asselt DZ van, Pasman JW, Lier HJ van, Vingerhoets DM, Poels PJ, Kuin Y, Blom HJ, Hoefnagels WH. Cobalamin supplementation improves cognitive and cerebral function in older, cobalamin-deficient persons. *J Gerontol A Biol Sci Med Sci* 2001; 56: M775-779.

- Baum H, Bertsch T, Bohner J, Pap KW von, Hoff T, Wilke B, Katz N, Luthe H, Luz H, Nagel D, Niederhauser C, Schaik RH van, Aschenneller C, Schul I, Zerback R. Detection limit, cut-off and specificity of an improved rapid assay for cardiac troponin T. *Clin Lab* 2001; 47: 549-554.
- Bholasingh R, Winter RJ de, Fischer JC, Koster RW, Peters RJ, Sanders GT. Safe discharge from the cardiac emergency room with a rapid rule-out myocardial infarction protocol using serial CK-MB(mass). *Heart* 2001; 85: 143-148.
- Bindels AJGH, Hoeven JG van der, Groeneveld PHP, Frölich MF, Meinders AE. Atrial natriuretic peptide infusion and nitric oxide inhalation in patients with acute respiratory distress syndrome. *Critical Care* 2001; 5: 151-157.
- Blom HJ. Diseases and drugs associated with hyperhomocysteinemia. In: *Homocysteine in Health and Disease*. Carmel R, Jacobsen DW eds. Cambridge University Press 2001: 331-340.
- Blom HJ. Mutated 5,10-methylenetetrahydrofolate reductase, hyperhomocysteinemia and risk for cardiovascular disease. Nature, nurture or nonsense? *Eur J Clin Invest* 2001; 31: 6-8.
- Boumans ML, Diris JH, Muijtjens AM, Maessen JG, Van Diejen-Visser MP, Hermens WT. Creatine kinase isoenzyme MB (CKMB) controversy: perimortal tissue acidosis may explain the absence of CKMB in myocardium at autopsy. *Clin Chem* 2001; 47: 1733-1735.
- Bree A de, Verschuren WMM, Blom HJ, Graaf-Hess A de, Trijbels JMF, Kromhout D. The homocysteine distribution: (Mis)judging the burden. *J Clin Epidemiol* 2001; 54: 462-469.
- Bree A de, Verschuren WMM, Blom HJ, Kromhout D. Association between B vitamin intake and plasma homocysteine concentration in the general Dutch population aged 20-65 y. *Amer J Clin Nutr* 2001; 73: 1027-1033.
- Bree A de, Verschuren WMM, Blom HJ, Kromhout D. Alcohol consumption and plasma homocysteine: what's brewing? *Int J Epidemiol* 2001; 30: 626-627.
- Bree A de, Verschuren WMM, Blom HJ, Kromhout D. Lifestyle factors and plasma homocysteine concentrations in a general population sample. *Am J Epidemiol* 2001; 154: 150-154.
- Bree A de, Verschuren WMM, Kromhout D, Blom HJ. Biological cardiovascular risk factors and plasma homocysteine levels in the general Dutch population. *Atherosclerosis* 2001; 154: 513-514.
- Castro R, Heil SG, Rivera I, Jakobs C, Almeida IT de, Blom HJ. Molecular genetic analysis of the cystathionine beta-synthase gene in Portuguese homocystinuria patients: three novel mutations. *Clin Genet* 2001; 60: 161-163.
- Diekman MJM, Put NMJ van der, Blom HJ, Tijssen JGP, Wiersinga WM. Determinants of changes in plasma homocysteine in hyperthyroidism and hypothyroidism. *Clin Endocrinol* 2001; 54: 197-204.
- Hoogerwaard EM, Schouten Y, Kooi AJ van der, Gorgels JP, Visser M de, Sanders GT. Troponin T and troponin I in carriers of Duchenne and Becker muscular dystrophy with cardiac involvement. *Clin Chem* 2001; 47: 962-963.
- Jansen H, Waterworth DM, Nicaud V, Ehnholm C, Talmud PJ. Interaction of the common apolipoprotein C-III (APOC3 -482C > T) and hepatic lipase (LIPC -514C > T) promoter variants affects glucose tolerance in young adults. *European Atherosclerosis Research Study II (EARS-II)*. *Ann Hum Genet*. 2001; 65: 237-243.
- Jonkers IJ, Man de FH, Laarse van der A, Frölich M, Gevers Leuven JA, Kamper AM, Blauw GJ, Smelt H. Bezafibrate reduces heart rate and blood pressure in patients with hypertriglyceridemia. *J Hypertens* 2001; 19: 749-755.
- Lievers CJA, Boers GHJ, Verhoef P, Heijer M den, Kluijtmans LAJ, Put NMJ, Trijbels JMF, Blom HJ. A second common variant in the methylenetetrahydrofolate reductase (MTHFR) gene and its relationship to MTHFR enzyme activity, homocysteine, and cardiovascular disease risk. *J Mol Med* 2001; 79: 522-528.
- Lievers CJA, Kluijtmans LAJ, Heil SG, Boers GHJ, Verhoef P, Oppenraaij-Emmerzaal D van, Heijer M den, Trijbels JMF, Blom HJ. A 31bp VNTR in the cystathionine beta-synthase (CBS) gene is associated with reduced CBS activity and elevated post-load homocysteine levels. *Eur J Hum Genet* 2001; 9: 583-589.
- Liqui Lung AFL, De Windt-Hol JMC, Steward HN, Muskiet FAJ. Hypertension in the Afro-Caribbeans of Curaçao: its prevalence and its implications. *Caribbean Health (supplement)* 2001; 23-24.
- Mandl-Weber S, Haslinger B, Schalkwijk CG, Sitter T. Early glycated albumin, but not advanced glycated albumin, methylglyoxal, or 3-deoxyglucosone increases the expression of PAI-1 in human peritoneal mesothelial cells. *Perit Dial Int* 2001; 21: 487-494.
- Poland DC, Schalkwijk CG, Stehouwer CD, Koeleman CA, van het Hof B, van Dijk W. Increased alpha3-fucosylation of alpha1-acid glycoprotein in Type I diabetic patients is related to vascular function. *Glycoconj J* 2001; 18: 261-268.
- Posthuma N, Wee PM ter, Niessen H, Donker AJ, Verbrugh HA, Schalkwijk CG. Amadori albumin and advanced glycation end-product formation in peritoneal dialysis using icodextrin. *Perit Dial Int* 2001; 21: 43-51.
- Vries JE de, Wijnen PAHM, Hamulyák K, Diejen-Visser MP van, Bekers O. PCR on cell lysates obtained from whole blood circumvents DNA isolation. *Clin Chem* 2001; 47: 1701-1702.
- Vroomen de M, Lopes Cardozo RH, Steendijk P, Frölich M, Baan J, Bel F van. Endothelin-1 plasma concentration increases in the early phase of pulmonary hypertension development during respiratory distress syndrome: a study in newborn lambs. *Early Hum Dev* 2001; 63: 9-21.
- Wijnen MH, Coolen SA, Vader HL, Reijnga JC, Huf FA, Roumen RM. Antioxidants reduce oxidative stress in claudicants. *J Surg Res* 2001; 96: 183-187.
- Wijnen MH, Cuypers P, Buth J, Vader HL, Roumen RM. Differences in renal response between endovascular and open repair of abdominal aortic aneurysms. *Eur J Vasc Endovasc Surg* 2001; 21: 171-174.
- Wijnen MHWA, Cuypers Ph, Buth J, Vader HL, Roumen RMH. Verschillen in postoperatieve nierfunctie tussen endovasculaire en open operaties voor een infrarenaal aneurysma van de abdominale aorta. *Med Journ* 2001; 30: 57-60.
- Wijnen MHWA, Roumen RMH, Vader HL. Multiantioxidantsuppletie reduceert ischemie-reperfusieschade na een electieve ingreep voor een abdominaal aneurysma. *Med Journ* 2001; 30: 136-139.

Winter RJ de, Sanders GT. Determination of cardiac troponins for diagnosis of 'acute myocardial infarct'. *Ned Tijdschr Geneesk* 2001; 10: 461-466.

Wongergem J, Strootman EG, Frölich M, Leer JWH, Noordijk EM. Circulating atrial natriuretic peptide plasma levels as a marker for cardiac damage after radiotherapy. *Radiother Oncol* 2001; 58: 295-301.

Interne geneeskunde

Ackermans MT, Pereira Arias AM, Bisschop PH, Endert E, Sauerwein HP, Romijn JA. The quantification of gluconeogenesis in healthy men by (2)H₂O and [2-(13)C]glycerol yields different results: rates of gluconeogenesis in healthy men measured with (2)H₂O are higher than those measured with [2-(13)C]glycerol. *J Clin Endocrinol Metab* 2001; 86: 2220-2226.

Arias AM, Bisschop PH, Ackermans MT, Nijpels G, Endert E, Romijn JA, Sauerwein HP. Aminophylline stimulates insulin secretion in patients with type 2 diabetes mellitus. *Metab* 2001; 50: 1030-1035.

Batstra MR, Aanstoot HJ, Herbrink P. Prediction and diagnosis of type 1 diabetes using B-cell autoantibodies. *Clin Lab* 2001; 47: 497-507.

Batstra MR, Petersen JS, Bruining GJ, Grobbee DE, de Man SA, Molenaar JL, Dyrberg T, Aanstoot HJ. Low prevalence of GAD and IA2 antibodies in schoolchildren from a village in the southwestern section of the Netherlands. *Hum Immunol* 2001; 62: 1106-1110.

Beishuizen A, Thijs LG, Haanen C, Vermes I. Macrophage Migration Inhibitory Factor and Hypothalamo-Pituitary-Adrenal Function during Critical Illness. *J Clin Endocrinol Metab* 2001; 86: 2811-2816.

Beishuizen A, Thijs LG, Vermes I. Patterns of corticosteroid-binding globulin and the free cortisol index during septic shock and multitrauma. *Intensive Care Med* 2001; 27: 1584-1591.

Berckmans RJ, Nieuwland R, Böing AN, Romijn FPHTM, Hack CE, Sturk A. Cell-derived microparticles circulate in healthy humans and support low grade trombin generation. *Thromb Haemost* 2001; 85: 639-646.

Bisschop PH, Metz J de, Ackermans MT, Endert E, Pijl H, Kuipers F, Meijer AJ, Sauerwein HP, Romijn JA. Dietary fat content alters insulin-mediated glucose metabolism in healthy men. *Am J Clin Nutr* 2001; 73: 554-559.

Bisschop PH, Sauerwein HP, Endert E, Romijn JA. Isocaloric carbohydrate deprivation induces protein catabolism despite a low T3-syndrome in healthy men. *Clin Endocrinol (Oxf)* 2001; 54: 75-80.

Bodegraven A van, Schoorl M, Baak JA, Linskens RK, Bartels PCM, Tuynman HARE. Hemostatic imbalance in active and quiescent ulcerative colitis. *Am J Gastroenterol* 2001; 96: 487-493.

Bresser P, Jansen HM, Weller FR, Lutter R, Out TA. T-cell activation in the lungs of patients with systemic sclerosis and its relation with pulmonary fibrosis. *Chest* 2001; 120: 66S-68S.

Diekman MJ, Harms MP, Endert E, Wieling W, Wiersinga WM. Endocrine factors related to changes in total peripheral vascular resistance after treatment of thyrotoxic and hypothyroid patients. *Eur J Endocrinol* 2001; 144: 339-346.

Gómez Carcia EB, Port SR, Stibbe J, Sturk A, Schaap MCL, Kappers M, Bertina RM. Two novel and one recurrent missense mutation in the factor XIII A gene in two Dutch patients with factor XIII deficiency. *Brit J Haematol* 2001; 112: 513-518.

Hutter JW, Velden U van der, Varoufaki A, Huffels RA, Hoek FJ, Loos BG. Lower numbers of erythrocytes and lower levels of hemoglobin in periodontitis patients compared to control subjects. *J Clin Periodontol* 2001; 28: 930-936.

Huysmans DA, Nieuwlaat W-A, Erdsieck RJ, Schellekens APM, Bus JW, Bravenboer B, Hermus AR. Administration of a single low dose of recombinant human thyrotropin significantly enhances thyroid radioiodide uptake in non-toxic nodular goiter. *J Clin Endocrinol Metab* 2001; 85: 3592-3596.

Janssens PMW. De zin van de bepaling van myoglobine in urine. *Ned Tijdschr Klin Chemie* 2001; 26: 41-43.

Joop K, Berckmans RJ, Nieuwland R, Berkhout J, Romijn FPHTM, Hack CE, Sturk A. Microparticles from patients with multiple organ dysfunction syndrome and sepsis support coagulation through multiple mechanisms. *Thromb Haem* 2001; 85: 810-820.

Kalsbeek A, Fliers E, Romijn JA, La Fleur SE, Wortel J, Bakker O, Endert E, Buijs RM. The suprachiasmatic nucleus generates the diurnal changes in plasma leptin levels. *Endocrinol* 2001; 142: 2677-2685.

Linskens RK, Bodegraven AA van, Schoorl M, Tuynman HARE, Bartels PCM. Predictive value of inflammatory and coagulation parameters in the course of severe ulcerative colitis. *Dig Dis Sci*, 2001; 46: 644-648.

Metz J de, Hack CE, Romijn JA, Levi M, Out TA, Berge IJ ten, Sauerwein HP. Interferon-gamma in healthy subjects: selective modulation of inflammatory mediators. *Eur J Clin Invest* 200; 31: 536-543.

Moeniralam HS, Sprangers F, Endert E, Ackermans MT, Lanschot JJ van, Sauerwein HP, Romijn JA. Role of nitric oxide in the regulation of glucose kinetics in response to endotoxin in dogs. *J Appl Physiol* 2001; 91: 130-136.

Mulder AB, Lijf HJ van, Bon MAM, Bergh FAJTM van den, Touw DJ, Neef C, Vermes I. Association of polymorphism in the cytochrome CYP2D6 and the efficacy and tolerability of simvastatin. *Clin Pharmacol Therapeutics* 2001; 70: 546-551.

Niemeijer-Kanters SD, Dallinga-Thie GM, Ruijter-Heijstek FC de, Algra A, Erkelens DW, Banga JD, Jansen H. Effect of intensive lipid-lowering strategy on low-density lipoprotein particle size in patients with type 2 diabetes mellitus. *Atherosclerosis* 2001; 156: 209-216.

Oeveren-Dybicz AM van, Vonkeman HE, Bon MAM, Bergh FAJTM van den, Vermes I. β 3-Adrenergic receptor gene polymorphism and type 2 diabetes in a Caucasian population. *Diabetes, Obesity and Metabolism* 2001; 3: 47-51.

Out TA, Smeenk RJT, Hooijkaas H. Laboratoriumdiagnostiek van immunologische ziekten. In: Ten Berge RJM en Walvoort HC eds, *Immunologie in de medische praktijk*. *Ned Tijdschr Geneeskunde*. Amsterdam. 2001, pp 1027-1033.

Pereira Arias AM, Bisschop PH, Ackermans MT, Endert E, Romijn JA, Sauerwein HP. Indomethacin does not affect endogenous glucose production in type 2 diabetes mellitus. *Horm Metab Res* 2001; 33: 659-663.

Sjarif DR, Révész, Koning TJ de, Duran M, Beemer FA, Poll-The BT. Isolated glycerol deficiency and Fanconi anemia. Letter to the Editor. *Am J Med Gen* 2001; 99: 159-160.

Sluijs Veer G van der, Vermes I. IgG autoantibodies against tissue transglutaminase in relation to antinuclear antibodies. *Clin Chem* 2001; 47: 952-953.

Sprangers F, Romijn JA, Endert E, Ackermans MT, Sauerwein HP. The role of free fatty acids (FFA) in the regulation of intrahepatic fluxes of glucose and glycogen metabolism during short-term starvation in healthy volunteers. *Clin Nutr* 2001; 20: 177-179.

Tellingen A van, Grooteman MPC, Bartels PCM, Limbeek J van, Guldener C van, Wee PM ter, Nubé MJ. Long-term reduction in plasma homocysteine levels by superflux dialyzers in hemodialysis patients. *Kidney Int* 2001; 59: 342-347.

Thien H van, Ackermans MT, Dekker E, Thanh Chien VO, Le T, Endert E, Kager PA, Romijn JA, Sauerwein HP. Glucose production and gluconeogenesis in adults with cerebral malaria. *QJM* 2001; 94: 709-715.

Tjong MY, Out TA, Schegget J ter, Burger MP, Vange N van der. Epidemiologic and mucosal immunologic aspects of HPV infection and HPV-related cervical neoplasia in the lower female genital tract: a review. *Int J Gynecol Cancer* 2001; 11: 9-17.

Valk M van der, Bisschop PH, Romijn JA, Ackermans MT, Lange JM, Endert E, Reiss P, Sauerwein HP. Lipodystrophy in HIV-1-positive patients is associated with insulin resistance in multiple metabolic pathways. *AIDS* 2001; 15: 2093-2100.

Verbon A, Dekkers PE, Hove T ten, Hack CE, Pribble JP, Turner T, Souza S, Axtelle T, Hoek FJ, Deventer SJ van, Poll T van der. IC14, an anti-CD14 antibody, inhibits endotoxin-mediated symptoms and inflammatory responses in humans. *J Immunol* 2001; 166: 3599-3605.

Vermes I, Beishuizen A. The hypothalamic-pituitary response to critical illness. *Best Practice & Research Clinical Endocrinology and Metabolism* 2001; 15: 495-511.

Winnock F, Christie MR, Batstra MR, Aanstoot HJ, Weets I, Decochez K, Jopart P, Nicolaij D, Gorus FK. Autoantibodies to a 38-kDa glycosylated islet cell membrane-associated antigen in (pre)type 1 diabetes: association with IA-2 and islet cell autoantibodies. *Diabetes Care* 2001; 24: 1181-1186.

Woensel JB van, Biezeveld MH, Alders AM, Eerenberg AJ, Endert E, Hack EC, Rosenstiel IA von, Kuijpers TW. Adrenocorticotrophic hormone and cortisol levels in relation to inflammatory response and disease severity in children with meningococcal disease. *J Infect Dis* 2001; 184: 1532-1537.

Stoornissen in het intermediaire metabolisme

Bakker SJ, Gans RO, ter Maaten JC, Teerlink T, Westerhoff HV, Heine RJ. The potential role of adenosine in the pathophysiology of the insulin resistance syndrome. *Atherosclerosis* 2001; 155: 283-290.

Bakker HD, Sonnaville M-LCS, Vreken P, Abeling NGGM, Groener JEM, Keulemans JLM, Diggelen OP van. Human α -N-acetylgalactosaminidase (α -NAGA) deficiency: no association with neuroaxonal dystrophy? *Eur J Hum Gen* 2001; 9: 91-96.

Barić I, Sarnavka V, Fumić K, Maradin M, Begović D, Ruiters JPN, Wanders RJA. A new case of succinyl-CoA: acetoacetate

transferase deficiency: favourable course despite very low residual activity. *J Inher Metab Dis* 2001; 24: 81-82.

Barth PG, Gootjes J, Bode H, Vreken P, Majoie CBLM, Wanders RJA. Late onset white matter disease in peroxisome biogenesis disorder. *Neurology* 2001; 57: 1949-1955.

Beekvelt MCP van, Borghuis MS, Engelen BGM van, Wevers RA, Colier WNJM. Adipose tissue thickness affects *in vivo* quantitative near-IR spectroscopy in human skeletal muscle. *Clin Sci* 2001; 101: 21-28.

Beekvelt MCP van, Colier WNJM, Wevers RA, Engelen BGM van. Performance of near-infrared spectroscopy in measuring local O₂ consumption and blood flow in skeletal muscle. *J Appl Physiol* 2001; 90: 511-519.

Bierau Jörgen, Gennip AH van, Helleman J, Kuilenburg ABP van. The cytostatic- and differentiation-inducing effects of cyclopentenyl cytosine on neuroblastoma cell lines. *Biochem Pharm* 2001; 62: 1099-1105.

Binzak BA, Wevers RA, Moolenaar SH, LeeY-M, Hwu W-L, Poggi-Bach J, Engelke UFH, Hoard HM, Vockley JG, Vockley J. Cloning of Dimethylglycine Dehydrogenase and a new human inborn error of metabolism, Dimethylglycine Dehydrogenase Deficiency. *Am J Hum Genet* 2001; 68: 839-847.

Buggenhout GJCM van, Trijbels JMF, Wevers RA, Trommelen JCM, Hamel BCJ, Brunner HG, Fryns JP. Metabolic studies in older mentally retarded patients: significance of metabolic testing and correlation with the clinical phenotype. *Genetic Counseling* 2001; 12: 1-21.

Cappellen van Walsum A-M van, Jongsma HW, Wevers RA, Nijhuis JG, Crevels J, Engelke UFH, Moolenaar SH, Oeseburg B, Nijland R. Hypoxia in fetal lambs: a study with ¹H-NMR spectroscopy of cerebrospinal fluid. *Ped Res* 2001; 49: 698-704.

Castro R, Heil SG, Rivera I, Jakobs C, Almeida IT de, Blom HJ. Molecular genetic analysis of the cystathionine beta-synthase gene in Portuguese homocystinuria patients: three novel mutations. *Clin Genet* 2001; 60: 161-163.

Cecil KM, Salomons GS, Ball WS Jr, Wong B, Chuck G, Verhoeven NM, Jakobs C, DeGrauw TJ. Irreversible brain creatine deficiency with elevated serum and urine creatine: a creatine transporter defect? *Ann Neurol* 2001; 49: 401-404.

Corydon MJ, Vockley J, Rinaldo P, Rhead WJ, Kjeldsen M, Winter V, Riggs C, Babovic-Vuksanovic D, Smeitink J, Jong J de, Levy H, Sewell AC, Roe C, Matern D, Dasouki M, Gregersen N. Role of common gene variations in the molecular pathogenesis of short-chain acyl-CoA dehydrogenase deficiency. *Pediatr Res* 2001; 49: 18-23.

Dansen TB, Pap EHW, Wanders RJA, Wirtz KWA. Targeted fluorescent probes in peroxisome function. *Histochem J* 2001; 33: 65-69.

Dietrich CG, Rudi de Waart D, Ottenhoff R, Bootsma AH, Gennip AH van, Oude Elferink RPJ. Mrp2-deficiency in the rat impairs biliary and intestinal excretion and influences metabolism and disposition of the food-derived carcinogen 2-amino-1-methyl-6-phenylimidazo [4,5-b]pyridine (PhIP). *Carcinogenesis* 2001; 22: 805-811.

Dijk W van, Koeleman C, Van het Hof B, Poland D, Jakobs C, Jaeken J. Increased alpha3-fucosylation of alpha(1)-acid glycoprotein in patients with congenital disorder of glycosylation type IA (CDG-Ia). *FEBS Lett* 2001; 494: 232-235.

- Ferdinandusse S, Denis S, Mooijer PAW, Zhang Z, Reddy JK, Spector AA, Wanders RJA. Identification of the peroxisomal β -oxidation enzymes involved in the biosynthesis of docosa-hexaenoic acid. *J Lipid Res* 2001; 42: 1987-1995.
- Ferdinandusse S, Overmars H, Denis S, Waterham HR, Wanders RJA, Vreken P. Plasma analysis of di- and trihydroxycholestatonic acid diastereoisomers in peroxisomal α -methylacyl-CoA racemase deficiency. *J Lipid Res* 2001; 42: 137-141.
- Ferdinandusse S, Denis S, Vreken P, Waterham HR, Wanders RJA. 2-Methyl branched-chain fatty acid β -oxidation in peroxisomes and mitochondria and the role of 2-methylacyl-CoA racemase therein. *New Avenues of Research in Fatty Acid Oxidation and KetoneBody Metabolism*: Edited by Simon Eaton and Patti A. Quant, FAOXC Press, London 2001: 51-57.
- Frenkel J, Houten SM, Waterham HR, Wanders RJA, Rijkers GT, Duran M, Kuijpers TW, et al. Clinical and molecular variability in childhood periodic fever with hyperimmunoglobulinaemia D. *Rheumatology* 2001; 40: 579-584.
- Gennip AH van, Defekte des purin- und pyrimidinstoffwechsels. *Pädiatrie* 2001; 367-369 (ISBN: 3-540-66811X).
- Hak AE, Bak AA, Lindemans J, Planellas J, Coelingh Bennink HJ, Hofman A, Grobbee DE, Witteman JC. The effect of hormone replacement therapy on serum homocysteine levels in perimenopausal women: a randomized controlled trial. *Atherosclerosis* 2001; 158: 437-443.
- Harthoorn-Lasthuizen EJ, Lindemans J, Langenhuijsen MM. Does iron-deficient erythropoiesis in pregnancy influence fetal iron supply? *Acta Obstet Gynecol Scand* 2001; 80: 392-396.
- Häussler M, Hoffmann GF, Wevers RA. L-Dopa and selegiline for tyrosine hydroxylase deficiency. *J Ped* 2001; 138: 451.
- Hennekam RCM, Waterham HR, Aronson D. No cholesterol metabolism anomalies detectable in infants with hypertrophic pyloric stenosis. *Am J Med Gen* 2001; 99: 256-257.
- Hogema BM, Akaboshi S, Taylor M, Salomons GS, Jakobs C, Schutgens RB, Wilcken B, Worthington S, Maropoulos G, Grompe M, Gibson KM. Prenatal diagnosis of succinic semialdehyde dehydrogenase deficiency: increased accuracy employing DNA, enzyme, and metabolite analyses. *Mol Genet Metab* 2001; 72: 218-222.
- Hogema BM, Gupta M, Senephansiri H, Burlingame TG, Taylor M, Jakobs C, Schutgens RB, Froestl W, Snead OC, Diaz-Arrastia R, Bottiglieri T, Grompe M, Gibson KM. Pharmacologic rescue of lethal seizures in mice deficient in succinate semialdehyde dehydrogenase. *Nat Genet* 2001; 29: 212-216.
- Houten SM, Koster J, Romeijn G-J, Frenkel J, Rocco M di, Caruso U, Landrieu P, et al. Organization of the mevalonate kinase (MVK) gene and identification of novel mutations causing mevalonic aciduria and hyperimmunoglobulinaemia D and periodic fever syndrome. *Eur J Hum Gen* 2001; 9: 254-259.
- Hovind P, Tarnow L, Rossing P, Teerlink T, Stehouwer CD, Emeis JJ, Parving HH. Progression of diabetic nephropathy: role of plasma homocysteine and plasminogen activator inhibitor-1. *Am J Kidney Dis*. 2001; 38: 1376-1380.
- IJlst L, Ruiten JPN, Roermund CWT van, Wanders RJA. Mitochondrial carnitine/acylcarnitine translocase deficiency. *New Avenues of Research in Fatty Acid Oxidation and KetoneBody Metabolism*: Edited by Simon Eaton and Patti A. Quant, FAOXC Press, London 2001: 33-37.
- Jansen GA, Brink DM van, Ofman R, Draghici O, Dacremont G, Wanders RJA. Identification of pristanal dehydrogenase activity in peroxisomes: conclusive evidence that the complete phytanic acid α -oxidation pathway is localized in peroxisomes. *BBRC* 2001; 283: 674-679.
- Jira PE, Wanders RJA, Smeitink JAM, de Jong J, Wevers RA, Oostheim W, Tuerlings JHAM, Hennekam RCM, Sengers RCA, Waterham HR. Novel mutations in the 7-dehydrocholesterol reductase gene of 13 patients with Smith Lemli Opitz syndrome. *Ann Hum Genet* 2001; 65: 229-236.
- Johnson DW, ten Brink HJ, Jakobs C. A rapid screening procedure for cholesterol and dehydrocholesterol by electrospray ionization tandem mass spectrometry. *J Lipid Res* 2001; 42: 1699-1705.
- Johnson DW, Brink HJ ten, Schuit RC, Jakobs C. Rapid and quantitative analysis of unconjugated C(27) bile acids in plasma and blood samples by tandem mass spectrometry. *J Lipid Res* 2001; 42: 9-16.
- Johnson JL, Duran M. Molybdenum cofactor deficiency and isolated sulfite oxidase deficiency. *Medical Publishing Division*. Scriver CR, Beadet AL, Sly WS, Valle D, Childs B, Kinzler KW, Vogelstein B, eds. 2001; 2: 3163-3177, Chapter 128.
- Kammeyer A, Eggelte TA, Overmars H, Bootsma A, Bos JD, Teunissen MBM. Oxidative breakdown and conversion of urocanic acid isomers by hydroxyl radical generating systems. *Biochim Biophys Acta* 2001; 1526: 277-285.
- Kemp S, Pujol A, Waterham HR, Geel BM van, Boehm CD, Raymond GV, Cutting GR, et al. ABCD1 mutations and the X-linked adrenoleukodystrophy mutation database: role in diagnosis and clinical correlations. *Hum Mut* 2001; 18: 499-515.
- Kuilenburg ABP van, Lenthe H van, Assmann B, Goehlich-Ratmann G, Hoffmann GF, Bräutigam C, Wevers RA, et al. Detection of β -ureidopropionase deficiency with HPLC-electrospray tandem mass spectrometry and confirmation of the defect at the enzyme level. *J Inher Metab Dis* 2001; 24: 725-732.
- Kuilenburg ABP van, Muller EW, Haasjes J, Meinsma R, Zoetekouw L, Waterham HR, Baas F, et al. Lethal outcome of a patient with a complete dihydropyrimidine dehydrogenase (DPD) deficiency after administration of 5-fluorouracil: frequency of the common IVS14+1G<A mutation causing DPD deficiency. *Clin Cancer Res* 2001; 7: 1149-1153.
- Kuilenburg ABP van, Stroomer AEM, Peters GJ, Gennip AH van. Simultaneous determination of F- β -alanine and β -alanine in plasma and urine with dual-column reversed-phase high-performance liquid chromatography. *J Chrom B* 2001; 759: 51-61.
- Loeffen J, Elpeleg O, Smeitink J, Smeets R, Stockler-Ipsirogly S, Mandel H, Sengers R, Trijbels F, Heuvel L van den. Mutations in the complex I NDUFS2 gene of patients with cardiomyopathy and encephalomyopathy. *Ann Neurol* 2001; 49: 195-201.
- Lopriore E, Gemke RBB, Verhoeven NM, Jakobs C, Wanders RJA, Roeleveld-Versteeg ABC, Poll-The BT. Carnitine-acylcarnitine translocase deficiency: phenotype, residual enzyme activity and outcome. *Eur J Pediatr* 2001; 160: 101-104.
- Markus APJA, Swinkels DW, Jakobs BS, Wevers RA, Trijbels JMF, Willems HL. New technique for diagnosis and monitoring of alcaptonuria: quantification of homogentisic acid in urine with mid-infrared spectrometry. *Anal Chim Acta* 2001; 429: 287-292.

- Möller G, Grunsven EG van, Wanders RJA, Adamski J. Molecular basis of D-bifunctional protein deficiency. *Mol Cell Endocrinol* 2001; 171: 61-70.
- Moolenaar SH, Engelke UFH, Abeling NGGM, Mandel H, Duran M, Wevers RA. Prolidase deficiency diagnosed by ¹H NMR spectroscopy of urine. *J Inher Metab Dis* 2001; 24: 843-850.
- Moolenaar SH, Göhlich-Ratmann G, Engelke UFH, Spraul M, Humpfer E, Dvorsak P, Voit T, Hoffmann GF, Bräutigam C, Kuilenburg AB van, Gennip A van, Vreken P, Wevers RA. β -Ureidopropionase deficiency: a novel inborn error of metabolism discovered using NMR spectroscopy on urine. *Magnetic Resonance in Medicine* 2001; 46: 1014-1017.
- Moolenaar SH, Knaap MS Van der, Engelke UFH, Pouwels PJW, Janssen-Zijlstra FSM, Verhoeven NM, Jakobs C, Wevers RA. In vivo and in vitro NMR spectroscopy reveal a putative novel inborn error involving polyol metabolism. *NMR in Biomed* 2001; 14: 167-176.
- Niers LEM, Smeitink JAM, Trijbels JMF, Sengers RCA, Janssen AJM, Heuvel LP van den. Prenatal diagnosis of NADH: ubiquinone oxidoreductase deficiency. *Prenatal diagnosis* 2001, 21: 871-880.
- Nijveldt RJ, Prins HA, Kemenade FJ van, Teerlink T, Lambalgen AA van, Boelens PG, Rauwerda JA, Leeuwen PA van. Low arginine plasma levels do not aggravate renal blood flow after experimental renal ischaemia/reperfusion. *Eur J Vasc Endovasc Surg* 2001; 22: 232-239.
- Nijveldt RJ, Wiezer MJ, Meijer C, Prins HA, Stadius Muller MG, Gouma DJ, Teerlink T, Gulik TM van, Rinkes IH, Tilanus HW, Velde CJ van de, Wiggers T, Zoetmulder FA, Scotte M, Cuesta MA, Meijer S, van Leeuwen PA. Major liver resection results in a changed plasma amino acid pattern as reflected by a decreased Fischer ratio which improves by bactericidal/permeability increasing protein. *Liver* 2001; 21: 56-63.
- Ofman R, Lajmir S, Wanders RJA. Etherphospholipid biosynthesis and dihydroxyacetone-phosphate acyltransferase: resolution of the genomic organization of the human *GNPAT* gene and its use in the identification of novel mutations. *Biochem Biophys Res Comm* 2001; 281: 754-760.
- Okhuijsen-Kroes EJ, Trijbels JMF, Sengers RCA, Mariman E, Heuvel LP van den, Wendel U, Koch G, Smeitink JAM. Infantile presentation of the mtDNA A3243G tRNA^{Leu(UUR)} mutation. *Neuropediatrics* 2001; 32: 183-190.
- Prins HA, Houdijk AP, Nijveldt RJ, Teerlink T, Huygens P, Thijs LG, Leeuwen PA van. Arginase release from red blood cells: possible link in transfusion induced immune suppression? *Shock* 2001; 16: 113-115.
- Raida M, Schwabe W, Häusler P, Kuilenburg ABP van, Gennip AH van, Behnke D, Höffken K. Prevalence of a common point mutation in the *dihydropyrimidine dehydrogenase (DPD)* gene within the 5'-splice donor site of intron 14 in patients with severe 5-fluorouracil (5-FU)-related toxicity compared with controls. *Clin Canc Res* 2001; 7: 2832-2839.
- Rhemrev JP, Menkveld R, Roseboom TJ, van Overveld FW, Teerlink T, Lombard C, Vermeiden JP. The acrosome index, radical buffer capacity and number of isolated progressively motile spermatozoa predict IVF results. *Hum Reprod* 2001; 16: 1885-1892.
- Rocco M Di, Caruso U, Waterham HR, Picco P, Loy A, Wanders RJA. Mevalonate kinase deficiency in a child with periodic fever and without hyperimmunoglobulinaemia D. *J Inher Metab* 2001; 24: 411-412.
- Roermund CWT van, Drissen R, Berg M van den, IJlst L, Hettema EH, Tabak HF, Waterham HR, et al. Identification of a peroxisomal ATP carrier required for medium-chain fatty acid β -oxidation and normal peroxisome proliferation in *Saccharomyces cerevisiae*. *Mol Cell Biol* 2001; 4321-4329.
- Roermund CWT, Wanders RJA. Fatty acid oxidation *Saccharomyces cerevisiae* and the functional role of peroxisomal and cytosolic malate dehydrogenase in the re-oxidation of intraperoxisomal NADH. *New Avenues of Research in Fatty Acid Oxidation and KetoneBody Metabolism*: Edited by Simon Eaton and Patti A. Quant, FAOXC Press, London 2001: 45-50.
- Salomons GS, van Dooren SJ, Verhoeven NM, Cecil KM, Ball WS, Degrauw TJ, Jakobs C. X-linked creatine-transporter gene (SLC6A8) defect: a new creatine-deficiency syndrome. *Am J Hum Genet* 2001; 68: 1497-1500.
- Scheffer PG, Bakker SJ, Popp-Snijders C, Heine RJ, Schutgens RB, Teerlink T. Composition of LDL as determinant of its susceptibility to in vitro oxidation in patients with well-controlled type 2 diabetes. *Diabetes Metab Res Rev*. 2001; 17: 459-466.
- Schor DS, Struys EA, Hogema BM, Gibson KM, Jakobs C. Development of a stable-isotope dilution assay for gamma-aminobutyric acid (GABA) transaminase in isolated leukocytes and evidence that GABA and beta-alanine transaminases are identical. *Clin Chem* 2001; 47: 525-531.
- Silva MFB, Jakobs C, Duran M, Almeida IT de, Wanders RJA. Valproate induces *in Vitro* accumulation of long-chain fatty acylcarnitines. *Mol Gen Metab* 2001; 73: 358-361.
- Silva MFB, Ruiten JPN, IJlst L, Allers P, Brink HJ ten, Jakobs C, Duran M, et al. Synthesis and intramitochondrial levels of valproyl-coenzyme A metabolites. *Anal Biochem* 2001; 290: 60-67.
- Silva MFB, Ruiten JPN, IJlst L, Jakobs C, Duran M, Almeida IT de, Wanders RJA. Differential effect of valproate and its Δ^2 - and Δ^4 -unsaturated metabolites, on the β -oxidation rate of long-chain and medium-chain fatty acids. *Chemico-Biological Interactions* 2001; 137: 203-212.
- Silva MFB, Selhorst J, Overmars H, Gennip AH van, Maya M, Wanders RJA, Tavares de Almeida I, et al. Characterization of plasma acylcarnitines in patients under valproate monotherapy using ESI-MS/MS. *Clin Biochem* 2001; 34: 635-638.
- Smeitink JAM, Sengers RCA, Trijbels JMF, Heuvel LP van den. Human NADH : Ubiquinone oxidoreductase. *J Bioenergetics Biomembranes (JOB)* 2001; 33: 259-266.
- Stamps VR, Abeling NGGM, Gennip AH van, Cruchten AG van, Gurling HMD. Mild learning difficulties and offending behaviour - is there a link with monoamine oxidase A deficiency? *Psychiatric Genetics* 2001; 11: 173-176.
- Tang NLS, Hui J, Law LK, To KF, Mak TWL, Cheung KL, Vreken P, et al. Overview of common inherited metabolic diseases in a Southern Chinese population of Hong Kong. *Clin Chim Acta* 2001; 313: 195-201.
- Tóth G, Morava É, Bene J, Selhorst JJM, Overmars H, Vreken P, Molnár J, et al. Carnitine-responsive carnitine insufficiency in a case of mtDNA 8993T>C mutation associated Leigh syndrome. *J Inher Metab Dis* 2001; 24: 421-422.
- Tripels RH, Heuvel LP van den, Trijbels JMF, Smeitink JAM. Respiratory chain complex I deficiency. *Am J Med Genet* 2001; 106: 37-45.
- Verhoeven NM, Jakobs C. Human metabolism of phytanic acid and pristanic acid. *Prog Lipid Res* 2001; 40: 453-466. Review.

Verhoeven NM, Huck JH, Roos B, Struys EA, Salomons GS, Douwes AC, van der Knaap MS, Jakobs C. Transaldolase deficiency: liver cirrhosis associated with a new inborn error in the pentose phosphate pathway. *Am J Hum Genet.* 2001; 68: 1086-1092.

Verrips A, Engelen BG van, Laak H ter, Wesseling P, Jong J de, Gabreëls FJ. Scheie syndrome presenting as myopathy. *Neuropediatrics* 2001; 32: 93-96.

Vreken P, Overmars H, Lint L van, Hunneman DH, Wanders RJA. Analysis of free and conjugated varanic acid diastereomers using HPLC electrospray tandem mass spectrometry in patients with D-bifunctional protein deficiency. *New Avenues of Research in Fatty Acid Oxidation and KetoneBody Metabolism*: Edited by Simon Eaton and Patti A. Quant, FAOXX Press, London 2001: 1-4.

Walter C, Gootjes J, Mooijer PA, Portsteffen H, Klein C, Waterham HR, Barth PG, et al. Disorders of peroxisome biogenesis to mutations in PEX1: phenotypes and PEX1 protein levels. *Am J Hum Genet* 2001; 69: 35-48.

Wanders RJ, Jansen GA, Skjeldal OH. Refsum disease, peroxisomes and phytanic acid oxidation: a Review. *J Neuropath Exp Neurol* 2001; 60: 1021-1031.

Wanders RJA, Barth PG, Heymans HSA. Single Peroxisomal Enzyme Deficiencies. *The Metabolic & Molecular Bases of Inherited Disease*. Medical Publishing Division, eds. Scriver CR, Beadet AL, Sly WS, Valle D, Childs B, Kinzler KW, Vogelstein B, 2001; 2: 3219-3256. Chapter 130.

Wanders RJA, Jakobs C, Skjeldal OH. Refsum Disease. *The Metabolic & Molecular Bases of Inherited Disease*. Medical Publishing Division, eds. Scriver CR, Beadet AL, Sly WS, Valle D, Childs B, Kinzler KW, Vogelstein B, 2001; 2: 3303-3321. Chapter 132.

Wanders RJA, Ruiters JPN, Kuiper S, Brand J, Lindner M, Hoffman GF, Mayatepek E, Zschocke J. 2-Methyl-3-hydroxybutyryl-CoA dehydrogenase deficiency, a new disorder of isoleucine and branched-chain fatty acid degradation: studies on the forward and reverse reactions. *New Avenues of Research in Fatty Acid Oxidation and KetoneBody Metabolism*: Edited by Simon Eaton and Patti A. Quant, FAOXX Press, London 2001: 59-61.

Wanders RJA, Vreken P, Ferdinandusse S, Jansen GA, Waterham HR, Roermund CWT van, Grunsvan EG van. Peroxisomal fatty acid α -oxidation in humans: enzymology, peroxisomal metabolite transporters and peroxisomal diseases. *Biochem Soc Transact* 2001; 29: 250-267.

Waterham HR, Koster J, Romeijn GJ, Hennekam RCM, Vreken P, Andersson HC, FitzPatrick DR, et al. Mutations in the 3β -hydroxysterol Δ^{24} -reductase gene cause desmosterolosis, an autosomal recessive disorder of cholesterol biosynthesis. *Am J Hum Genet* 2001; 69: 685-694.

Webster DR, Becroft DMO, Gennip AH van, Kuilenburg ABP van. Hereditary orotic aciduria and other disorders of pyrimidine metabolism. *Medical Publishing Division*. Scriver CR, Beadet AL, Sly WS, Valle D, Childs B, Kinzler KW, Vogelstein B, eds. 2001; 2: 2663-2702, Chapter 113.

Willemsen MAAP, IJlst L, Steijlen PM, Rotteveel JJ, Jong JG de, Domburg PH van, Mayatepek E, Gabreëls FJ, Wanders RJ. Clinical, biochemical and molecular genetic characteristics of 19 patients with the Sjogren-Larsson syndrome. *Brain* 2001; 124: 1426-1437.

Willemsen MAAP, Rotteveel JJ, Jong JGN de, Wanders RJA, IJlst L, Hoffmann GF, Mayatepek E. Defective metabolism of leukotriene B₄ in the Sjögren-Larsson syndrome. *J Neurol Sci* 2001; 183: 61-67.

Zschocke J, Schulze A, Lindner M, Fiesel S, Olgemöller K, Hoffmann GF, Penzien J et al. Molecular and functional characterisation of mild MCAD deficiency. *Hum Genet* 2001; 108: 404-408.

Gynaecologie

Afman LA, Put NMJ van der, Thomas CMG, Trijbels JMF, Blom HJ. Reduced vitamin B12 binding by transcobalamin II increases the risk of neural tube defects. *Q J Med* 2001; 94: 159-166.

Heil SG, Put NMJ van der, Waas ET, Heijer M den, Trijbels JMF, Blom HJ. Is mutated serine hydroxymethyltransferase (SHMT) involved in the etiology of neural tube defects? *Mol Genet Metab* 2001, 73: 164-172.

Janssens PMW, Beumer R. Resultaten van vijf jaar serumscreening op Down-syndroom en neuralebuis defecten bij zwangeren. *Ned Tijdschr Klin Chem* 2001; 26: 149-155.

Janssens PMW, Bruyn JK de. De spermabank: cryopreservatie van menselijk semen met diverse toepassingen. *Ned Tijdschr Klin Chem* 2001; 26: 301-308.

Janssens PMW. Voortplanting en fertiliteit: niets menselijker dan grenzen verkennen en verleggen. *Ned Tijdschr Klin Chem* 2001; 26: 264-265.

Put NMJ van der, Straaten HWM van, Trijbels JMF, Blom HJ. Folate, homocysteine and neural tube defects: an overview. *Exp Biol Med* 2001; 226: 243-270.

Tjoa ML, van Vugt JM, Mulders MA, Schutgens RB, Oudejans CB, Wijk IJ van. Plasma placenta growth factor levels in midtrimester pregnancies. *Obstet Gynecol* 2001; 98: 600-607.

Velzing-Aarts-FV, Klis FRM van der, Dijs FPL van der, Beusekom CM van, Landman H, Capello JJ, Muskiet FAJ. Effect of three low-dose fish oil supplements, administered during pregnancy, on neonatal long-chain polyunsaturated fatty acid status at birth. *Prostaglandins Leukot Essent Fatty Acids* 2001; 65: 51-57.

Diversen

Kuijpers JL, Vader HL, Drexhage HA, Wiersinga WM, Son MJ van, Pop VJ. Thyroid peroxidase antibodies during gestation are a marker for subsequent depression postpartum. *Eur J Endocrinol* 2001; 145: 579-584.

Muskiet FAJ, Schaafsma A, Veer E van der. About soft and hard endpoints in osteoporosis research. *Letter. Eur J Clin Nutr* 2001; 55: 305.

Kwaliteitsbewaking, datahandling, referentiewaarden en statistiek

Baadenhuysen H, Bartels PCM, Huisman W, Penders TJ. NVKC Model Kwaliteitshandboek op basis van de CCKL Praktijkrichtlijn 3, 2001.

Demacker PNM, De Keijzer MH, Goldschmidt HMJ, Smets E, Baumgarten R, Wevers RA. Evaluatie van AACC bij- en nascholingscursussen op internet. *Ned Tijdschr Klin Chem* 2001; 26: 112-116.

Fokkema MR, Weijer JM, Dijck-Brouwer DAJ, Doormaal JJ van, Muskiet FAJ. Influence of vitamin-optimized plasma homocysteine cutoff values on the prevalence of hyperhomocysteinemia in healthy adults. *Clin Chem* 2001; 47: 101-107.

Haas FJLM, Harvey MS, Hazenberg CAM, Idema RN, Voorst tot Voorst E van. De bloedtransfusieketen in ziekenhuizen: aanbevelingen voor kwaliteitsborging. *Ned Tijdschr Klin Chem* 2001; 26: 202-213.

International Federation of Clinical Chemistry and Laboratory Medicine Scientific Division, Working Group on Selective Electrodes. Burnett RW, D'Orazio P, Fogh-Andersen N, Kuwa K, Külpmann WR, Larsson L, Lewenstam A, Maas AHJ, Mager G, Spichiger-Keller U. IFCC recommendation on reporting results for blood glucose. *Clin Chim Acta* 2001; 307: 205-209.

International Federation of Clinical Chemistry and Laboratory Medicine (IFCC) IFCC Scientific Division, Working Group on Selective Electrodes. Burnett RW, Covington AK, Fogh-Andersen N, Külpmann WR, Lewenstam A, Maas AHJ, VanKessel AL, and Zijlstra WG. IFCC Reference Measurement Procedure for Substance Concentration Determination of Total Carbon Dioxide in Blood, Plasma or Serum. *Clin Chem Lab Med* 2001; 39: 283-289.

Laan JR van der, Rikken SAJJ, Pekelharing JM, van Pelt J, Smithuis LOMJ, Haan GJH, Rutten WPF. Wetenschappelijke verantwoording van het landelijk model van een probleem-georiënteerd aanvraagformulier voor laboratoriumonderzoek door huisartsen. In: *Memo Boek voor Diagnostiek in de Eerste Lijn*. SAN, Haarlem, 2001, 157-247. ISBN 90-70644-15-0.

Oosterhuis WP, Ulenkate HJLM. Structured validation of laboratory test results. *Ned Tijdschr Klin Chem* 2001; 26: 245-248.

Pekelharing JM. Nationwide implementation of laboratory and clinical guidelines. Development of the national problem-oriented request form, and the diagnostic compass. *Clin Chem* 2001; 47: A216-A217.

Ulenkate, HJLM, Beers WAM van, Bokkel Huinink FC ten, Oosterhuis WP. Experience in daily practice with a stand-alone version of LabRespond: a validation program for laboratory test results. *Clin Chem Lab Med* 2001; 39: S373.

Dissertaties

Asselt DZ van. Clinical aspects of vitamin B12 deficiency in older persons, Nijmegen, 2001. Promotor: prof. dr. W.H. Hoefnagels, prof. dr. W. de Groot. Co-promotor: dr. H.J. Blom.

Bree A de. Dietary, lifestyle and genetic determinants of homocysteine and its relation with coronary heart disease, Nijmegen, 2001. Promotor: prof. dr. J.M.F. Trijbels, prof. dr. D. Kromhout. Co-promotoren: dr. H.J. Blom, dr. W.M.M. Verschuren.

Engelbregt MJ. Pubertal development in perinatally undernourished rats. Vrije Universiteit, Amsterdam, 2001. Promotor: prof.dr. H.A. Deleamarre-van der Waal; co-promotoren: dr. M.M. van Weissenbruch, dr. C. Popp-Snijders.

Jong PC de. Intratumoural aromatase and aromatase inhibitors in breast cancer. Universiteit Utrecht, 2001. Promotoren: prof.dr. G.H. Blijham, prof.dr. J.H.H. Thijssen, prof.dr. J.W.R. Nortier. Co-promotor: dr. M.A. Blankenstein.

Moolenaar SH. Body fluid NMR spectroscopy in the diagnosis of inborn errors of metabolism. ISBN nr: 90-9015171-0; Nijmegen 2001. Promotoren: dr. R.A. Wevers, dr. A. Heerschap.

Neucker A. van den. Clinical use of acid steatocrit. Maastricht 2001. Co-promotoren: dr. B.K. van Kreel en dr. P. Forget.

Pronk-Admiraal CJ. Eosinophil Degranulation as an Allergy Activation Marker. Universiteit van Amsterdam, 2001. Promotor: prof. dr. D. Roos. Co-promotor: dr. P.C.M. Bartels.

Triepels RH. Genetic and biochemical aspects of human complex I deficiency, Nijmegen, 2001. Promotor: prof. dr. J.M.F. Trijbels. Co-promotoren: dr. L.P.W.J. van den Heuvel, J.A.M. Smeitink.

Verheijen FH. Progesterone receptors in human meningiomas and their relation with proteins involved in apoptosis. Universiteit Utrecht, 2001. Promotor: prof.dr. J.H.H. Thijssen. Co-promotor: dr. M.A. Blankenstein.