

Publicaties der leden 2004

Analytisch

Klinische chemie

Bakker AJ, De Grauw WJC. Methoden voor urineverzameling voor het bepalen van microalbuminurie: tijd voor consensus. *Ned Tijdschr Geneesk* 2004; 148: 2012-2015.

Biro E, Nieuwland R, Sturk A. Measuring circulating cell-derived microparticles. *J Thromb Haemost* 2004 Oct; 2: 1843-4.

Blijenberg BG, Van Schaik RHN. Prostaat-specifiek antigeen (PSA). *Analyse*, maart 2004: 1984-2004.

Van den Brink DM, Van Miert JN, Dacremont G, Rontani JF, Jansen GA, Wanders RJA. Identification of fatty aldehyde dehydrogenase in the breakdown of phytol to phytanic acid. Comment in: *Mol Genet Metab*. 2004 Dec; 83(4): 347. *Mol Genet Metab*. 2004 May; 82 (1): 33-7.

Brinkman JW, Bakker SJ, Gansevoort RT, Hillege HL, Kema IP, Gans RO, de Jong PE, de Zeeuw D. Which method for quantifying urinary albumin excretion gives what outcome? A comparison of immunonephelometry with HPLC. *Kidney Int Suppl*. 2004 Nov; (92): S69-75.

Cognat S, Cheillan D, Piraud M, Roos B, Jakobs C, Vianey-Saban C. Determination of guanidinoacetate and creatine in urine and plasma by liquid chromatography-tandem mass spectrometry. *Clin Chem*. 2004 Aug; 50 (8): 1459-61.

Egberts J, Van Pelt J. Evaluation of the blood analyzer ABL 735 radiometer for determination of the percentage of fetal hemoglobin in fetal and neonatal blood. *Scand J Clin Lab Invest*. 2004 Apr; 64 (2): 128-31.

Demacker PN, Bolat E, Toenhake-Dijkstra HI, Van Tits LJ. Factors influencing isoprotein dependency of polyclonal apolipoprotein(a) assays. *Clin Chem*. 2004 Nov; 50 (11): 2161-3.

Ferdinandusse S, Denis S, Van Roermund CW, Wanders RJ, Dacremont G. Identification of the peroxisomal beta-oxidation enzymes involved in the degradation of long-chain dicarboxylic acids. *J Lipid Res*. 2004 Jun; 45(6):1104-11.

Fernhout F, Wielders J, Dijstelbloem H, Kraaijenhagen R, Prins J. Increased serum activity of creatine kinase: usually not a sign of disease *Ned Tijdschr Geneesk*. 2004 Feb 14; 148 (7): 345-6.

Hoelzel W, Weykamp C, Jeppsson JO, Miedema K, Barr JR, Goodall I, Hoshino T, John WG, Kobold U, Little R, Mosca A, Mauri P, Paroni R, Susanto F, Takei I, Thienpont L, Umamoto M, Wiedmeyer HM; IFCC Working Group on HbA1c Standardization. IFCC reference system for measurement of hemoglobin A1c in human blood and the national standardization schemes in the United States, Japan, and Sweden: a method-comparison study. *Clin Chem*. 2004 Jan; 50 (1): 166-74.

Huisman A, Van de Wiel A, Rabelink TJ, Van Faassen EE. Wine polyphenols and ethanol do not significantly scavenge superoxide nor affect endothelial nitric oxide production. *J Nutr Biochem*. 2004 Jul; 15 (7): 426-32.

Huijgen HJ, Tegelaers FP, Schoenmakers CH, Pronk-Admiraal CJ, Ekema S. Multicenter analytical evaluation of an enzymatic method for the measurement of plasma homocysteine and comparison with HPLC and immunochemistry. *Clin Chem*. 2004 May; 50 (5): 937-41.

De Keijzer MH, Brandts RW, Van Dijk S. Interferentie van acetaminophen (paracetamol) bij de bepaling van glucose en lactaat in volbloed. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 42: 371-7.

Kemp S, Valianpour F, Mooyer PA, Kulik W, Wanders RJ. Method for measurement of peroxisomal very-long-chain fatty acid beta-oxidation in human skin fibroblasts using stable-isotope-labeled tetracosanoic acid. *Clin Chem*. 2004 Oct; 50 (10): 1824-6.

Kok RM, Smith DE, Dainty JR, Van den Akker JT, Finglas PM, Smulders YM, Jakobs C, De Meer K. 5-Methyltetrahydrofolic acid and folic acid measured in plasma with liquid chromatography tandem mass spectrometry: applications to folate absorption and metabolism. *Anal Biochem*. 2004 Mar 15; 326 (2): 129-38.

Lases EC, Van Loon D, De Bie M, Haas FJ, Verbeek MM, Thijssen JH. Analytical performance of a kinetic method for the determination of lactate dehydrogenase catalytic concentration in cerebrospinal fluid. *Clin Chim Acta*. 2004 Aug 16; 346 (2): 221-3.

Loupatty FJ, Ruiter JP, IJlst L, Duran M, Wanders RJ. Direct nonisotopic assay of 3-methylglutaconyl-CoA hydratase in cultured human skin fibroblasts to specifically identify patients with 3-methylglutaconic aciduria type I. *Clin Chem*. 2004 Aug; 50 (8): 1447-50.

Mayatepek E, Ferdinandusse S, Meissner T, Wanders RJ. Analysis of cysteinyl leukotrienes and their metabolites in bile of patients with peroxisomal or mitochondrial beta-oxidation defects. *Clin Chim Acta*. 2004 Jul; 345 (1-2): 89-92.

Miedema K. Towards worldwide standardisation of HbA1c determination. *Diabetologia*. 2004 Jul; 47 (7): 1143-8.

Palanchon P, Van Loon D, Bangma CH, Bom N. Bladder volume measurements with a limited number of fixed ultrasound beams. *Ultrasound Med Biol*. 2004 Mar; 30 (3): 289-94.

Van Rossum AM, Wulkan RW, Oudesluis-Murphy AM. Procalcitonin as an early marker of infection in neonates and children. *Lancet Infect Dis*. 2004 Oct; 4 (10): 620-30.

Senden IP, De Groot CJ, Steegers EA, Bertina RM, Swinkels DW. Preeclampsia and the C282Y mutation in the hemochromatosis (HFE) gene. *Clin Chem*. 2004 May; 50 (5): 973-4. Silva MF, IJlst L, Allers P, Jakobs C, Duran M, De Almeida IT, Wanders RJ. Valproyl-dephosphoCoA: a novel metabolite of valproate formed in vitro in rat liver mitochondria. *Drug Metab Dispos*. 2004 Nov; 32 (11): 1304-10.

Struys EA, Jansen EE, Verhoeven NM, Jakobs C. Measurement of urinary D- and L-2-hydroxyglutarate enantiomers by stable-isotope-dilution liquid chromatography-tandem mass spectrometry after derivatization with diacetyl-L-tartaric anhydride. *Clin Chem*. 2004 Aug; 50 (8): 1391-5.

Teerlink T, Barto R, Ten Brink HJ, Schalkwijk CG. Measurement of Nepsilon-(carboxymethyl)lysine and Nepsilon-(carboxyethyl)lysine in human plasma protein by stable-isotope-dilution tandem mass spectrometry. Comment in: *Clin Chem*. 2004 Jul; 50 (7): 1116-7. *Clin Chem*. 2004 Jul; 50 (7): 1222-8.

Teerlink T, Scheffer PG, Bakker SJ, Heine RJ. Combined data from LDL composition and size measurement are compatible with a discoid particle shape. *J Lipid Res*. 2004 May; 45 (5): 954-66.

Valianpour F, Abeling NG, Duran M, Huijman JG, Kulik W. Quantification of free sialic acid in urine by HPLC-electrospray tandem mass spectrometry: a tool for the diagnosis of sialic acid storage disease. *Clin Chem*. 2004 Feb; 50 (2): 403-9.

Valongo C, Cardoso ML, Domingues P, Almeida L, Verhoeven N, Salomons G, Jakobs C, Vilarinho L. Age related reference values for urine creatine and guanidinoacetic acid concentration in children and adolescents by gas chromatography-mass spectrometry. *Clin Chim Acta*. 2004 Oct; 348 (1-2): 155-61.

Verhoeven NM, Roos B, Struys EA, Salomons GS, Van der Knaap MS, Jakobs C. Enzyme assay for diagnosis of guanidinoacetate methyltransferase deficiency. *Clin Chem*. 2004 Feb; 50 (2): 441-3.

Willems JL. Questionable results - Who directs the EQUAS organisers? *Clin Chem Lab Med* 2004; 42 (9): 1078.

Hematologie

Van Geest-Daelderop JH, Sturk A, Levi M, Adriaansen HJ. Extent and quality of anti-coagulation treatment with coumarin derivatives by the Dutch Thrombosis Services. *Ned Tijdschr Geneesk*. 2004 Apr 10; 148 (15): 730-5.

De Graaf AO, De Witte T, Jansen JH. Inhibitor of apoptosis proteins: new therapeutic targets in hematological cancer? *Leukemia*. 2004 Nov; 18 (11): 1751-9.

De Graaf AO, Jansen JH. Regulatie van apoptose in oncogenese. *Nederlands tijdschrift voor hematologie* 2004; 5: 183-189.

De Graaf AO, van den Heuvel LP, Dijkman HB, De Abreu RA, Birkenkamp KU, De Witte T, Van der Reijden BA, Smeitink JA, Jansen JH. Bcl-2 prevents loss of mitochondria in CCCP-induced apoptosis. *Exp Cell Res*. 2004 Oct 1; 299 (2): 533-40.

Harteveld CL, Van Delft P, Akkermans N, Arkesteijn S, Van Rooijen-Nijdam IH, Kok PJ, Versteegh FG, Giordano PC. Hb Buffalo [α 89(FG1)His \rightarrow Gln (α 1)], observed solely and in the presence of an Hb S [β 6(A3)Glu \rightarrow Val] heterozygosity. *Hemoglobin*. 2004 Aug; 28 (3): 223-7.

Harteveld CL, Wijermans PW, De Ree JE, Ter Hal P, Van Delft P, Van Rooijen-Nijdam IH, Rasp E, Kok PJ, Souverein JH, Versteegh FG, Giordano PC. A new Hb evanston allele [α 14(A12)Trp \rightarrow Arg] found solely, and in the presence of common alpha-thalassemia deletions, in three independent Asian cases. *Hemoglobin*. 2004 Feb; 28 (1): 1-5.

Hoffmann JJML, Hoedemakers RMJ. Diagnostic performance of the variant lymphocyte flag of the Abbott Cell-Dyn 4000 haematology analyser. *Clin Lab Haematol* 2004; 26: 9-13.

Hoffmann JJML. How useful are haematology analyser flags? *Clin Chem Lab Med* 2004; 42: 357-358 (Editorial).

Huisman A, Kemperman H. Comparison of arterial bayer Rapidlab 865 and venous Abbott Cell-Dyn 4000 hemoglobin measurements. *Lab Hematol*. 2004; 10 (4): 252-3.

Huisman A, Stokwielder R, Van Solinge WW. Mathematical correction of the invitro storage-related increase in erythrocyte mean cell volume of an automated hematology analyzer--the Cell-Dyn 4000. *Lab Hematol*. 2004; 10 (2): 68-73.

De Jonge R, Brouwer R, Smit M, De Frankrijker-Merkestijn M, Dolhain RJ, Hazes JM, van Toorenbergen AW, Lindemans J. Automated counting of white blood cells in synovial fluid. Comment in: *Rheumatology (Oxford)*. 2004 Sep; 43 (9): 1201; author reply 1201-2. *Rheumatology (Oxford)*. 2004 Feb; 43 (2): 170-3.

De Keijzer MH, Dujardin BCG, Van der Meer W. Een patiënte met een pseudo-verhoogde en EDTA afhankelijke bezinkingsnelheid. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 289-90.

Van der Meer W, Willekens FLA, Van Gelder W, Willems JL. De virtuele differentiatie van bloedcellen als hulpmiddel om de controverse van de beoordeling van de staafkernige granulocyt te toetsen. *Ned Tijdschr Klin Chem* 2004; 6: 313-316.

Van der Meer W, De Keijzer MH. Het automatisch tellen van leukocyten in synoviaal vocht. *BLTV* 2004; 31:187-90.

Van der Meer W, Scott CS, De Keijzer, MH. Automated flagging influences the inconsistency and bias of band cell and atypical lymphocyte morphological differentials. Comment in: *Clin Chem Lab Med*. 2004 Apr; 42 (4): 357-8. *Clin Chem Lab Med*. 2004 Apr; 42 (4): 371-7.

Immunochemie

Koenen HJ, den Hartog MT, Heerkens S, Fasse E, Ortiz-Buijsse A, Van Neerven RJ, Simons PJ, Joosten I, Boon L. A novel bispecific antihuman CD40/CD86 fusion protein with t-cell tolerizing potential. *Transplantation*. 2004 Nov 27; 78 (10): 1429-38.

Leers MP. Intermediate filaments and multiparameter flow cytometry for the study of solid tumors. *Methods Cell Biol*. 2004; 78: 163-204.

Van Rijn BB, Roest M, Franx A, Bruinse HW, Voorbij HA. Single step high-throughput determination of Toll-like receptor 4 polymorphisms. *J Immunol Methods*. 2004 Jun; 289 (1-2): 81-7.

Scharnhorst V, Valkenburg J, Vosters C, Vader H. Influence of preanalytical factors on the immulite intact parathyroid hormone assay. *Clin Chem*. 2004 May;50(5):974-5.

Schutte B, Henfling M, Kolgen W, Bouman M, Meex S, Leers MP, Nap M, Bjorklund V, Bjorklund P, Bjorklund B, Lane EB, Omary MB, Jornvall H, Ramaekers FC. Keratin 8/18 breakdown and reorganization during apoptosis. *Exp Cell Res*. 2004 Jul 1; 297(1): 11-26.

Smets EM, Dijkstra-Lagemaat JE, Blankenstein MA. Influence of blood collection in plastic vs. glass evacuated serum-separator tubes on hormone and tumour marker levels. *Clin Chem Lab Med*. 2004 Apr; 42 (4): 435-9.

Moleculaire technieken

Buijtenhuijs P, Buttafoco L, Poot AA, Daamen WF, Van Kuppevelt TH, Dijkstra PJ, De Vos RA, Sterk LM, Geelkerken BR, Feijen J, Vermes I. Tissue engineering of blood vessels: characterization of smooth-muscle cells for culturing on collagen-and-elastin-based scaffolds. *Biotechnol Appl Biochem*. 2004 Apr; 39 (Pt 2): 141-9.

Buijtenhuijs P, Buttafoco L, Poot AA, Sterk LMTh, De Vos RAI, Geelkerken RH, Feijen J, Vermes I. New biological assay to test viability of cultured cells for in vitro research applications. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 276-277.

Van Dijk KN, Plat AW, Van Dijk AA, Piersma-Wichers M, De Vries-Bots AM, Slomp J, De Jong-van den Berg LT, Brouwers JR. Potential interaction between acenocoumarol and diclofenac, naproxen and ibuprofen and role of CYP2C9 genotype. *Thromb Haemost*. 2004 Jan; 91 (1): 95-101.

Van Dijk M, Mulders J, Konst A, Janssens B, Van Roy F, Blankenstein M, Oudejans C. Differential downregulation of alphaT-catenin expression in placenta: trophoblast cell type-dependent imprinting of the CTNNA3 gene. *Gene Expr Patterns*. 2004 Nov; 5 (1): 61-5.

Emmelkamp J, Wolbers F, Andersson H, Dacosta RS, Wilson BC, Vermes I, Van den Berg A. The potential of autofluorescence for the detection of single living cells for label-free cell sorting in microfluidic systems. *Electrophoresis*. 2004 Nov; 25 (21-22): 3740-5.

Go AT, Visser A, Mulders MA, Blankenstein MA, Van Vugt JM, Oudejans CB. Detection of placental transcription factor mRNA in maternal plasma. *Clin Chem*. 2004 Aug; 50 (8): 1413-4.

Van Halteren HK, Bongaerts GP, Verhagen CA, Kamm YJ, Willems JL, Grutters GJ, Koopman JP, Wagener DJ. Recombinant human erythropoietin attenuates weight loss in a murine cancer cachexia model. *J Cancer Res Clin Oncol*. 2004 Apr; 130 (4): 211-6.

Van der Heiden IP, Van der Werf M, Lindemans J, Van Schaik RH. Sequencing: not always the 'gold standard'. *Clin Chem*. 2004 Jan; 50 (1): 248-9.

Klomp C, Abbes AP, Engel H. De cel-I-mutatiedetectietechniek: 100% sensitiviteit in het detecteren van puntmutaties in genomisch DNA. *Ned Tijdschr Geneesk* 2004 20 november; 148 (47).

Swinkels DW, Kok JB de; Steegers EA Fetal DNA in maternal blood. Comment on: *Ned Tijdschr Geneesk*. 2004 Jan 24; 148 (4): 170-4. *Ned Tijdschr Geneesk*. 2004 Jul 17; 148 (29): 1466-7; author reply 1467.

Wolbers F, Andersson H, Van den Berg A, Vermes I. Apoptosis induced kinetic changes in autofluorescence of cultured HL60 cells-possible application for single cell analysis on chip. *Apoptosis*. 2004 Nov; 9 (6): 749-55.

Wolbers F, Haanen C, Andersson H, Van den Berg A, Vermes I. Analysis of apoptosis on chip: why the move to chip technology? *Lab-on-Chips for Cellomics* 2004, 197-224.

Wolbers F, Valero A, Andersson H, Luttge R, Van den Berg A, Vermes I. Apoptosis induced kinetic changes in autofluorescence of HL60 cells - application for single cell analysis on chip. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29 (5) 296-297.

Klinisch

Hart- en vaatziekten

Ajubi NE, Bakker AJ. Ischemie-gemodificeerd albumine (IMA): een vroege merker voor myocardische? *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 302-307.

Baidoshvili A, Niessen HW, Stooker W, Huybregts RA, Hack CE, Rauwerda JA, Meijer CJ, Eijssman L, van Hinsbergh VW, Schalkwijk CG. N(omega)-(carboxymethyl)lysine depositions in human aortic heart valves: similarities with atherosclerotic blood vessels. *Atherosclerosis*. 2004 Jun; 174 (2): 287-92.

Bakker J, Gies I, Slavenburg B, Bekers O, Delhaas T, Van Dieijen-Visser M. Reference values for N-terminal pro-B-type natriuretic peptide in umbilical cord blood. *Clin Chem*. 2004 Dec; 50 (12): 2465.

Beerenhout C, Dejagere T, Van der Sande FM, Bekers O, Leunissen KM, Kooman JP. Haemodynamics and electrolyte balance: a comparison between on-line pre-dilution haemofiltration and haemodialysis. *Nephrol Dial Transplant*. 2004 Sep; 19 (9): 2354-9.

Beerenhout CH, Noris M, Kooman JP, Porrati F, Binda E, Morigi M, Bekers O, Van der Sande FM, Todeschini M, Macconi D, Leunissen KM, Remuzzi G. Nitric oxide synthetic capacity in relation to dialysate temperature. *Blood Purif*. 2004; 22 (2): 203-9.

Van den Biggelaar AHJ, De Craen AJM, Gussekloo J, Huizinga TWJ, Heijmans BT, Frölich M, Kirkwood TBL, Westendorp RGJ. Inflammation underlying cardiovascular mortality is a late consequence of evolutionary programming. *Faseb* 2004; 18; 1022-1024.

Blom JR, Van 't Hof AW, Henriques JP, Hans Geertman J, Slingerland R, Hoorntje JC. NT-proBNP: a marker for successful myocardial reperfusion in AMI patients treated with primary percutaneous coronary intervention. *Eur J Heart Fail*. 2004 Oct; 6 (6): 749-52.

Van Boven WJ, Gerritsen WB, Waanders FG, Haas FJ, Aarts LP. Mini extracorporeal circuit for coronary artery bypass grafting: initial clinical and biochemical results: a comparison with conventional and off-pump coronary artery bypass grafts concerning global oxidative stress and alveolar function. *Perfusion*. 2004 Jul; 19 (4): 239-46.

Bruins S, Fokkema MR, Romer JW, Dejongste MJ, Van der Dijs FP, Van den Ouweland JM, Muskiet FA. High intra-individual variation of B-type natriuretic peptide (BNP) and amino-terminal proBNP in patients with stable chronic heart failure. *Clin Chem*. 2004 Nov; 50 (11): 2052-8.

Demacker PN. Assessment of risk factors for coronary heart disease in vascular medicine: long-term experience and a personal view from the laboratory. *Semin Vasc Med*. 2004 Feb; 4 (1): 23-9.

Demacker PN. Laboratory-based assessment of plasma lipids and lipoproteins for the classification of familial hypercholesterolemic and hypertriglyceridemic states. *Semin Vasc Med*. 2004 Feb; 4 (1): 13-22.

Diamant M, Tushuizen ME, Sturk A, Nieuwland R. Cellular microparticles: new players in the field of vascular disease? *Eur J Clin Invest*. 2004 Jun; 34 (6): 392-401.

Diamant M, Tushuizen ME, Sturk A, Nieuwland R. Cellular microparticles and blood-vessel damage. I. Structure, detection and origin. Comment on: *Ned Tijdschr Geneesk*. 2004 Jul 10; 148 (28): 1380-4. *Ned Tijdschr Geneesk*. 2004 Jul 10; 148 (28): 1376-80.

Diamant M, Tushuizen ME, Sturk A, Nieuwland R. Cellular microparticles and blood-vessel damage. II. Functional characteristics and clinical significance. Comment in: *Ned Tijdschr Geneesk*. 2004 Jul 10; 148 (28): 1376-80. *Ned Tijdschr Geneesk*. 2004 Jul 10; 148 (28): 1380-4.

Dijk-Brouwer DA, Hepkema BG, Van der Dijs FP, Steward HN, De Windt-Hol JM, Muskiet FA. Curacao patients with coronary artery disease have a higher prevalence of the HFE C282Y mutation. *West Indian Med J*. 2004 Jun; 53 (3): 143-6.

Diris JH, Van Dieijen-Visser MP. Significance of serum troponin T in patients with kidney disease. Comment on: *Ann Clin Biochem*. 2004 Jan; 41 (Pt 1): 1-9. *Ann Clin Biochem*. 2004 Jul; 41 (Pt 4): 346; author reply 346.

Elsman P, Zijlstra F, Miedema K, Hoorntje JC, Dikkeschei LD, Slingerland RJ, Reiffers S, de Boer MJ, Suryapranata H. The predictive value of cumulative lactate dehydrogenase release within the first 72 h of acute myocardial infarction in patients treated with primary angioplasty. *Ann Clin Biochem*. 2004 Mar; 41 (Pt 2): 142-8.

Ernst NM, Suryapranata H, Miedema K, Slingerland RJ, Ottervanger JP, Hoorntje JC, Gosselink AT, Dambrink JH, de Boer MJ, Zijlstra F, van 't Hof AW. Achieved platelet aggregation inhibition after different antiplatelet regimens during percutaneous coronary intervention for ST-segment elevation myocardial infarction. *J Am Coll Cardiol*. 2004 Sep 15; 44 (6): 1187-93.

Gerdes VE, Hovinga HA, Ten Cate H, Macgillivray MR, Leijte A, Reitsma PH, Brandjes DP, Buller HR. The Amsterdam Vascular Medicine Group. Homocysteine and markers of coagulation and endothelial cell activation. *J Thromb Haemost*. 2004 Mar; 2 (3): 445-51.

Van Himbergen TM, Roest M, De Graaf J, Jansen EH, Hattori H, Kastelein JJ, Voorbij HA, Stalenhoef AF, Van Tits LJ. Indications that paraoxonase-1 contributes to plasma high density lipoprotein levels in familial hypercholesterolemia. *J Lipid Res*. 2005 Mar; 46(3):445-51.

Kemperman H, van den Berg H, Kirkels H, de Jonge N. B-type natriuretic peptide (BNP) and N-terminal proBNP in patients with end-stage heart failure supported by a left ventricular assist device. Comment in: *Clin Chem*. 2004 Sep; 50 (9): 1495-7. *Clin Chem*. 2004 Sep; 50 (9): 1670-2.

Van de Kerkhof J, Schalkwijk CG, Konings CJ, Cheriex EC, Van der Sande FM, Scheffer PG, Ter Wee PM, Leunissen KM, Kooman JP. Nepsilon-(carboxymethyl)lysine, Nepsilon-(carboxyethyl)lysine and vascular cell adhesion molecule-1 (VCAM-1) in relation to peritoneal glucose prescription and residual renal function; a study in peritoneal dialysis patients. *Nephrol Dial Transplant*. 2004 Apr; 19 (4): 910-6.

Van Kimmenade RRJ, Bakker JA, Crijs HJGM, Van Dieijen-Visser MP, Pinto YM. The value of (NT-pro) BNP in the diagnosis, prognosis and treatment of congestive heart failure. *Neth Heart Journal* 2004; 12 (2): 61-63.

Lieuw-A-Fa ML, van Hinsbergh VW, Teerlink T, Barto R, Twisk J, Stehouwer CD, Schalkwijk CG. Increased levels of N(epsilon)-carboxymethyllysine and N(epsilon)-(carboxyethyl)lysine in type 1 diabetic patients with impaired renal

function: correlation with markers of endothelial dysfunction. *Nephrol Dial Transplant*. 2004 Mar; 19 (3): 631-6.

Manten GT, Franx A, Sikkema JM, Hameeteman TM, Visser GH, de Groot PG, Voorbij HA. Fibrinogen and high molecular weight fibrinogen during and after normal pregnancy. *Thromb Res*. 2004; 114 (1): 19-23.

Pelsers MM, Hanhoff T, Van der Voort D, Arts B, Peters M, Ponds R, Honig A, Rudzinski W, Spener F, De Kruijk JR, Twijnstra A, Hermens WT, Menheere PP, Glatz JF. Brain- and heart-type fatty acid-binding proteins in the brain: tissue distribution and clinical utility. *Clin Chem*. 2004 Sep; 50 (9): 1568-75.

Posthouwer D, Voorbij HA, Grobbee DE, Numans ME, van der Bom JG. Influenza and pneumococcal vaccination as a model to assess C-reactive protein response to mild inflammation. *Vaccine*. 2004 Dec 2; 23 (3): 362-5.

Rittersma SZ, De Winter RJ, Koch KT, Schotborgh CE, Bax M, Heyde GS, Van Straalen JP, Mulder KJ, Tijssen JG, Sanders GT, Piek JJ. Preprocedural C-reactive protein is not associated with angiographic restenosis or target lesion revascularization after coronary artery stent placement. Comment in: *Clin Chem*. 2004 Sep; 50 (9): 1489-91. *Clin Chem*. 2004 Sep; 50 (9): 1492-4. *Clin Chem*. 2004 Sep; 50 (9): 1589-96.

Schalkwijk CG, Baidoshvili A, Stehouwer CD, Van Hinsbergh VW, Niessen HW. Increased accumulation of the glycoxidation product Nepsilon-(carboxymethyl)lysine in hearts of diabetic patients: generation and characterisation of a monoclonal anti-CML antibody. *Biochim Biophys Acta*. 2004 Mar 22; 1636 (2-3): 82-9.

Scheffer PG, Henry RM, Wever EJ, Van Rooij GJ, Bos G, Heine RJ, Dekker JM, Diamant M, Stehouwer CD, Nijpels G, Blankenstein MA, Teerlink T. LDL oxidative modifications in well- or moderately controlled type 2 diabetes. *Diabetes Metab Res Rev*. 2004 Jul-Aug; 20 (4): 298-304.

Tarnow L, Hovind P, Teerlink T, Stehouwer CD, Parving HH. Elevated plasma asymmetric dimethylarginine as a marker of cardiovascular morbidity in early diabetic nephropathy in type 1 diabetes. *Diabetes Care*. 2004 Mar; 27 (3): 765-9.

Triepels RH, Busscher S, Van der Meer-Tinnemeijer M, Van der Burg PH, Vermes I. N-terminal pro-brain 'Natriuretic Peptide' (NT-proBNP) als vroege diagnostische parameter voor het uitsluiten van hartfalen. *Ned Tijdschr Klin Chem Labgeneesk* 2004, 29:29-32.

Veerkamp MJ, De Graaf J, Hendriks JC, Demacker PN, Stalenhoef AF. Nomogram to diagnose familial combined hyperlipidemia on the basis of results of a 5-year follow-up study. Comment in: *Circulation*. 2004 Jun 22; 109 (24): e9052-3. *Circulation*. 2004 Jun 22; 109 (24): 2980-5.

De Winter RJ, Stroobants A, Koch KT, Bax M, Schotborgh CE, Mulder KJ, Sanders GT, Van Straalen JP, Fischer J, Tijssen JG, Piek JJ. Plasma N-terminal pro-B-type natriuretic peptide for prediction of death or nonfatal myocardial infarction following percutaneous coronary intervention. *Am J Cardiol*. 2004 Dec 15; 94 (12): 1481-5.

Zuurbier CJ, Eerbeek O, Goedhart PT, Struys EA, Verhoeven NM, Jakobs C, Ince C. Inhibition of the pentose phosphate pathway decreases ischemia-reperfusion-induced creatine kinase release in the heart. *Cardiovasc Res*. 2004 Apr 1; 62 (1): 145-53.

Hematologie

Andersen FD, d'Amore F, Nielsen FC, Van Solinge W, Jensen F, Jensen PD. Unexpectedly high but still asymptomatic iron overload in a patient with pyruvate kinase deficiency. *Hematol J*. 2004; 5 (6): 543-5.

Boer AK. De intracellulaire respons van EPO. *Analyse* 2004 59 (1) 11-13.

Ceelle H, Spaargaren-van Riel CC, Bertina RM, Vos HL. G20210A is a functional mutation in the prothrombin gene; effect on protein levels and 3'-end formation. *J Thromb Haemost*. 2004 Jan; 2 (1): 119-27.

Chon H, Gaillard CA, van der Meijden BB, Dijkstra HM, Kraaijenhagen RJ, van Leenen D, Holstege FC, Joles JA, Bluysen HA, Koomans HA, Braam B. Broadly altered gene expression in blood leukocytes in essential hypertension is absent during treatment. *Hypertension*. 2004 May; 43 (5): 947-51.

Erkeland SJ, Valkhof M, Heijmans-Antonissen C, Van Hoven-Beijen A, Delwel R, Hermans MH, Touw IP. Large-scale identification of disease genes involved in acute myeloid leukemia. *J Virol*. 2004 Feb; 78 (4): 1971-80.

Hackeng CM, Beerenhout CM, Hermans M, Van der Kuy PH, Van der Dussen H, Van Diejen-Visser MP, Hamulyak K, Van der Sande FM, Leunissen KM, Kooman JP. The relationship between reticulocyte hemoglobin content with C-reactive protein and conventional iron parameters in dialysis patients. *J Nephrol*. 2004 Jan-Feb; 17 (1): 107-11.

De Lange DW, Hijmering ML, Lorscheid A, Scholman WL, Kraaijenhagen RJ, Akkerman JW, Van de Wiel A. Rapid intake of alcohol (binge drinking) inhibits platelet adhesion to fibrinogen under flow. Erratum in: *Alcohol Clin Exp Res*. 2004 Nov; 28 (11): A2. *Alcohol Clin Exp Res*. 2004 Oct; 28 (10): 1562-8.

De Lange DW, Scholman WL, Kraaijenhagen RJ, Akkerman JW, Van de Wiel A. Alcohol and polyphenolic grape extract inhibit platelet adhesion in flowing blood. *Eur J Clin Invest*. 2004 Dec; 34 (12): 818-24.

Schnog JB, Duits AJ, Muskiet FA, Ten Cate H, Rojer RA, Brandjes DP. Sickle cell disease; a general overview. *Neth J Med*. 2004 Nov; 62 (10): 364-74.

Schnog JJ, Jager EH, Van der Dijs FP, Duits AJ, Moshage H, Muskiet FD, Muskiet FA. Evidence for a metabolic shift of arginine metabolism in sickle cell disease. *Ann Hematol*. 2004 Jun; 83 (6): 371-5.

Schutgens RE, Esseboom EU, Snijder RJ, Haas FJ, Verzijlbergen F, Nieuwenhuis HK, Lisman T, Biesma DH. Low molecular weight heparin (dalteparin) is equally effective as unfractionated heparin in reducing coagulation activity and perfusion abnormalities during the early treatment of pulmonary embolism. *J Lab Clin Med*. 2004 Aug; 144 (2): 100-7.

Veldhuis W, Janssen M, Kortlandt W, Van Houte A, Van de Ree M. Coombs-negative severe haemolytic anaemia in an immunocompetent adult following cytomegalovirus infection. *Eur J Clin Microbiol Infect Dis*. 2004 Nov; 23 (11): 844-7.

Verheijen FM, Reedijk L, Fijnheer R. A woman suffering from systemic lupus erythematosus and acquired thrombotic thrombocytopenic purpura. *Ned Tijdschr Geneesk*. 2004 Oct 2; 148 (40): 1977-81.

Visser LE, Van Schaik RH, Van Vliet M, Trienekens PH, De Smet PA, Vulto AG, Hofman A, Van Duijn CM, Stricker BH. The risk of bleeding complications in patients with cytochrome P450 CYP2C9*2 or CYP2C9*3 alleles on acenocoumarol or phenprocoumon. *Thromb Haemost*. 2004 Jul; 92 (1): 61-6.

Visser LE, Van Vliet M, Van Schaik RH, Kasbergen AA, De Smet PA, Vulto AG, Hofman A, Van Duijn CM, Stricker BH. The risk of overanticoagulation in patients with cytochrome P450 CYP2C9*2 or CYP2C9*3 alleles on acenocoumarol or phenprocoumon. *Pharmacogenetics*. 2004 Jan; 14 (1): 27-33.

Wester JP, Haas FJ, Biesma DH, Leusink JA, Veth G. Thrombosis and hemorrhage in heparin-induced thrombocytopenia in seriously ill patients. Comment in: *Intensive Care Med*. 2004 Nov; 30 (11): 2136; author reply 2137. *Intensive Care Med*. 2004 Oct; 30 (10): 1927-34.

Wester JP, Haas FJ, Biesma DH, Leusink JA, Veth G. Reply to the comment on 'Heparin-induced thrombocytopenia' by Berosian et al. The treatment of severe hemorrhage in heparin-induced thrombocytopenia in serious illness. *Intensive Care Med*. 2004 Nov; 30 (11): 2137.

Van Wijk R, Huizinga EG, Prins I, Kors A, Rijksen G, Bierings M, Van Solinge WW. Distinct phenotypic expression of two de novo missense mutations affecting the dimer interface of glucose-6-phosphate dehydrogenase. *Blood Cells Mol Dis*. 2004 Jan-Feb; 32 (1): 112-7.

Van Wijk R, Van Wesel AC, Thomas AA, Rijksen G, Van Solinge WW. Ex vivo analysis of aberrant splicing induced by two donor site mutations in PKLR of a patient with severe pyruvate kinase deficiency. *Br J Haematol*. 2004 Apr; 125 (2): 253-63.

Gynaecologie / obstetrie / perinatologie

Bisseling TM, Maria Roes E, Raijmakers MTM, Steegers EAP, Peters WHM, Smits P. N-acetylcysteine restores nitric oxide-mediated effects in the fetoplacental circulation of preeclamptic patients. *Am J Obstet Gynecol*. 2004; 191 (1): 328-33.

Demir AY, Demol H, Puype M, De Goeij AF, Dunselman GA, Herrler A, Evers JL, Vandekerckhove J, Groothuis PG. Proteome analysis of human mesothelial cells during epithelial to mesenchymal transitions induced by shed menstrual effluent. *Proteomics*. 2004 Sep; 4 (9): 2608-23.

Demir AY, Demol H, Puype M, De Goeij AF, Dunselman GA, Herrler A, Evers JL, Vandekerckhove J, Groothuis PG. Proteome analysis of human mesothelial cells during epithelial to mesenchymal transitions induced by shed menstrual effluent. *Proteomics*. 2004 Sep; 4 (9): 2608-23.

Demir AY, Groothuis PG, Nap AW, Punyadeera C, de Goeij AF, Evers JL, Dunselman GA. Menstrual effluent induces epithelial-mesenchymal transitions in mesothelial cells. *Hum Reprod*. 2004 Jan; 19 (1): 21-9.

Demir R, Kayisli UA, Seval Y, Celik-Ozenci C, Korgun ET, Demir-Weusten AY, Huppertz B. Sequential expression of VEGF and its receptors in human placental villi during very early pregnancy: differences between placental vasculogenesis and angiogenesis. *Placenta*. 2004 Jul; 25 (6): 560-72.

Emmer PM, Joosten I, Schut MH, Zusterzeel PL, Hendriks JC, Steegers EA. Shift in expression of HLA-G mRNA splice-forms in pregnancies complicated by preeclampsia. *J Soc Gynecol Investig*. 2004 May; 11 (4): 220-6.

Janssens PM, Beerendonk CC, Blokzijl E, Braat DD, Westphal JR, Kremer JA. Cryopreservation of semen of adolescents and young adult men with cancer. *Ned Tijdschr Geneesk*. 2004 Oct 2; 148 (40): 1981-4.

Ten Kate-Booij MJ, Cobbaert C, Koper JW, De Jong FH. Deficiency of 17,20-lyase causing giant ovarian cysts in a girl and a female phenotype in her 46,XY sister: case report. *Hum Reprod*. 2004 Feb; 19 (2): 456-9.

Lukassen HG, Joosten I, van Cranenbroek B, Van Lierop MJ, Bulten J, Braat DD, Van der Meer A. Hormonal stimulation for IVF treatment positively affects the CD56bright/CD56dim NK cell ratio of the endometrium during the window of implantation. *Mol Hum Reprod*. 2004 Jul; 10 (7): 513-20.

Nap AW, Groothuis PG, Demir AY, Evers JL, Dunselman GA. Pathogenesis of endometriosis. *Best Pract Res Clin Obstet Gynaecol*. 2004 Apr; 18(2):233-44.

Oosterhuis GJ, Vermes I. Apoptosis in human ejaculated spermatozoa. *J Biol Regul Homeost Agents*. 2004 Apr-Jun; 18 (2): 115-9.

Oudejans CB, Mulders J, Lachmeijer AM, Van Dijk M, Konst AA, Westerman BA, Van Wijk IJ, Leegwater PA, Kato HD, Matsuda T, Wake N, Dekker GA, Pals G, Ten Kate LP, Blankenstein MA. The parent-of-origin effect of 10q22 in preeclamptic females coincides with two regions clustered for genes with down-regulated expression in androgenetic placentas. *Mol Hum Reprod*. 2004 Aug; 10 (8): 589-98.

Poston L, Raijmakers MTM. Trophoblast oxidative stress, antioxidants and pregnancy outcome--a review. *Placenta*. 2004; 25 Suppl A: S72-8.

Raijmakers MTM, De Galan-Roosen TE, Schilders GW, Merkus JM, Steegers EAP, Peters WHM. The Tyr113His polymorphism in exon 3 of the microsomal epoxide hydrolase gene is a risk factor for perinatal mortality. *Acta Obstet Gynecol Scand*. 2004; 83 (11): 1056-60.

Raijmakers MTM, Dechend R, Poston L. Oxidative stress and preeclampsia: rationale for antioxidant clinical trials. *Hypertension*. 2004 Oct; 44 (4): 374-80.

Raijmakers MTM, Peters WHM, Steegers EAP, Poston L. NAD(P)H oxidase associated superoxide production in human placenta from normotensive and pre-eclamptic women. *Placenta*. 2004; 25 Suppl A: S85-9.

Raijmakers MTM, Roes EM, Zusterzeel PLM, Steegers EAP, Peters WHM. Thiol status and antioxidant capacity in women with a history of severe pre-eclampsia. *BJOG*. 2004; 111 (3): 207-12.

Raijmakers MTM, van Tits BJ, Hak-Lemmers HL, Roes EM, Steegers EAP, Peters WH. M Low plasma levels of oxidized low density lipoprotein in preeclampsia. *Acta Obstet Gynecol Scand*. 2004 Dec; 83 (12): 1173-7.

Ramos L, Wetzels AM, Hendriks JC, Hulsbergen-van de Kaa CA, Sweep CG, Kremer JA, Braat DD, Meuleman EJ. Percutaneous epididymal sperm aspiration: a diagnostic tool for the prediction of complete spermatogenesis. *Reprod Biomed Online*. 2004 Jun; 8 (6): 657-63.

Roes EM, Steegers EA, Thomas CM, Geurts-Moespot A, Raijmakers MT, Peters WH, Sweep CG. High levels of urinary vascular endothelial growth factor in women with severe preeclampsia. *Int J Biol Markers*. 2004 Jan-Mar; 19 (1): 72-5.

Roes EM, Gaytant MA, Thomas CMG, Raijmakers MTM, Zusterzeel PLM, Peters WHM, Steegers EAP. First trimester inhibin-A concentrations and later development of preeclampsia. Comment on: *Acta Obstet Gynecol Scand*. 2002 Jun; 81 (6): 540-3. *Acta Obstet Gynecol Scand*. 2004 Jan; 83 (1): 117.

Smolders RG, De Meer K, Kenemans P, Teerlink T, Jakobs C, Van der Mooren MJ. Hormone replacement influences homocysteine levels in the methionine-loading test: a randomized placebo controlled trial in postmenopausal women. *Eur J Obstet Gynecol Reprod Biol*. 2004 Nov 10; 117 (1): 55-9.

Tjoa ML, Lomecky M, Martens F, Van Wijk IJ, Van Vugt JM, Blankenstein MA, Oudejans CB. Neurokinin B levels in maternal circulation during early pregnancy. *Clin Chem Lab Med*. 2004; 42 (6): 611-3.

Tjoa ML, Oudejans CB, Van Vugt JM, Blankenstein MA, Van Wijk IJ. Markers for presymptomatic prediction of preeclampsia and intrauterine growth restriction. *Hypertens Pregnancy*. 2004; 23 (2): 171-89.

Vogelvang TE, Mijatovic V, Kenemans P, Schalkwijk CG, Van der Mooren MJ. Effect of HMR 3339, a novel selective estrogen receptor modulator, on C-reactive protein levels in healthy postmenopausal women. *Am J Cardiol*. 2004 Nov 1; 94 (9): 1205-8.

Vogelvang TE, Mijatovic V, Kenemans P, Teerlink T, Van der Mooren MJ. HMR 3339, a novel selective estrogen receptor modulator, reduces total cholesterol, low-density lipoprotein cholesterol, and homocysteine in healthy postmenopausal women. *Fertil Steril*. 2004 Dec; 82 (6): 1540-9.

Vulink AJ, Vermes I, Kuijper P, Ten Cate LN, Schutter EM. Steroid cell tumour not otherwise specified during pregnancy: a case report and diagnostic work-up for virilisation in a pregnant patient. *Eur J Obstet Gynecol Reprod Biol*. 2004 Feb 10; 112 (2): 221-7.

Neurologie / psychiatrie

Assies J, Lok A, Bockting CL, Weverling GJ, Lieveer R, Visser I, Abeling NG, Duran M, Schene AH. Fatty acids and homocysteine levels in patients with recurrent depression: an explorative pilot study. *Prostaglandins Leukot Essent Fatty Acids*. 2004 Apr; 70 (4): 349-56.

Hoogland G, Van Oort RJ, Proper EA, Jansen GH, Van Rijen PC, Van Veelen CW, Van Nieuwenhuizen O, Troost D, De Graan PN. Alternative splicing of glutamate transporter EAAT2 RNA in neocortex and hippocampus of temporal lobe epilepsy patients. *Epilepsy Res*. 2004 Apr-May; 59 (2-3): 75-82.

Mulder EJ, Anderson GM, Kema IP, De Bildt A, Van Lang ND, Den Boer JA, Minderaa RB. Platelet serotonin levels in pervasive developmental disorders and mental retardation: diagnostic group differences, within-group distribution, and behavioral correlates. *J Am Acad Child Adolesc Psychiatry*. 2004 Apr; 43 (4): 491-9.

Van der Neut Kofschoten M, Dirven RJ, Poort SR, Van Wijk R, Vos HL, Rosendaal FR, Bertina RM. Characterization of an immunologic polymorphism (D79H) in the heavy chain of factor V. *J Thromb Haemost*. 2004 Jun; 2 (6): 910-7.

Pennings RJ, Huygen PL, Van den Ouweland JM, Cryns K, Dikkeschei LD, Van Camp G, Cremers CW. Sex-related hearing impairment in Wolfram syndrome patients identified by inactivating WFS1 mutations. *Audiol Neurootol*. 2004 Jan-Feb; 9 (1): 51-62.

Russo S, Boon JC, Kema IP, Willemse PH, Den Boer JA, Korf J, De Vries EG. Patients with carcinoid syndrome exhibit symptoms of aggressive impulse dysregulation. *Psychosom Med*. 2004 May-Jun; 66 (3): 422-5.

Veeninga AT, Wiolders JPM, Oosterink J. A pilot study of vitamin D in psychogeriatric patients: 82% is (severely) deficient. *Tijdschr Gerontol Geriatr*. 2004 Oct; 35 (5): 203-6.

Vermes I, Steur EN, Jirikowski GF, Haanen C. Elevated concentration of cerebrospinal fluid tissue transglutaminase in Parkinson's disease indicating apoptosis. *Mov Disord*. 2004 Oct; 19 (10): 1252-4.

Van der Weide J, Ros JE. De invloed van exogene factoren op de klaring van atypische antipsychotica. *Cobo Bull.*, 2004; 1: 29-34

Zwemmer JN, Van Veen T, Van Winsen L, Van Kamp GJ, Barkhof F, Polman CH, Uitdehaag BM. No major association of ApoE genotype with disease characteristics and MRI findings in multiple sclerosis. *Mult Scler*. 2004 Jun; 10 (3): 272-7.

Interne geneeskunde

Bongers MEJ, Visser R, Van Vliet W, Wiolders JPM, Hogeman PHG. A teenager presenting with vomiting, general malaise and weight loss. Comment in: *Ned Tijdschr Geneesk*. 2004 May 22; 148 (21): 1064; author reply 1064. *Ned Tijdschr Geneesk*. 2004 Feb 28; 148 (9): 437-40.

Bos G, Scheffer PG, Vieira D, Dekker JM, Nijpels G, Diamant M, Teerlink T, Stehouwer CD, Bouter LM, Heine RJ, Jansen H. Hoorn Study. The relationship of lipoprotein lipase activity and LDL size is dependent on glucose metabolism in an elderly population: the Hoorn Study. *Diabetes Care*. 2004 Mar; 27 (3): 796-8.

Van Bortel MP, Menheere PP, Bekers O, Hogervorst E, Jolles J. Thyroid function, depressed mood, and cognitive performance in older individuals: the Maastricht Aging Study. *Psychoneuroendocrinology*. 2004 Aug; 29 (7): 891-8.

Branten AJ, Swinkels DW, Klasen IS, Wetzels JF. Serum ferritin levels are increased in patients with glomerular diseases and proteinuria. *Nephrol Dial Transplant*. 2004 Nov; 19 (11): 2754-60.

Deinum J, Van den Meiracker AH, Boomsma F, Van Ittersum FJ, Wevers RA, Lenders JW. From gene to disease; dopamine-beta-hydroxylase deficiency and orthostatic hypotension. *Ned Tijdschr Geneesk*. 2004 Sep 4; 148 (36): 1771-5.

Dikkeschei LD, Van Tits LJ, Kusters G, Offermand JJ, Bilo HJ, Stalenhoef AF. Oxidatieve stress in patients with end-stage renal disease prior to the start of renal replacement therapy. *Nephron Clin Pract*. 2004; 98(1): c3-7.

Diris JH, Hackeng CM, Kooman JP, Pinto YM, Hermens WT, Van Dieijen-Visser MP. Impaired renal clearance explains elevated troponin T fragments in hemodialysis patients. Comment in: *Circulation*. 2004 Jul 20; 110 (3): e25-6; author reply e25-6. *Circulation*. 2004 Jan 6; 109 (1): 23-5.

Van Gelder T, Hesselink DA, Van Hest RM, Mathot RA, Van Schaik R. Pharmacogenetics in immunosuppressive therapy: the best thing since TDM? *Ther Drug Monit*. 2004 Aug; 26 (4): 343-6.

Graswinckel JE, Van der Velden U, Van Winkelhoff AJ, Hoek FJ, Loos BG. Plasma antibody levels in periodontitis patients and controls. *J Clin Periodontol*. 2004 Jul;31(7):562-8.

Hansen TK, Tarnow L, Thiel S, Steffensen R, Stehouwer CD, Schalkwijk CG, Parving HH, Flyvbjerg A. Association between mannose-binding lectin and vascular complications in type 1 diabetes. *Diabetes*. 2004 Jun; 53 (6): 1570-6.

Van der Heijden J, De Jong MC, Dijkmans BA, Lems WF, Oerlemans R, Kathmann I, Schalkwijk CG, Scheffer GL, Scheper RJ, Jansen G. Development of sulfasalazine resistance in human T cells induces expression of the multidrug resistance transporter ABCG2 (BCRP) and augmented production of TNFalpha. Comment in: *Ann Rheum Dis*. 2004 Feb; 63 (2): 115-6. *Ann Rheum Dis*. 2004 Feb; 63 (2): 138-43.

Hesselink DA, Van Gelder T, Van Schaik RH, Balk AH, Van der Heiden IP, Van Dam T, Van der Werf M, Weimar W, Mathot RA. Population pharmacokinetics of cyclosporine in kidney and heart transplant recipients and the influence of ethnicity and genetic polymorphisms in the MDR-1, CYP3A4, and CYP3A5 genes. *Clin Pharmacol Ther*. 2004 Dec; 76 (6): 545-56.

Van Himbergen T, Roest M, De Waart F, De Graaf J, Voorbij H, Van Tits L, Stalenhoef A. Paraoxonase genotype, LDL-oxidation and carotid atherosclerosis in male life-long smokers. *Free Radic Res*. 2004 Jun; 38 (6): 553-60.

Hulsewe KW, Van Acker BA, Hameeteman W, Van der Hulst RR, Vainas T, Arends JW, Van Kreel BK, Von Meyenfeldt MF, Soeters PB. Does glutamine-enriched parenteral nutrition really affect intestinal morphology and gut permeability? *Clin Nutr*. 2004 Oct; 23 (5): 1217-25.

Janssen R, Grutters JC, Ruven HJ, Zanen P, Sato H, Welsh KI, Du Bois RM, Van den Bosch JM. No association between interleukin-18 gene polymorphisms and haplotypes in Dutch sarcoidosis patients. *Tissue Antigens*. 2004 Jun; 63 (6): 578-83.

Janssen R, Sato H, Grutters JC, Ruven HJ, Du Bois RM, Matsuura R, Yamazaki M, Kunimaru S, Izumi T, Welsh KI, Nagai S, Van den Bosch JM. The Clara cell10 adenine38guanine polymorphism and sarcoidosis susceptibility in Dutch and Japanese subjects. *Am J Respir Crit Care Med*. 2004 Dec 1; 170 (11): 1185-7.

De Jong KP, Hoedemakers RM, Fidler V, Bijzet J, Limburg PC, Peeters PM, De Vries EG, Slooff MJ. Portal and systemic serum growth factor and acute-phase response after laparotomy or partial hepatectomy in patients with colorectal liver metastases: a prognostic role for C-reactive protein and hepatocyte growth factor. *Scand J Gastroenterol*. 2004 Nov; 39 (11): 1141-8.

Koster J, Van Wilpe S, Kuikman I, Litjens SH, Sonnenberg A. Role of binding of plectin to the integrin beta4 subunit in the assembly of hemidesmosomes. *Mol Biol Cell*. 2004 Mar; 15 (3): 1211-23.

Menheere PPCA. The laboratory responsibility in stopping the allergic march. *J Lab Med* 2004; 28 (3): 279-283.

Mortier S, Faict D, Schalkwijk CG, Lameire NH, De Vriese AS. Long-term exposure to new peritoneal dialysis solutions: Effects on the peritoneal membrane. *Kidney Int*. 2004 Sep; 66 (3): 1257-65.

Nijveldt RJ, Siroen MP, Teerlink T, Van Lambalgen AA, Rauwerda JA, Van Leeuwen PA. Gut and liver handling of asymmetric and symmetric dimethylarginine in the rat under basal conditions and during endotoxemia. *Liver Int*. 2004 Oct; 24 (5): 510-8.

Nijveldt RJ, Siroen MP, Teerlink T, Van Leeuwen PA. Elimination of asymmetric dimethylarginine by the kidney and the liver: a link to the development of multiple organ failure? *J Nutr*. 2004 Oct; 134 (10 Suppl): 2848S-2852S; discussion 2853S.

Nijveldt RJ, Siroen MP, Van der Hoven B, Teerlink T, Prins HA, Girbes AR, Van Leeuwen PA. High plasma arginine concentrations in critically ill patients suffering from hepatic failure. *Eur J Clin Nutr*. 2004 Apr; 58 (4): 587-93.

- Nijveldt RJ, Teerlink T, Siroen MP, Van der Hoven B, Prins HA, Wiezer MJ, Meijer C, Van der Sijp JR, Cuesta MA, Meijer S, Van Leeuwen PA. Elevation of asymmetric dimethylarginine (ADMA) in patients developing hepatic failure after major hepatectomy. *JPEN J Parenter Enteral Nutr.* 2004 Nov-Dec; 28 (6): 382-7.
- Nissen AC, Van Gils CE, Menheere PP, Van den Neucker AM, Van der Hoeven MA, Forget PP. Fecal calprotectin in healthy term and preterm infants. *J Pediatr Gastroenterol Nutr.* 2004 Jan; 38 (1): 107-8.
- Plasschaert SL, Groninger E, Boezen M, Kema I, De Vries EG, Uges D, Veerman AJ, Kamps WA, Vellenga E, De Graaf SS, De Bont ES. Influence of functional polymorphisms of the MDR1 gene on vincristine pharmacokinetics in childhood acute lymphoblastic leukemia. *Clin Pharmacol Ther.* 2004 Sep; 76 (3): 220-9.
- Rusthoven E, Krediet RT, Willems HL, Monnens LA, Schroder CH. Peritoneal transport characteristics with glucose polymer-based dialysis fluid in children. *J Am Soc Nephrol.* 2004 Nov; 15(11): 2940-7.
- Scheffer PG, Henry RM, Wever EJ, Van Rooij GJ, Bos G, Heine RJ, Dekker JM, Diamant M, Stehouwer CD, Nijpels G, Blankenstein MA, Teerlink T. LDL oxidative modifications in well- or moderately controlled type 2 diabetes. *Diabetes Metab Res Rev.* 2004 Jul-Aug; 20 (4): 298-304.
- Simon A, Bijzet J, Voorbij HA, Mantovani A, Van der Meer JW, Drenth JP. Effect of inflammatory attacks in the classical type hyper-IgD syndrome on immunoglobulin D, cholesterol and parameters of the acute phase response. *J Intern Med.* 2004 Sep; 256 (3): 247-53.
- Siroen MP, Warle MC, Teerlink T, Nijveldt RJ, Kuipers EJ, Metselaar HJ, Tilanus HW, Kuik DJ, Van der Sijp JR, Meijer S, Van der Hoven B, Van Leeuwen PA. The transplanted liver graft is capable of clearing asymmetric dimethylarginine. *Liver Transpl.* 2004 Dec; 10 (12): 1524-30.
- Smit EN, Muskiet FA, Boersma ER. The possible role of essential fatty acids in the pathophysiology of malnutrition: a review. *Prostaglandins Leukot Essent Fatty Acids.* 2004 Oct; 71 (4): 241-50.
- Stam F, Van Guldener C, Ter Wee PM, Kulik W, Smith DE, Jakobs C, Stehouwer CD, De Meer K. Homocysteine clearance and methylation flux rates in health and end-stage renal disease: association with S-adenosylhomocysteine. *Am J Physiol Renal Physiol.* 2004 Aug; 287 (2): F215-23.
- Van Waardenburg DA, Deutz NE, Hoos MB, Jansen NJ, Van Kreel BK, Vos GD, Wagenmakers AJ, Forget PP. Assessment of whole body protein metabolism in critically ill children: can we use the [15N]glycine single oral dose method? *Clin Nutr.* 2004 Apr; 23 (2): 153-60.
- Welten AG, Zareie M, Van den Born J, Ter Wee PM, Schalkwijk CG, Driesprong BA, Mul FP, Hordijk PL, Beelen RH, Hekking LH. In vitro and in vivo models for peritonitis demonstrate unchanged neutrophil migration after exposure to dialysis fluids. *Nephrol Dial Transplant.* 2004 Apr; 19 (4): 831-9.
- Oncologie*
- Baker SD, Van Schaik RH, Rivory LP, Ten Tije AJ, Dinh K, Graveland WJ, Schenk PW, Charles KA, Clarke SJ, Carducci MA, McGuire WP, Dawkins F, Gelderblom H, Verweij J, Sparreboom A. Factors affecting cytochrome P-450 3A activity in cancer patients. *Clin Cancer Res.* 2004 Dec 15; 10 (24): 8341-50.
- Bierau J, Leen R, Gennip AH, Caron HN, Kuilenburg AB. Determination of the deoxycytidine kinase activity in cell homogenates with a non-radiochemical assay using reversed-phase high performance liquid chromatography; Identification of a novel metabolite of 2-chlorodeoxyadenosine. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2004 Jun 15; 805 (2): 339-46.
- Bierau J, Van Gennip AH, Leen R, Zoetekouw L, Caron HN, Van Kuilenburg AB. Cyclopentenyl cytosine sensitises SK-N-BE(2)c neuroblastoma cells to cladribine. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 271-272.
- Daidone MG, Paradiso A, Gion M, Harbeck N, Sweep F, Schmitt M. Biomolecular features of clinical relevance in breast cancer. *Eur J Nucl Med Mol Imaging.* 2004 Jun; 31 Suppl 1: S3-14.
- Dorssers LC, Grebenchtchikov N, Brinkman A, Look MP, Klijn JG, Geurts-Moespot A, Span PN, Foekens JA, Sweep CG. Application of a newly developed ELISA for BCAR1 protein for prediction of clinical benefit of tamoxifen therapy in patients with advanced breast cancer. *Clin Chem.* 2004 Aug; 50 (8): 1445-7.
- Dorssers LC, Grebenchtchikov N, Brinkman A, Look MP, Van Broekhoven SP, De Jong D, Peters HA, Portengen H, Meijer-van Gelder ME, Klijn JG, Van Tienoven DT, Geurts-Moespot A, Span PN, Foekens JA, Sweep FC. The prognostic value of BCAR1 in patients with primary breast cancer. *Clin Cancer Res.* 2004 Sep 15; 10 (18 Pt 1): 6194-202.
- Fahrtmann J, Holzschleiter R, Biermann J, Meye A, Luther T, Kotzch M, Sweep F, Schmitt M, Span P, Magdolen V. Development of quantitative RT-PCR assays for wild-type urokinase receptor (uPAR-wt) and its splice variant uPAR-del5. *Radiol Oncol* 2004; 38 (2): 111-119.
- Grebenchtchikov N, Brinkman A, Van Broekhoven SP, De Jong D, Geurts-Moespot A, Span PN, Peters HA, Portengen H, Foekens JA, Sweep CG, Dorssers LC. Development of an ELISA for measurement of BCAR1 protein in human breast cancer tissue. *Clin Chem.* 2004 Aug; 50 (8): 1356-63.
- Hashimoto S, Asao T, Takahashi J, Yagihashi Y, Nishimura T, Saniabadi AR, Poland DC, Van Dijk W, Kuwano H, Kochibe N, Yazawa S. alpha1-acid glycoprotein fucosylation as a marker of carcinoma progression and prognosis. *Cancer.* 2004 Dec 15; 101 (12): 2825-36.
- Hooiveld EA, Van Kuilenburg AB, Haanen JB, Westermann AM. Severe toxicity after treatment with capecitabine and fluorouracil due to partial dihydropyrimidine dehydrogenase deficiency. *Ned Tijdschr Geneesk.* 2004 Mar 27; 148 (13): 626-8.
- Van der Horst-Schrivers AN, Wymenga AN, Links TP, Willemse PH, Kema IP, De Vries EG. Complications of midgut carcinoid tumors and carcinoid syndrome. *Neuroendocrinology.* 2004; 80 Suppl 1: 28-32.
- Janssen JA, Wildhagen MF, Ito K, Blijenberg BG, Van Schaik RH, Roobol MJ, Pols HA, Lamberts SW, Schroder FH. Circulating free insulin-like growth factor (IGF)-I, total IGF-I, and IGF binding protein-3 levels do not predict the future risk to develop prostate cancer: results of a case-control study involving 201 patients within a population-based screening with. *J Clin Endocrinol Metab.* 2004 Sep; 89 (9): 4391-6.
- Van Kuilenburg AB, Meisma R, Van Gennip AH. Pyrimidine degradation defects and severe 5-fluorouracil toxicity. *Nucleosides Nucleotides Nucleic Acids.* 2004 Oct; 23 (8-9): 1371-5.
- Van der Logt EM, Bergevoet SM, Roelofs HM, Van Hooijdonk Z, Te Morsche RH, Wobbes T, de Kok JB, Nagengast FM, Peters WH. Genetic polymorphisms in UDP-glucuronosyltransferases and glutathione S-transferases and colorectal cancer risk. *Carcinogenesis.* 2004 Dec; 25 (12): 2407-15.
- Manders P, Beex LV, Tjan-Heijnen VC, Span PN, Sweep CG. Vascular endothelial growth factor levels do not predict efficacy of systemic adjuvant treatment as assessed in 1127 breast cancer patients. *Int J Oncol.* 2004 Aug; 25 (2): 511-7.
- Manders P, Tjan-Heijnen VC, Span PN, Grebenchtchikov N, Foekens JA, Beex LV, Sweep CG. Predictive impact of urokinase-type plasminogen activator: plasminogen activator inhibitor type-1 complex on the efficacy of adjuvant systemic therapy in primary breast cancer. *Cancer Res.* 2004 Jan 15; 64 (2): 659-64.

- Manders P, Tjan-Heijnen VC, Span PN, Grebenchtchikov N, Geurts-Moespot A, Van Tienoven DT, Beex LV, Sweep FC. Complex of urokinase-type plasminogen activator with its type 1 inhibitor predicts poor outcome in 576 patients with lymph node-negative breast carcinoma. *Cancer*. 2004 Aug 1; 101 (3): 486-94.
- Manders P, Tjan-Heijnen VC, Span PN, Grebenchtchikov N, Geurts-Moespot AJ, Van Tienoven DT, Beex LV, Sweep FC. The complex between urokinase-type plasminogen activator (uPA) and its type-1 inhibitor (PAI-I) independently predicts response to first-line endocrine therapy in advanced breast cancer. *Thromb Haemost*. 2004 Mar; 91 (3): 514-21.
- Mathijssen RH, De Jong FA, Van Schaik RH, Lepper ER, Friberg LE, Rietveld T, De Bruijn P, Graveland WJ, Figg WD, Verweij J, Sparreboom A. Prediction of irinotecan pharmacokinetics by use of cytochrome P450 3A4 phenotyping probes. *J Natl Cancer Inst*. 2004 Nov 3; 96 (21): 1585-92.
- Van der Meer A, Lukassen HG, Van Lierop MJ, Wijnands F, Mosselman S, Braat DD, Joosten I. Membrane-bound HLA-G activates proliferation and interferon-gamma production by uterine natural killer cells. *Mol Hum Reprod*. 2004 Mar; 10 (3): 189-95.
- Van Nieuwpoort F, Smit NPM, Kolb R, Van der Meulen H, Koerten H, Pavel S. Tyrosine-induced melanogenesis shows differences in morphologic and melanogenic preferences of melanosomes from light and dark skin types. *J Invest Dermatol* 2004; 122; 1251-1255.
- Pavel S, Van Nieuwpoort F, Van der Meulen H, Out C, Pizinger K, Cetkovska P, Smit NP, Koerten HK. Disturbed melanin synthesis and chronic oxidative stress in dysplastic naevi. *Eur J Cancer*. 2004 Jun; 40 (9): 1423-30.
- Peters GJ, Van Kuilenburg AB, De Abreu RA. Purine and pyrimidine metabolism: new challenges. *Nucleosides Nucleotides Nucleic Acids*. 2004 Oct; 23 (8-9): 1077-9.
- Van Rijn J, Van den Berg J, Schipper RG, De Jong S, Cuijpers V, Verhofstad AA, Teerlink T. Induction of hyperammonia in irradiated hepatoma cells: a recapitulation and possible explanation of the phenomenon. *Br J Cancer*. 2004 Jul 5; 91 (1): 150-2.
- De Ruijter AJ, Kemp S, Kramer G, Meinsma RJ, Kaufmann JO, Caron HN, Van Kuilenburg AB. The novel histone deacetylase inhibitor BL1521 inhibits proliferation and induces apoptosis in neuroblastoma cells. *Biochem Pharmacol*. 2004 Oct 1; 68 (7): 1279-88.
- Van Schaik RH. Implications of cytochrome P450 genetic polymorphisms on the toxicity of antitumor agents. *Ther Drug Monit*. 2004 Apr; 26 (2): 236-40.
- Schattenberg A, Van der Meer A, Preijers F, Schaap N, Rinkes M, Van der Maazen R, Allebes W, Joosten I, De Witte T. Addition of ATG to the conditioning regimen is a major determinant for outcome after transplantation with partially lymphocyte-depleted grafts from voluntary unrelated donors. *Bone Marrow Transplant*. 2004 Jun; 33 (11): 1115-21.
- Schmitt M, Harbeck N, Daidone MG, Brynner N, Duffy MJ, Foekens JA, Sweep FC. Identification, validation, and clinical implementation of tumor-associated biomarkers to improve therapy concepts, survival, and quality of life of cancer patients: tasks of the Receptor and Biomarker Group of the European Organization for Research and Int. *J Oncol*. 2004 Nov; 25 (5): 1397-406.
- Schultz IJ, Kiemeny LA, Karthaus HF, Witjes JA, Willems JL, Swinkels DW, Gunnewiek JM, De Kok JB. Surviving mRNA copy number in bladder washings predicts tumor recurrence in patients with superficial urothelial cell carcinomas. *Clin Chem*. 2004 Aug; 50 (8): 1425-8.
- Smit N, Vicanova J, Cramers P, Vrolijk H, Pavel S. The combined effects of extracts containing carotenoids and vitamins E and C on growth and pigmentation of cultured human melanocytes. *Skin Pharmacol Physiol*. 2004 Sep-Oct; 17 (5): 238-45.
- Span PN, Lindberg RLP, Manders P, Tjan-Heijnen VCG, Heuvel JJTM, Beex LVAM, Sweep FCJG. Tissue inhibitors of metalloproteinase expression in human breast cancer: TIMP-3 is associated with adjuvant endocrine therapy success. Comment in: *J Pathol*. 2004 Apr; 202 (4): 391-4. *J Pathol*. 2004 Apr; 202 (4): 395-402.
- Span PN, Sweep FC, Wiegerinck ET, Tjan-Heijnen VC, Manders P, Beex LV, De Kok JB. Survivin is an independent prognostic marker for risk stratification of breast cancer patients. *Clin Chem*. 2004 Nov; 50 (11): 1986-93.
- Span PN, Waanders E, Manders P, Heuvel JJTM, Foekens JA, Watson MA, Beex LVAM, Sweep FCJG. Mammaglobin is associated with low-grade, steroid receptor-positive breast tumors from postmenopausal patients, and has independent prognostic value for relapse-free survival time. Comment in: *J Clin Oncol*. 2005 May 1; 23 (13): 3160; author reply 3160-1. *J Clin Oncol*. 2004 Feb 15; 22 (4): 691-8.
- Van Uytvanghe K, Stockl D, Kaufman JM, Fiers T, Ross HA, De Leenheer AP, Thienpont LM. Evaluation of a candidate reference measurement procedure for serum free testosterone based on ultrafiltration and isotope dilution-gas chromatography-mass spectrometry. *Clin Chem*. 2004 Nov; 50 (11): 2101-10.
- Verburg FA, Lips CJ, Lentjes EG, De Klerk JM. Detection of circulating Tg-mRNA in the follow-up of papillary and follicular thyroid cancer: how useful is it? *Br J Cancer*. 2004 Jul 19; 91 (2): 200-4.
- Verschuur AC, Van Gennip AH, Leen R, Van Kuilenburg AB. Increased cytotoxicity of 2',2'-difluoro-2'-deoxycytidine in human leukemic cell-lines after a preincubation with cyclopentenyl cytosine. *Nucleosides Nucleotides Nucleic Acids*. 2004 Oct; 23 (8-9): 1517-21.
- Vos MJ, Postma TJ, Martens F, Uitdehaag BM, Blankenstein MA, Vandertop WP, Slotman BJ, Heimans JJ. Serum levels of S-100B protein and neuron-specific enolase in glioma patients: a pilot study. *Anticancer Res*. 2004 Jul-Aug; 24 (4): 2511-4.
- Weijl NI, Elsendoorn TJ, Lentjes EG, Hopman GD, Wipink-Bakker A, Zwinderman AH, Cleton FJ, Osanto S. Supplementation with antioxidant micronutrients and chemotherapy-induced toxicity in cancer patients treated with cisplatin-based chemotherapy: a randomised, double-blind, placebo-controlled study. *Eur J Cancer*. 2004 Jul; 40 (11): 1713-23.
- Wolbers F, Buijtenhuijs P, Haanen C, Vermes I. Apoptotic cell death kinetics in vitro depend on the cell types and the inducers used. *Apoptosis*. 2004 May; 9 (3): 385-92.
- Zuetenhorst JM, Korse CM, Bonfrer JM, Bakker RH, Taal BG. Role of natriuretic peptides in the diagnosis and treatment of patients with carcinoid heart disease. *Br J Cancer*. 2004 Jun 1; 90 (11): 2073-9.
- Zuetenhorst JM, Korse CM, Bonfrer JM, Peter E, Lamers CB, Taal BG. Daily cyclic changes in the urinary excretion of 5-hydroxyindoleacetic acid in patients with carcinoid tumors. *Clin Chem*. 2004 Sep; 50 (9): 1634-9.

Allergie / infectieziekten

- Alieke GV, De Bont N, Netea MG, Demacker PN, Van der Meer JW, Stalenhoef AF, Kullberg BJ. Apolipoprotein-E-deficient mice exhibit an increased susceptibility to disseminated candidiasis. *Med Mycol*. 2004 Aug; 42 (4): 341-8.
- Frenkel J, Waterham HR. Auto-inflammatoire ziektebeelden: onverklaarbare koorts nader verklaard. *Ned Tijdschr Klin Chem Labgeneesk*. 2004; 29, 156-165
- Van Gool CJ, Thijs C, Dagnelie PC, Henquet CJ, Van Houwelingen AC, Schrander J, Menheere PP, Van den Brandt PA. Determinants of neonatal IgE level: parity, maternal age, birth season and perinatal essential fatty acid status in infants of atopic mothers. *Allergy*. 2004 Sep; 59 (9): 961-8.
- Huygen FJ, Ramdhani N, Van Toorenbergen A, Klein J, Zijlstra FJ. Mast cells are involved in inflammatory reactions during Complex Regional Pain Syndrome type 1. *Immunol Lett*. 2004 Feb 15; 91 (2-3): 147-54.

- De Jong NW, Groenewoud GC, Van Ree R, Van Leeuwen A, Vermeulen AM, Van Toorenenbergen AW, De Groot H, Van Wijk RG. Immunoblot and radioallergosorbent test inhibition studies of allergenic cross-reactivity of the predatory mite *Amblyseius cucumeris* with the house dust mite *Dermatophagoides pteronyssinus*. *Ann Allergy Asthma Immunol*. 2004 Sep; 93 (3): 281-7.
- Keijzer A, Daniels JM, Slieker WA, Timens W, De Graaff CS, Boersma WG. Bronchocentric granulomatosis and mycoplasma pneumoniae. *Ned Tijdschr Geneesk*. 2004 Feb 14; 148 (7): 332-6.
- Rijkers GT, Janssens PMW, Herbrink P. Aanvallen en verdedigen, de chemie van de immunologie. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 132-133.
- Rothkrantz-Kos S, Drent M, Schmitz MP, Menheere PP, Van Diejen-Visser MP. Reference values of soluble interleukin-2 receptor on the IMMULITE. *Clin Chem Lab Med*. 2004; 42 (8): 976-7.
- Rothkrantz-Kos S, Schmitz MP, Van Diejen-Visser MP. Analytical evaluation and reference values of serum amyloid-A on the BN ProSpec. *Clin Chem Lab Med*. 2004; 42 (8): 973-5.
- Touitou I, Lesage S, McDermott M, Cuisset L, Hoffman H, Dode C, Shoham N, Aganna E, Hugot JP, Wise C, Waterham H, Pugnere D, Demaille J, Sarrauste de Menthiere C. Infevers: an evolving mutation database for auto-inflammatory syndromes. *Hum Mutat*. 2004 Sep; 24 (3): 194-8.
- De Vries J, Rothkrantz-Kos S, Van Diejen-Visser MP, Drent M. The relationship between fatigue and clinical parameters in pulmonary sarcoidosis. *Sarcoidosis Vasc Diffuse Lung Dis*. 2004 Jun; 21 (2): 127-36.
- Wu X, Steet RA, Bohorov O, Bakker JA, Newell J, Krieger M, Spaapen LJM, Kornfeld S, Freeze HH. Mutation of the COG complex subunit gene COG7 causes a lethal congenital disorder. Comment in: *Nat Med*. 2004 May; 10 (5): 457-8. *Nat Med*. 2004 May; 10 (5): 518-23.
- Erfelijke stofwisselingsziekten*
- Almeida LS, Verhoeven NM, Roos B, Valongo C, Cardoso ML, Vilarinho L, Salomons GS, Jakobs C. Creatine and guanidinoacetate: diagnostic markers for inborn errors in creatine biosynthesis and transport. *Mol Genet Metab*. 2004 Jul; 82 (3): 214-9.
- Assmann BE, Robinson RO, Surtees RA, Brautigam C, Heales SJ, Wevers RA, Zschocke J, Hyland K, Sharma R, Hoffmann GF. Infantile Parkinsonism-dystonia and elevated dopamine metabolites in CSF. *Neurology*. 2004 May 25; 62 (10): 1872-4.
- Barth PG, Majoie CB, Gootjes J, Wanders RJ, Waterham HR, Van der Knaap MS, De Klerk JB, Smeitink J, Poll-The BT. Neuroimaging of peroxisome biogenesis disorders (Zellweger spectrum) with prolonged survival. *Neurology*. 2004 Feb 10; 62 (3): 439-44.
- Barth PG, Valianpour F, Bowen VM, Lam J, Duran M, Vaz FM, Wanders RJ. X-linked cardioskeletal myopathy and neutropenia (Barth syndrome): an update. *Am J Med Genet A*. 2004 May 1; 126 (4): 349-54.
- Bartholdi D, Zumsteg D, Verrips A, Wevers RA, Sistermans E, Hess K, Jung HH. Spinal phenotype of cerebrotendinous xanthomatosis—a pitfall in the diagnosis of multiple sclerosis. *J Neurol*. 2004 Jan; 251 (1): 105-7.
- Bekri S, Fossoud C, Plaza G, Guenne A, Salomons GS, Jakobs C, Van Obberghen E. The molecular basis of succinic semialdehyde dehydrogenase deficiency in one family. *Mol Genet Metab*. 2004 Apr; 81 (4): 347-51.
- Bischof F, Nagele T, Wanders RJ, Trefz FK, Melms A. 3-hydroxy-3-methylglutaryl-CoA lyase deficiency in an adult with leukoencephalopathy. *Ann Neurol*. 2004 Nov; 56 (5): 727-30.
- Bloks VW, Bakker-Van Waarde WM, Verkade HJ, Kema IP, Wolters H, Vink E, Groen AK, Kuipers F. Down-regulation of hepatic and intestinal Abcg5 and Abcg8 expression associated with altered sterol fluxes in rats with streptozotocin-induced diabetes. *Diabetologia*. 2004 Jan; 47 (1): 104-12.
- Boltshauser E, Schmitt B, Wevers RA, Engelke U, Burlina AB, Burlina AP. Follow-up of a child with hypoacetylaspartia. *Neuropediatrics*. 2004 Aug; 35 (4): 255-8.
- Bosch AM, Waterham HR, Bakker HD. From gene to disease; galactosemia and galactose-1-phosphate uridylyltransferase deficiency [Erratum in: *Ned Tijdschr Geneesk*. 2004 Feb 7; 148 (6): 300. *Ned Tijdschr Geneesk*. 2004 Jan 10; 148 (2): 80-1.
- Bosch AM, Bakker HD, Wenniger-Prick LJ, Wanders RJ, Wijburg FA. High tolerance for oral galactose in classical galactosaemia: dietary implications. *Arch Dis Child*. 2004 Nov; 89 (11): 1034-6.
- Brites P, Waterham HR, Wanders RJ. Functions and biosynthesis of plasmalogens in health and disease. *Biochim Biophys Acta*. 2004 Mar 22; 1636 (2-3): 219-31.
- Bruggemann LW, Groenendaal F, Ristoff E, Larsson A, Duran M, Van Lier JA, Dorland L, Berger R, De Koning TJ. Glutathione synthetase deficiency associated with antenatal cerebral bleeding. *J Inher Metab Dis*. 2004; 27 (2): 275-6.
- Castro R, Rivera I, Ravasco P, Camilo ME, Jakobs C, Blom HJ, De Almeida IT. 5,10-methylenetetrahydrofolate reductase (MTHFR) 677C->T and 1298A->C mutations are associated with DNA hypomethylation. *J Med Genet*. 2004 Jun; 41 (6): 454-8.
- Clarke CE, Alger S, Preece MA, Burdon MA, Chavda S, Denis S, Ferdinandusse S, Wanders RJ. Tremor and deep white matter changes in alpha-methylacyl-CoA racemase deficiency. *Neurology*. 2004 Jul 13; 63 (1): 188-9.
- Dansen TB, Kops GJ, Denis S, Jelluma N, Wanders RJ, Bos JL, Burgering BM, Wirtz KW. Regulation of sterol carrier protein gene expression by the forkhead transcription factor FOXO3a. *J Lipid Res*. 2004 Jan; 45 (1): 81-8.
- Deinum J, Steenbergen-Spanjers GC, Jansen M, Boomsma F, Lenders JW, Van Ittersum FJ, Huck N, Van den Heuvel LP, Wevers RA. DBH gene variants that cause low plasma dopamine beta hydroxylase with or without a severe orthostatic syndrome. *J Med Genet*. 2004 Apr; 41 (4): e38.
- Dervent A, Gibson KM, Pearl PL, Salomons GS, Jakobs C, Yalcinkaya C. Photosensitive absence epilepsy with myoclonias and heterozygosity for succinic semialdehyde dehydrogenase (SSADH) deficiency. *Clin Neurophysiol*. 2004 Jun; 115 (6): 1417-22.
- Engelke UF, Liebrand-van Sambeek ML, de Jong JG, Leroy JG, Morava E, Smeitink JA, Wevers RA. N-acetylated metabolites in urine: proton nuclear magnetic resonance spectroscopic study on patients with inborn errors of metabolism. *Clin Chem*. 2004 Jan; 50 (1): 58-66.
- Enns GM, Barkovich AJ, Van Kuilenburg AB, Manning M, Sanger T, Witt DR, Van Gennip AH. Head imaging abnormalities in dihydropyrimidine dehydrogenase deficiency. *J Inher Metab Dis*. 2004; 27 (4): 513-22.
- Gootjes J, Elpeleg O, Eyskens F, Mandel H, Mitanchez D, Shimozawa N, Suzuki Y, Waterham HR, Wanders RJ. Novel mutations in the PEX2 gene of four unrelated patients with a peroxisome biogenesis disorder. *Pediatr Res*. 2004 Mar; 55 (3): 431-6.
- Gootjes J, Schmohl F, Mooijer PA, Dekker C, Mandel H, Topcu M, Huemer M, Von Schutz M, Marquardt T, Smeitink JA, Waterham HR, Wanders RJ. Identification of the molecular defect in patients with peroxisomal mosaicism using a novel method involving culturing of cells at 40 degrees C: implications for other inborn errors of metabolism. *Hum Mutat*. 2004 Aug; 24 (2): 130-9.
- Gootjes J, Schmohl F, Waterham HR, Wanders RJ. Novel mutations in the PEX12 gene of patients with a peroxisome biogenesis disorder. *Eur J Hum Genet*. 2004 Feb; 12 (2): 115-20.

- Gootjes J, Skovby F, Christensen E, Wanders RJ, Ferdinande S. Reinvestigation of trihydroxycholestanic acidemia reveals a peroxisome biogenesis disorder. *Neurology*. 2004 Jun 8; 62 (11): 2077-81.
- Groenen PM, Engelke UF, Wevers RA, Hendriks JC, Eskes TK, Merkus HM, Steegers-Theunissen RP. High-resolution 1H NMR spectroscopy of amniotic fluids from spina bifida fetuses and controls. *Eur J Obstet Gynecol Reprod Biol*. 2004 Jan 15; 112 (1): 16-23.
- Grossman CE, Niland B, Stancato C, Verhoeven NM, Van der Knaap MS, Jakobs C, Brown LM, Vajda S, Banki K, Perl A. Deletion of Ser-171 causes inactivation, proteasome-mediated degradation and complete deficiency of human transaldolase. *Biochem J*. 2004 Sep 1; 382 (Pt 2): 725-31.
- Gu Z, Valianpour F, Chen S, Vaz FM, Hakkaart GA, Wanders RJ, Greenberg ML. Aberrant cardiolipin metabolism in the yeast taz1 mutant: a model for Barth syndrome. *Mol Microbiol*. 2004 Jan; 51 (1): 149-58.
- Gupta M, Jansen EE, Senephansiri H, Jakobs C, Snead OC, Grompe M, Gibson KM. Liver-directed adenoviral gene transfer in murine succinate semialdehyde dehydrogenase deficiency. *Mol Ther*. 2004 Apr; 9 (4): 527-39.
- Gupta M, Polinsky M, Senephansiri H, Snead OC, Jansen EE, Jakobs C, Gibson KM. Seizure evolution and amino acid imbalances in murine succinate semialdehyde dehydrogenase (SSADH) deficiency. *Neurobiol Dis*. 2004 Aug; 16 (3): 556-62.
- Hermans MM, Van Leenen D, Kroos MA, Beesley CE, Van der Ploeg AT, Sakuraba H, Wevers R, Kleijer W, Michelakakis H, Kirk EP, Fletcher J, Bosshard N, Basel-Vanagaite L, Besley G, Reuser AJ. Twenty-two novel mutations in the lysosomal alpha-glucosidase gene (GAA) underscore the genotype-phenotype correlation in glycogen storage disease type II. *Hum Mutat*. 2004 Jan; 23 (1): 47-56.
- Hessels J, Voortman G, Van der Wagen A, Van der Elzen C, Scheffer H, Zuijderhoudt FM. Homozygous acute intermittent porphyria in a 7-year-old boy with massive excretions of porphyrins and porphyrin precursors. *J Inherit Metab Dis*. 2004; 27 (1): 19-27.
- Hogenboom S, Tuyp JJ, Espeel M, Koster J, Wanders RJ, Waterham HR. Mevalonate kinase is a cytosolic enzyme in humans. *J Cell Sci*. 2004 Feb 1; 117 (Pt 4): 631-9.
- Hogenboom S, Tuyp JJ, Espeel M, Koster J, Wanders RJ, Waterham HR. Human mevalonate pyrophosphate decarboxylase is localized in the cytosol. *Mol Genet Metab*. 2004 Mar; 81 (3): 216-24.
- Hogenboom S, Tuyp JJ, Espeel M, Koster J, Wanders RJ, Waterham HR. Phosphomevalonate kinase is a cytosolic protein in humans. *J Lipid Res*. 2004 Apr; 45 (4): 697-705.
- Huck JH, Roos B, Jakobs C, Van der Knaap MS, Verhoeven NM. Evaluation of pentitol metabolism in mammalian tissues provides new insight into disorders of human sugar metabolism. *Mol Genet Metab*. 2004 Jul; 82 (3): 231-7.
- Huck JH, Verhoeven NM, Struys EA, Salomons GS, Jakobs C, Van der Knaap MS. Ribose-5-phosphate isomerase deficiency: new inborn error in the pentose phosphate pathway associated with a slowly progressive leukoencephalopathy. *Am J Hum Genet*. 2004 Apr; 74 (4): 745-51.
- Huck JH, Verhoeven NM, Van Hagen JM, Jakobs C, Van der Knaap MS. Clinical presentations of patients with polyol abnormalities. *Neuropediatrics*. 2004 Jun; 35 (3): 167-73.
- Jansen GA, Waterham HR, Wanders RJ. Molecular basis of Refsum disease: sequence variations in phytanoyl-CoA hydroxylase (PHYH) and the PTS2 receptor (PEX7). *Hum Mutat*. 2004 Mar; 23 (3): 209-18.
- Janssens PMW, de Jong JGN, Liebrand-van Sambeek MLF, Wevers RA, De Groot A, Kooper AJA, Tan-Sindhunata MB, Bijlsma EK. Hydrops foetalis als mogelijk gevolg van erfelijke stofwisselingsziekten. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 184-187
- Janssens PM, De Groot AN, De Jong JG, Liebrand-van Sambeek ML, Smits A, Wevers RA. Hydrops fetalis as an indication for a systematic investigation into the presence of lysosomal storage diseases. *Ned Tijdschr Geneesk*. 2004 Feb 7; 148 (6): 264-8.
- Komen JC, Duran M, Wanders RJ. Omega-hydroxylation of phytanic acid in rat liver microsomes: implications for Refsum disease. *J Lipid Res*. 2004 Jul; 45 (7): 1341-6.
- Korman SH, Salomons GS, Gutman A, Brooks R, Jakobs C. D-2-hydroxyglutaric aciduria and glutaric aciduria type 1 in sibs: coincidence, or linked disorders? *Neuropediatrics*. 2004 Jun; 35 (3): 151-6.
- Krapels IP, Rooij IA, Wevers RA, Zielhuis GA, Spauwen PH, Brussel W, Steegers-Theunissen RP. Myo-inositol, glucose and zinc status as risk factors for non-syndromic cleft lip with or without cleft palate in offspring: a case-control study. *BJOG*. 2004 Jul; 111 (7): 661-8.
- Kuijpers TW, Maianski NA, Tool ATJ, Becker K, Plecko B, Valianpour F, Wanders RJA, Pereira R, Van Hove J, Verhoeven AJ, Roos D, Baas F, Barth PG. Neutrophils in Barth syndrome (BTHS) avidly bind annexin-V in the absence of apoptosis. Comment in: *Blood*. 2004 Sep 1; 104 (5): 1582-3; author reply 1583-4. *Blood*. 2004 May 15; 103 (10): 3915-23.
- Van Kuilenburg AB, Meisma R, Beke E, Assmann B, Ribes A, Lorente I, Busch R, Mayatepek E, Abeling NG, Van Cruchten A, Stroomer AE, Van Lenthe H, Zoetekouw L, Kulik W, Hoffmann GF, Voit T, Wevers RA, Rutsch F, Van Gennip AH. beta-Ureidopropionase deficiency: an inborn error of pyrimidine degradation associated with neurological abnormalities. *Hum Mol Genet*. 2004 Nov 15; 13 (22): 2793-801.
- Van Kuilenburg AB, Stroomer AE, Van Lenthe H, Abeling NG, Van Gennip AH. New insights in dihydropyrimidine dehydrogenase deficiency: a pivotal role for beta-aminoisobutyric acid? *Biochem J*. 2004 Apr 1; 379 (Pt 1): 119-24.
- Van Kuilenburg AB, Van Lenthe H, Löffler M, Van Gennip AH. Analysis of pyrimidine synthesis 'de novo' intermediates in urine and dried urine filter- paper strips with HPLC-electrospray tandem mass spectrometry. *Clin Chem*. 2004 Nov; 50 (11): 2117-24.
- Kurian MA, Ryan S, Besley GT, Wanders RJ, King MD. Straight-chain acyl-CoA oxidase deficiency presenting with dysmorphism, neurodevelopmental autistic-type regression and a selective pattern of leukodystrophy. *J Inherit Metab Dis*. 2004; 27 (1): 105-8.
- Van Lieshout HBM, Van Engelen BGM, Linskens RK, Wevers RA. Het klinisch spectrum van de ziekte van Pompe. *Tijdschrift voor Neurologie en Neurochirurgie* 2004; 105: 126-129.
- Ma L, Vaz FM, Gu Z, Wanders RJ, Greenberg ML. The human TAZ gene complements mitochondrial dysfunction in the yeast taz1Delta mutant. Implications for Barth syndrome. *J Biol Chem*. 2004 Oct 22; 279 (43): 44394-9.
- Majoie CB, Mourmans JM, Akkerman EM, Duran M, Poll-The BT. Neonatal citrullinemia: comparison of conventional MR, diffusion-weighted, and diffusion tensor findings. *AJNR Am J Neuroradiol*. 2004 Jan; 25 (1): 32-5.
- Martin MA, Rubio JC, Wevers RA, Van Engelen BG, Steenbergen GC, Van Diggelen OP, De Visser M, De Die-Smulders C, Blazquez A, Andreu AL, Arenas J. Molecular analysis of myophosphorylase deficiency in Dutch patients with McArdle's disease. *Ann Hum Genet*. 2004 Jan; 68 (Pt 1): 17-22.
- Michelakakis HM, Zafeiriou DI, Moraitou MS, Gootjes J, Wanders RJ. PEX1 deficiency presenting as Leber congenital amaurosis. *Pediatr Neurol*. 2004 Aug; 31 (2): 146-9.
- Morava E, Cser B, Kartesz J, Huijben K, Szonyi L, Kosztolanyi G, Wevers R. Screening for CDG type Ia in Joubert syndrome. *Med Sci Monit*. 2004 Aug; 10 (8): CR469-72.
- Panis B, Forget PP, van Kroonenburgh MJ, Vermeer C, Menheere PP, Nieman FH, Rubio-Gozalbo ME. Bone metabolism in galactosemia. *Bone*. 2004 Oct; 35 (4): 982-7.

- Peduto A, Baumgartner MR, Verhoeven NM, Rabier D, Spada M, Nassogne MC, Poll-The BT, Bonetti G, Jakobs C, Saudubray JM. Hyperpipecolic acidemia: a diagnostic tool for peroxisomal disorders. *Mol Genet Metab*. 2004 Jul; 82 (3): 224-30.
- Plosch T, Bloks VW, Terasawa Y, Berdy S, Siegler K, Van der Sluijs F, Kema IP, Groen AK, Shan B, Kuipers F, Schwarz M. Sitosterolemia in ABC-transporter G5-deficient mice is aggravated on activation of the liver-X receptor. Erratum in: *Gastroenterology*. 2004 Mar;126(3):944. Schwartz Margrit [corrected to Schwarz Margrit]. *Gastroenterology*. 2004 Jan; 126 (1): 290-300.
- Poland DC, Kulik W, Van Dijk W, Hallemeesch MM, Jakobs C, De Meer K. Distinct glycoforms of human alpha1-acid glycoprotein have comparable synthesis rates: a [¹³C]valine-labelling study in healthy humans. *Glycoconj J*. 2004; 20 (2): 99-105.
- Poll-The BT, Gootjes J, Duran M, De Klerk JB, Wenniger-Prick LJ, Admiraal RJ, Waterham HR, Wanders RJ, Barth PG. Peroxisome biogenesis disorders with prolonged survival: phenotypic expression in a cohort of 31 patients. *Am J Med Genet A*. 2004 May 1; 126 (4): 333-8.
- Poll-The BT, Wanders RJ, Ruiters JP, Ofman R, Majoie CB, Barth PG, Duran M. Spastic diplegia and periventricular white matter abnormalities in 2-methyl-3-hydroxybutyryl-CoA dehydrogenase deficiency, a defect of isoleucine metabolism: differential diagnosis with hypoxic-ischemic brain diseases. *Mol Genet Metab*. 2004 Apr; 81 (4): 295-9.
- Raupp P, Varady E, Duran M, Wanders RJ, Waterham HR, Houten SM. Novel genotype of mevalonic aciduria with fatalities in premature sibs. *Arch Dis Child Fetal Neonatal Ed*. 2004 Jan; 89 (1): F90-1.
- Rijlaarsdam RS, Van Spronsen FJ, Bink-Boelkens MT, Reijngoud DJ, Wanders RJ, Niezen-Koning KE, Van der Sluijs FH, Dorland B, Beaufort-Krol GC. Ventricular fibrillation without overt cardiomyopathy as first presentation of organic cation transporter 2-deficiency in adolescence. *Pacing Clin Electrophysiol*. 2004 May; 27 (5): 675-6.
- Van Roermund CW, De Jong M, IJlst L, Van Marle J, Dansen TB, Wanders RJ, Waterham HR. The peroxisomal lumen in *Saccharomyces cerevisiae* is alkaline. *J Cell Sci*. 2004 Aug 15; 117 (Pt 18): 4231-7.
- Rosenberg EH, Almeida LS, Kleefstra T, DeGrauw RS, Yntema HG, Bahi N, Moraine C, Ropers HH, Fryns JP, DeGrauw TJ, Jakobs C, Salomons GS. High prevalence of SLC6A8 deficiency in X-linked mental retardation. Comment in: *Am J Hum Genet*. 2004 Oct; 75 (4): 730-1; author reply 731-2. *Am J Hum Genet*. 2004 Jul; 75 (1): 97-105.
- Rubio-Gozalbo ME, Bakker JA, Waterham HR, Wanders RJ. Carnitine-acylcarnitine translocase deficiency, clinical, biochemical and genetic aspects. *Mol Aspects Med*. 2004 Oct-Dec; 25 (5-6): 521-32.
- Schielen PCJL, Loeber JG (mede namens Dikkeschei LD). Organisatie van een landelijk screeningsprogramma voor Downsyndroom en neuromusculaire aandoeningen. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 188-191.
- Schiller A, Wevers RA, Steenbergen GC, Blau N, Jung HH. Long-term course of L-dopa-responsive dystonia caused by tyrosine hydroxylase deficiency. *Neurology*. 2004 Oct 26; 63 (8): 1524-6.
- Schollen E, Frank CG, Keldermans L, Reyntjens R, Grubemann CE, Clayton PT, Winchester BG, Smeitink J, Wevers RA, Aebi M, Hennet T, Matthijs G. Clinical and molecular features of three patients with congenital disorders of glycosylation type 1h (CDG-1h) (ALG8 deficiency). *J Med Genet*. 2004 Jul; 41 (7): 550-6.
- Schroder JM, Hackel V, Wanders RJ, Gohlich-Ratmann G, Voit T. Optico-cochleo-dentate degeneration associated with severe peripheral neuropathy and caused by peroxisomal D-bifunctional protein deficiency. *Acta Neuropathol (Berl)*. 2004 Aug; 108 (2): 154-67.
- Shimozawa N, Tsukamoto T, Nagase T, Takemoto Y, Koyama N, Suzuki Y, Komori M, Osumi T, Gootjes J, Wanders RJ, Kondo N. Identification of a new complementation group of the peroxisome biogenesis disorders and PEX14 as the mutated gene. *Hum Mutat*. 2004 Jun; 23 (6): 552-8.
- Simon A, Kremer HP, Wevers RA, Scheffer H, De Jong JG, Van der Meer JW, Drenth JP. Mevalonate kinase deficiency: Evidence for a phenotypic continuum. *Neurology*. 2004 Mar 23; 62 (6): 994-7.
- Sjarif DR, Hellerud C, Van Amstel JK, Kleijer WJ, Sperl W, Lacombe D, Sass JO, Beemer FA, Duran M, Poll-The BT. Glycerol kinase deficiency: residual activity explained by reduced transcription and enzyme conformation. *Eur J Hum Genet*. 2004 Jun; 12 (6): 424-32.
- Spiekeroetter U, Tokunaga C, Wendel U, Mayatepek E, Exil V, Duran M, Wijburg FA, Wanders RJ, Strauss AW. Changes in blood carnitine and acylcarnitine profiles of very long-chain acyl-CoA dehydrogenase-deficient mice subjected to stress. *Eur J Clin Invest*. 2004 Mar; 34 (3): 191-6.
- Streng S, Froster UG, Wanders RJ, Gartner J, Maier EM, Muntau AC, Faber R. First-trimester increased nuchal translucency as a prenatal sign of Zellweger syndrome. *Prenat Diagn*. 2004 Feb; 24 (2): 151-3.
- Struys EA, Verhoeven NM, Brunenegraber H, Jakobs C. Investigations by mass isotopomer analysis of the formation of D-2-hydroxyglutarate by cultured lymphoblasts from two patients with D-2-hydroxyglutaric aciduria. *FEBS Lett*. 2004 Jan 16; 557 (1-3): 115-20.
- Thiele IG, Niezen-Koning KE, Van Gennip AH, Aarnoudse JG. Increased plasma carnitine concentrations in preeclampsia. *Obstet Gynecol*. 2004 May; 103 (5 Pt 1): 876-80.
- Timmers HJ, Deinum J, Wevers RA, Lenders JW. Congenital dopamine-beta-hydroxylase deficiency in humans. *Ann N Y Acad Sci*. 2004 Jun; 1018: 520-3.
- Topcu M, Jobard F, Halliez S, Coskun T, Yalcinkaya C, Gerceker FO, Wanders RJ, Prud'homme JF, Lathrop M, Ozguc M, Fischer J. L-2-Hydroxyglutaric aciduria: identification of a mutant gene C14orf160, localized on chromosome 14q22.1. *Hum Mol Genet*. 2004 Nov 15; 13 (22): 2803-11.
- Verrips A, Cruysberg JRM, Wevers RA. Cerebrotendinous xanthomatosis Neurocutaneous disorders. 2004; 248-257, Editors ES Roach, VS Miller, Cambridge University Press.
- Van Woerden CS, Groothoff JW, Wijburg FA, Annink C, Wanders RJ, Waterham HR. Clinical implications of mutation analysis in primary hyperoxaluria type 1. *Kidney Int*. 2004 Aug; 66 (2): 746-52.
- Wolf NI, Haas D, Hoffmann GF, Jakobs C, Salomons GS, Wevers RA, Engelke UF, Rating D. Sedation with 4-hydroxybutyric acid: a potential pitfall in the diagnosis of SSADH deficiency. *J Inher Metab Dis*. 2004; 27 (2): 291-3.
- Wolf NI, Willemsen MA, Engelke UF, Van der Knaap MS, Pouwels PJ, Harting I, Zschocke J, Sijstermans EA, Rating D, Wevers RA. Severe hypomyelination associated with increased levels of N-acetylaspartylglutamate in CSF. Comment in: *Neurology*. 2004 May 11; 62 (9): 1464-5. *Neurology*. 2004 May 11; 62 (9): 1503-8.

Endocrinologie

- Abbink EJ, van der Wal PS, Sweep CG, Smits P, Tack CJ. Compared to glibenclamide, repaglinide treatment results in a more rapid fall in glucose level and beta-cell secretion after glucose stimulation. *Diabetes Metab Res Rev*. 2004 Nov-Dec; 20 (6): 466-71.
- Allick G, Bisschop PH, Ackermans MT, Endert E, Meijer AJ, Kuipers F, Sauerwein HP, Romijn JA. A low-carbohydrate/high-fat diet improves glucose regulation in type 2 diabetes mellitus by reducing postabsorptive glycogenolysis. *J Clin Endocrinol Metab*. 2004 Dec; 89 (12): 6193-7.
- Allick G, Sprangers F, Weverling GJ, Ackermans MT, Meijer AJ, Romijn JA, Endert E, Bisschop PH, Sauerwein HP. Free fatty acids increase hepatic glycogen content in obese males. *Metabolism*. 2004 Jul; 53 (7): 886-93.

- Biermasz NR, Pereira AM, Frölich M, Romijn JA, Veldhuis JD, Roelfsema F. Octreotide represses secretory-burst mass and nonpulsatile secretion but does not restore event frequency or orderly GH secretion in acromegaly. *Am J Physiol Endocrinol Metab.* 2004 Jan; 286 (1): E25-30.
- Van den Biggelaar AHJ, Huizinga TWJ, De Craen AJM, Gussekloo J, Heijmans BT, Frölich M, Westendorp RGJ. Impaired innate immunity predicts frailty in old age. The Leiden 85-plus study. *Exp Gerontol* 2004; 39: 1407-1414.
- De Boer H, Jansen M, Koerts J, Verschoor L. Prevention of weight gain in type 2 diabetes requiring insulin treatment. *Diabetes Obes Metab.* 2004 Mar; 6 (2): 114-9.
- Bosch RR, Bazuine M, Span PN, Willems PH, Olthaar AJ, Van Rennes H, Maassen JA, Tack CJ, Hermus AR, Sweep CG. Regulation of GLUT1-mediated glucose uptake by PKC-lambda-PKCbeta(II) interactions in 3T3-L1 adipocytes. *Biochem J.* 2004 Dec 1; 384 (Pt 2): 349-55.
- Bosch RR, Pouwels MJ, Span PN, Olthaar AJ, Tack CJ, Hermus AR, Sweep CG. Hexosamines are unlikely to function as a nutrient-sensor in 3T3-L1 adipocytes: a comparison of UDP-hexosamine levels after increased glucose flux and glucosamine treatment. *Endocrine.* 2004 Feb; 23 (1): 17-24.
- Bruins J, Kovacs GL, Abbes AP, Burbach JPH, Van den Akker ELT, Engel H, Franken AAM, De Wied D. Central nervous system functions in familial neurohypophysial diabetes insipidus. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 273-275.
- Buijs MM, Romijn JA, Burggraaf J, De Kam ML, Frölich M, Ackermans MT, Sauerwein HP, Cohen AF, Meinders AE, Pijl H. Glucose homeostasis in abdominal obesity: hepatic hyperresponsiveness to growth hormone action. *Am J Physiol Endocrinol Metab.* 2004 Jul; 287 (1): E63-8.
- Van Dam EWCM, Roelfsema F, Veldhuis JD, Hogendoorn S, Westenberg J, Helmerhorst FM, Frölich M, Krans HJM, Meinders AE, Pijl H. Retention of estradiol negative feedback relationship to LH predicts ovulation in response to caloric restriction and weight loss in obese patients with polycystic ovary syndrome. *Am J Physiol Endocrinol Metab* 2004; 286: 615-620.
- Deboer T, Overeem S, Visser NA, Duindam H, Frölich M, Lammers GJ, Meijer JH. Convergence of circadian and sleep regulatory mechanisms on hypocretin-1. *Neuroscience.* 2004; 129 (3): 727-32.
- Droogleever Fortuyn HA, Van Broekhoven F, Span PN, Backstrom T, Zitman FG, Verkes RJ. Effects of PhD examination stress on allopregnanolone and cortisol plasma levels and peripheral benzodiazepine receptor density. *Psychoneuroendocrinology.* 2004 Nov; 29 (10): 1341-4.
- Erkut ZA, Klooker T, Endert E, Huitinga I, Swaab DF. Stress of dying is not suppressed by high-dose morphine or by dementia. *Neuropsychopharmacology.* 2004 Jan; 29 (1): 152-7.
- Fogteloo AJ, Pijl H, Roelfsema F, Frölich M, Meinders AE. Impact of meal timing and frequency on the twenty-four-hour leptin rhythm. *Horm Res.* 2004; 62 (2): 71-8.
- De Galan BE, Tack CJ, Willemsen JJ, Sweep CG, Smits P, Lenders JW. Plasma metanephrine levels are decreased in type 1 diabetic patients with a severely impaired epinephrine response to hypoglycemia, indicating reduced adrenomedullary stores of epinephrine. *J Clin Endocrinol Metab.* 2004 May; 89 (5): 2057-61.
- Giltay JC, Deege M, Blankenstein RA, Kastrop PM, Wijmenga C, Lock TT. Apparent primary follicle-stimulating hormone deficiency is a rare cause of treatable male infertility. *Fertil Steril.* 2004 Mar; 81 (3): 693-6.
- Van der Graaf M, Janssen SW, Van Asten JJ, Hermus AR, Sweep CG, Pikkemaat JA, Martens GJ, Heerschap A. Metabolic profile of the hippocampus of Zucker Diabetic Fatty rats assessed by in vivo ¹H magnetic resonance spectroscopy. *NMR Biomed.* 2004 Oct; 17 (6): 405-10.
- Gussekloo J, Van Exel E, De Craen AJM, Meinders AE, Frölich M, Westendorp RGJ. Thyroid status, disability and cognitive function, and survival in old age. *JAMA* 2004; 292: 2591-2599.
- Kok P, Roelfsema F, Frölich M, Meinders AE, Pijl H. Prolactin release is enhanced in proportion to excess visceral fat in obese women. *J Clin Endocrinol Metab.* 2004 Sep; 89 (9): 4445-9.
- Kok P, Buijs M, Kok SW, Van Ierssel IHAP, Frölich M, Roelfsema F, Voshol PJ, Meinders AE, Pijl H. Acipimox enhances spontaneous growth hormone secretion in obese women. *Am J Physiol Regul Integr Comp Physiol* 2004; 286: 693-698.
- Kok P, Kok SW, Buijs MM, Westenberg JJM, Roelfsema F, Frölich M, Stokkel MPM, Meinders AE, Pijl H. Enhanced circadian ACTH release in obese premenopausal women: reversal by short-term acipimox treatment. *Am J Physiol Endocrinol Metab* 2004; 287: 848-856.
- Kok SW, Roelfsema F, Overeem S, Lammers GJ, Frölich M, Meinders AE, Pijl H. Pulsatile LH release is diminished, whereas FSH secretion is normal, in hypocretin-deficient narcoleptic men. *Am J Physiol Endocrinol Metab.* 2004 Oct; 287 (4): E630-6.
- Van Laarhoven HW, Willemsen JJ, Ross HA, Beex LV, Lenders JW, Sweep FC. Pitfall in HPLC assay for urinary metanephrines: an unusual type of interference caused by methenamine intake. *Clin Chem.* 2004 Jun; 50 (6): 1097-9.
- Te Loo MD, Bosma N, Van Hinsbergh V, Span P, De Waal R, Clarijs R, Sweep C, Monnens L, Van den Heuvel L. Elevated levels of vascular endothelial growth factor in serum of patients with D+ HUS. *Pediatr Nephrol.* 2004 Jul; 19 (7): 754-60.
- De Metz J, Romijn JA, Endert E, Ackermans MT, Weverling GJ, Busch OR, De Wit LT, Gouma DJ, Ten Berge IJ, Sauerwein HP. Interferon-gamma increases monocyte HLA-DR expression without effects on glucose and fat metabolism in postoperative patients. *J Appl Physiol.* 2004 Feb; 96 (2): 597-603.
- Miedema K. De rol van HbA1c bij patiënten met diabetes mellitus. *EADV-magazine juni* 2004; 66-69.
- Miedema K, Heine RJ, Tack CJ. Controle van diabetesregulatie. *Handboek diabetes mellitus (derde herziene druk 2004)* De Tijdstroom, Utrecht; pag 131-138
- Molhoek SG, Bax JJ, Van Erven L, Bootsma M, Steendijk P, Lentjes E, Boersma E, van der Laarse A, van der Wall EE, Schalij MJ. Atrial and brain natriuretic peptides as markers of response to resynchronisation therapy. *Heart.* 2004 Jan; 90 (1): 97-8.
- Molven A, Matre GE, Duran M, Wanders RJ, Rishaug U, Njolstad PR, Jellum E, Sovik O. Familial hyperinsulinemic hypoglycemia caused by a defect in the SCHAD enzyme of mitochondrial fatty acid oxidation. *Diabetes.* 2004 Jan; 53 (1): 221-7.
- Muis MJ, Stolk RP, Princen HM, Van Dam PS, Dikkeschei LD, Grobbee DE, Bilo HJ. alpha-Tocopherol levels in plasma in new-onset, insulin-dependent diabetes mellitus. *Eur J Intern Med.* 2004 Oct; 15 (6): 371-374.
- Pennings RJ, Huygen PL, Van den Ouweland JM, Cryns K, Dikkeschei LD, Van Camp G, Cremers CW. Sex-related hearing impairment in Wolfram syndrome patients identified by inactivating WFS1 mutations. *Audiol Neurootol.* 2004 Jan-Feb; 9 (1): 51-62.
- Pop VJ, Brouwers EP, Wijnen H, Oei G, Essed GG, Vader HL. Low concentrations of maternal thyroxin during early gestation: a risk factor of breech presentation? *BJOG.* 2004 Sep; 111 (9): 925-30.
- Pouwels MJ, Tack CJ, Span PN, Olthaar AJ, Sweep CG, Huvers FC, Lutterman JA, Hermus AR. Role of hexosamines in insulin resistance and nutrient sensing in human adipose and muscle tissue. *J Clin Endocrinol Metab.* 2004 Oct; 89 (10): 5132-7.

Radstake TR, Van Lent PL, Pesman GJ, Blom AB, Sweep FG, Ronnelid J, Adema GJ, Barrera P, Van den Berg WB. High production of proinflammatory and Th1 cytokines by dendritic cells from patients with rheumatoid arthritis, and down regulation upon FcγR triggering. *Ann Rheum Dis*. 2004 Jun; 63 (6): 696-702.

Van Someren EJ, Swart-Heikens J, Endert E, Bisschop PH, Swaab DF, Bakker PJ, Romijn JA, Fliers E. Long-term effects of cranial irradiation for childhood malignancy on sleep in adulthood. *Eur J Endocrinol*. 2004 Apr; 150 (4): 503-10.

Sprangers F, Thien HV, Ackermans MT, Endert E, Sauerwein HP. Glycogenolysis during short-term fasting in malaria and healthy subjects--the potential regulatory role of glycogen content on glycogen breakdown: a hypothesis. *Clin Nutr*. 2004 Oct; 23 (5): 1051-9.

Van Thiel SW, Romijn JA, Biermasz NR, Ballieux BEPM, Frölich M, Smit JWA, Corssmit EPM, Roelfsema F, Pereira AM. Octreotide long-acting repeatable and lanreotide autogel are equally effective in controlling growth hormone secretion in acromegalic patients. *Eur J Endocrinol* 2004; 150: 489-495.

Van Thien H, Ackermans MT, Weverling GJ, Dang Vinh T, Endert E, Kager PA, Sauerwein HP. Gluconeogenesis and fasting in cerebral malaria. *Neth J Med*. 2004 Apr; 62 (4): 129-33.

Van Thien H, Ackermans MT, Weverling GJ, Thanh Chien VO, Endert E, Kager PA, Sauerwein HP. Influence of prolonged starvation on glucose kinetics in pregnant patients infected with *Plasmodium falciparum*. *Clin Nutr*. 2004 Feb; 23 (1): 59-67.

Van Thien H, Weverling GJ, Ackermans MT, canh Hung N, Endert E, Kager PA, Sauerwein HP. FFAs are not involved in regulation of gluconeogenesis and glycogenolysis in adults with uncomplicated *P. falciparum* malaria. *Am J Physiol Endocrinol Metab*. 2004 Oct; 287 (4): E609-15.

Thienpoint L, Bunk DM, Christofides ND, Faix JD, Lewis CA, Russel JK, Spencer CA, Steele BW, Thijssen JHH, Ross HA. Measurement of free thyroid hormones; approved guideline. NCCLS document C45-A 2004; 24 (31).

Van der Valk M, Allick G, Weverling GJ, Romijn JA, Ackermans MT, Lange JM, Van Eck-Smit BL, Van Kuijk C, Endert E, Sauerwein HP, Reiss P. Markedly diminished lipolysis and partial restoration of glucose metabolism, without changes in fat distribution after extended discontinuation of protease inhibitors in severe lipodystrophic human immunodeficient virus-1-infected patients. *J Clin Endocrinol Metab*. 2004 Jul; 89 (7): 3554-60.

Weijl NI, Elsendoorn TJ, Moison RM, Lentjes EG, Brand R, Berger HM, Osanto S. Non-protein bound iron release during chemotherapy in cancer patients. *Clin Sci (Lond)*. 2004 May; 106 (5): 475-84.

Toxicologie

Van Amsterdam JG, Best W, Opperhuizen A, De Wolff FA. Evaluation of a procedure to assess the adverse effects of illicit drugs. *Regul Toxicol Pharmacol*. 2004 Feb; 39 (1): 1-4.

Berend K, Knoop GJ, De Wolff FA. Prosecution after an outbreak of subacute aluminum intoxication in a hemodialysis center. *Leg Med (Tokyo)*. 2004 Mar; 6 (1): 1-10.

Lammers GJ, Pennings EJM. Recognition and treatment of gamma hydroxybutyric acid poisoning. Comment on: *Ned Tijdschr Geneesk*. 2004 Apr 24; 148 (17): 844-6. *Ned Tijdschr Geneesk*. 2004 Jul 10; 148 (28): 1410; author reply 1411.

Pennings EJM. Wat is bekend over de gevolgen van langdurig gebruik van nicotinekautogom? *Longartsen Vademecum* 2004; 7, nr. 4: 1-3.

Pennings EJM. Voorkomt het innemen van Norit® dat men dronken wordt en men dus kan blijven autorijden met > 2 glazen alcohol? *Vademecum: permanente nascholing huisartsen*, 2004; 22 (25): 2-4.

Pennings EJM, Eilering JBG, De Wolff FA. Langetermijneffecten van XTC. In opdracht van Ministerie van VWS Uitg. LUMC, Leiden, 2004.

Vermees A, Vermees I. Genetic polymorphisms in cytochrome P450 enzymes: effect on efficacy and tolerability of HMG-CoA reductase inhibitors. *Am J Cardiovasc Drugs*. 2004; 4 (4): 247-55.

Voet, G.B. Van der, De Wolff, F.A. Metals. In: *Side Effects of Drugs Annual 27* (J.K. Aronson, ed.), Elsevier Science BV, Amsterdam 2004, chapter 22: 224-232.

Wiersma WE, Koopmans RP, Bos AP, Van den Berg H, Van Aalderen WMC, Van Schaik RHN, Van den Anker JN. Het juiste geneesmiddel voor de juiste patiënt: farmacogenetica in de kindergeneeskundige praktijk. *Tijdschr Kindergeneesk* 2004; 72: 190-197.

De Wolff FA. Veroorzaakt roken tijdens de zwangerschap neurologische of mentale schade bij de pasgeborene? *Vademecum: permanente nascholing huisartsen*, 2004; 22 (25): 1-2.

De Wolff FA (member) et al. Subcommittee Acute Exposure Guideline Levels for Selected Airborne Chemicals. National Research Council of the National Academies Report of the Subcommittee on Acute Exposure Guideline Levels. (2004) Vol. 4. National Academies Press, Washington, D.C.

De Wolff, FA. Het estafettesTOXke: kennisoverdracht in de toxicologie. In: 25 jaar Nederlandse Vereniging voor Toxicologie: 'De voorzitters aan het woord'. NVT Jubileumboek 2004: 18-27.

Bedrijfsvoering

Dienstverlening

Bartels PCM. Koersbepalende elementen in een breder perspectief. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 45-48.

Schoorl M, IJzerman N, Bartels PCM. Terugblik Congres Kwaliteit Perpetuum Mobile. *Analyse* 2004; 59: 14-17.

Schoorl M, Bartels PCM, Schoorl M. Competentiemanagement als basis voor persoonlijke ontwikkelingsprofielen. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 293-294.

Triepels RH, Doelman CJA. Uit de laboratoriumpraktijk. Een alternatieve organisatiestructuur voor grote ziekenhuislaboratoria: de ervaring na 4 jaar. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29:192-196.

Point-of-care testing

Bewley B, Creed G, Goerlach-Graw A, Engel B, Halwachs-Baumann G, Holzer H, Katz N, Kost G, Kraft M, Kuester H, Miedema K, Nagel D, Normand H, Okorodudu A, Olander B, Rolinski B, Utzolino S, Wiley B. Multicenter Study on the Analytic Performance of a New Point-of-Care Blood Gas Analyzer and its Use in Critical Care Testing. *Point of Care*, volume 3, number 4, December 2004.

Kievit PC, Cramer GE, Brouwer MA, De Keijzer MH, Luijten JE, Verheugt FWA. Bedside cardiac Troponin T: faster and reliable substitution of laboratory assessed cardiac TroponinI? *DPC Symposia and Meetings* 2004; 37-38.

Kwaliteit / Automatisering / Statistiek

Baadenhuijsen H, Kuypers AWHM, Weykamp C, Cobbaert C, Jansen R. Het belang van commuteerbare referentiematerialen en externe SKML-monsters bij enzymstandaardisatie. Studie in het kader van het SKML-project 'Kalibratie 2000'. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 265-6.

De Jonge N, Slinger J, Hudig F, Franck PFH. A Six Sigma approach towards analytical quality control. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 283-4.

Ponjee GAE, Smit WB, Rombout RE. De implementatie van een kwaliteitssysteem tijdens een reorganisatietraject met behulp van een projectorganisatie. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 91-102.

Scharnhorst V, Apperloo J, Baadenhuijsen H, Vader HL. Multicenter evaluation of the commutability of a potential reference material for harmonization of enzyme activities. *Clin Chem Lab Med*. 2004; 42 (12): 1401-7.

Diversen

Boer AK, Van der Sluijs Veer G. Kwaliteit met minder moeite; een evaluatie van kwaliteitscriteria op basis van biologische variatie. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 38-41.

Bookelman H. Bloedtransfusie en de Europese Richtlijn 2002/98/EG. *NVB Bulletin* 2004; 1: 5-10.

De Jonge N, Franck PFH. Wet- en regelgeving met betrekking tot de positie van de klinisch chemicus binnen het laboratorium. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 42-44.

Muskiet FA, Fokkema MR, Schaafsma A, Boersma ER, Crawford MA. Is docosahexaenoic acid (DHA) essential? Lessons from DHA status regulation, our ancient diet, epidemiology and randomized controlled trials. *J Nutr*. 2004 Jan; 134 (1): 183-6.

Sanders G, Opp M, McMurray J, Koeller U, Blaton V, Lund E, Harmoinen A, Zerah S, Baum H, Rizos D, Kenny D, Pazzagli D, Hoffmann H, Reguengo H, Queralto' JM, Wallinder H, Jansen R, Hallworth M, Schuff-Werner P. The European Register for Specialists in Clinical Chemistry and Laboratory Medicine: Code of Conduct. *Clin Chem Lab Med* 2004; 42: 563-565.

Wielders JPM, Loeber G, Bartels PCM. Practische consequenties van de IVD richtlijn voor laboratoria, kansen en beperkingen. *Ned Tijdschr Klin Chem Labgeneesk* 2004; 29: 209-213.

Dissertaties

Berckmans RJ. Microparticles, coagulation and inflammation. Universiteit van Amsterdam. Promotor prof.dr. A Sturk.

Van Bijnen-Manders P. The prognostic and predictive value of markers of tumor angiogenesis and proteolysis in breast cancer patients. Promotor prof.dr. CGJ Sweep; copromotoren dr. LVAM Beex, dr VGC Tjan-Heijnen, dr PN Span.

Castro R. Homocysteine, S-adenosylhomocysteine and DNA methylation: their implication for vascular disease. Universiteit van Lissabon, 2004. Promotor prof.dr. I Tavares de Almeida; copromotoren prof.dr. CAJM Jakobs en dr. HJ Blom.

Ceelie H. Causes of elevated prothrombin expression. Promotor prof.dr. RM Bertina.

Demir AY. The pathogenesis of endometriosis: The endometrium-mesothelium dialogue. Promotor prof.dr. JHL Evers, copromotoren dr. GAJ Dunselman, dr. AFPM de Goeij.

Van der Dijks FPL. Sickle cell disease and α -thalassemia in Curaçao. Contributions to epidemiology, pathophysiology and supportive care. Promotoren prof.dr. FAJ Muskiet, prof.dr. RA Rojer; copromotor dr. AJ Duits.

Hogenboom S. Subcellular localisation of the human isoprenoid biosynthesis pathway. Promotor prof.dr. RJA Wanders; copromotor dr. HR Waterham.

Huck JHJ. Polyols: Metabolism and inherited defects. Promotoren prof.dr. MS van der Knaap, prof.dr. CAJM Jakobs; copromotor dr. NM Verhoeven.

De Lathouder S. Inhibition of cytokine production by methotrexate, Studies in healthy volunteers and patients with rheumatoid arthritis. Promotoren prof.dr. LA Aarden en prof.dr. BAC Dijkmans.

Lieuw a Fa M. Endothelium and diabetes, In vitro and in vivo studies on the role of extra-cellular advanced glycosylation endproducts and endothelial activation. Promotor prof.dr. VWM van Hinsbergh; copromotor dr. CG Schalkwijk.

Pouwels MJ. The role of the hexosamine pathway in insulin resistance and nutrient sensing. Promotoren prof.dr. ARMM Hermus, prof.dr. A Lutterman; copromotoren dr. CJJ Tack, dr PN Span.

Rothkrantz-Kos S. Biochemical parameters in monitoring severity of sarcoidosis. Promotor prof.dr. MP van Diejen-Visser, copromotor dr. M Drent.

Schnog JJ. Studies on the pathophysiology, disease severity assessment and management of sickle cell disease. Promotoren prof.dr. RA Rojer, prof.dr. FAJ Muskiet, prof.dr. H ten Cate; copromotoren: dr. AJ Duits, dr. DPM Brandjes.

Valianpour FA. Mass Spectrometric approach to investigate cardiolipin metabolism in Barth Syndrome. Promotoren prof.dr. RJA Wanders, prof.dr. P Barth; copromotor dr. AH van Gennip.

Welten A. Glucose and glucose degradation products: insight in their actions during peritoneal dialysis. Promotoren prof.dr. RHJ Beelen, prof.dr. PM ter Wee; copromotoren dr. J van den Born, dr. CG Schalkwijk.