

Publicaties der leden 2005

Analytisch: Hematologie

Buiting AM, van Aken WG. The practice guideline 'blood transfusion' (third integral revision) Ned Tijdschr Geneesk. 2005 Nov 19; 149 (47): 2613-8.

Ceelie H, Spaargaren-van Riel CC, Lyon E, Bertina RM, Vos HL. Functional analysis of two polymorphisms in the 3'-UTR of the human prothrombin gene. J Thromb Haemost. 2005 Apr; 3 (4): 806-8.

Coenen JJ, Koenen HJ, van Rijssen E, Hilbrands LB, Joosten I. Tolerizing effects of co-stimulation blockade rest on functional dominance of CD4+CD25+ regulatory T cells. Transplantation. 2005 Jan 27; 79 (2): 147-56.

de Graaf AO, Han van Krieken J, Tonnissen E, Wissink W, Locht L, Overes I, Dolstra H, Witte T, Reijden BA, Jansen JH. Expression of C-IAP1, C-IAP2 and SURVIVIN discriminates different types of lymphoid malignancies. Br J Haematol. 2005 Sep; 130 (6): 852-9.

Hoffmann JJ, Kops O. Inhibition of desmoteplase-induced fibrinolytic activity in vitro. J Thromb Thrombolysis. 2005 Aug; 20 (1): 23-6.

Klein Gunnewiek JMT, Hovestad-Witterland AHI, Vollaard EJ, Fleuron AWHA, de Metz M. The influence of acetylsalicylic acid intake by healthy volunteers on duplicate PFA-100 measurements. Blood Coag & Fibrinolysis 2005; 16: 337-340.

Koenen HJ, Fasse E, Joosten I. Cyclosporine preserves the anergic state of human T cells induced by costimulation blockade in vitro. Transplantation. 2005 Aug 27; 80 (4): 522-9.

Koenen HJ, Fasse E, Joosten I. CD27/CFSE-based ex vivo selection of highly suppressive alloantigen-specific human regulatory T cells. J Immunol. 2005 Jun 15; 174 (12): 7573-83.

Schaar CG, Vermeer HJ, Wijermans PW, Huisman W, le Cessie S, Kluin-Nelemans HC. Serum syndecan-1 in patients with newly diagnosed monoclonal proteinemia. Haematologica. 2005 Oct; 90 (10): 1437-8.

Triepels RH, Huiskes-Bloemen I, Doelman CJA. Digitale beeldverwerking bij de differentiatie van bloedcellen: een aanwinst voor de klinische chemie? Een evaluatie van de Diff-Master Octavia. Ned Tijdschr Klin Chem Labgeneesk 2005; 30: 267-268.

van de Ven J, Rubens M, de Haan MA, Dobbe M, Wardenaar T, Bartels PCM. Analytische evaluatie van het Protome@ INR-zelfmeetstelsel. Ned Tijdschr Klin Chem Labgeneesk 2005; 30: 307-308.

Analytisch: Immunochemie

Bakker WW, Borghuis T, Harmsen MC, van den Berg A, Kema IP, Niezen KE, Kapojois JJ. Protease activity of plasma hemopexin. Kidney Int. 2005 Aug; 68 (2): 603-10.

van Ginneken V, Ballieux B, Willemze R, Coldenhoff K, Lentjes E, Antonissen E, Haenen O, van den Thillart G. Hematology patterns of migrating European eels and the role of EVEX virus. Comp Biochem Physiol C Toxicol Pharmacol. 2005 Jan; 140 (1): 97-102.

Schoonenboom NS, Mulder C, Vanderstichele H, Pijnenburg YA, Van Kamp GJ, Scheltens P, Mehta PD, Blankenstein MA. Differences and similarities between two frequently used assays for amyloid beta 42 in cerebrospinal fluid. Clin Chem. 2005 Jun; 51 (6): 1057-60.

Smit LH, Korse CM, Bonfrer JM. Comparison of four different assays for determination of serum S-100B. Int J Biol Markers. 2005 Jan-Mar; 20 (1): 34-42.

Tichem KEE, Janssen MJW Pre-analyse van foliumzuur en vitamine B12. Ned Tijdschr Klin Chem. 2005; 30:81.

van Toorenbergen AW, Oranje AP. Comparison of serum tryptase and urine N-methylhistamine in patients with suspected mastocytosis. Clin Chim Acta. 2005 Sep; 359 (1-2): 72-7.

van Toorenbergen AW, van Daele PL, Boonstra JG. False-elevated serum tryptase assay result caused by heterophilic antibodies. J Allergy Clin Immunol. 2005 Nov; 116 (5): 1159-60.

Wolthuis A, de Vreeze J. Unexpected EQUAS testosterone result Cin Chem 2005; 51 (2): 475-6.

Analytisch: Klinische chemie

Ajubi NE, Nijholt N, Wolthuis A. Quantitative automated human chorionic gonadotropin measurement in urine using the Modular Analytics E170 module (Roche). Clin Chem Lab Med. 2005; 43 (1): 68-70.

Apperloo JJ, van der Graaf F, Scharnhorst V, Vader HL. Do we measure bilirubin correctly anno 2005? Clin Chem Lab Med. 2005; 43 (5): 531-5.

Baadenhuijsen H, Kuypers A, Weykamp C, Cobbaert C, Jansen R. External Quality Assessment in The Netherlands: time to introduce commutable survey specimens. Lessons from the Dutch "Calibration 2000" project. Clin Chem Lab Med. 2005; 43 (3): 304-7.

Baadenhuijsen H, Kuypers A, Weykamp C, Cobbaert C, Jansen R. External Quality Assessment in The Netherlands: time to introduce commutable survey specimens. Lessons from the Dutch "Calibration 2000" project. Clin Chem Lab Med. 2005; 43 (3): 304-7.

Bakker AJ, Bakker A, Bierma-Ram A, Dijkstra JT, Renting-Wiering H, Syperda H, Zijlstra A. Improved reliability of measurement of lactate dehydrogenase by IFCC method in heparin plasma. Clin Chem. 2005 Jan; 51 (1): 215-7.

- Bakker AJ, Bierma-Ram A, Keidel H, Syperda H, Zijlstra A. (Micro)Albuminuria: antigen excess detection in the Roche modular analyzer. *Clin Chem*. 2005 Jun; 51 (6): 1070-1.
- de Boer D, Erps M, Wodzig WKWH, Van Diejen-Visser MP. Inadequate attempts to measure the microheterogeneity of transthyretin by low-resolution mass spectrometry. *Clin Chem*. 2005 Jul; 51(7):1299-1300.
- Bons JA, Wodzig WK, van Diejen-Visser MP. Protein profiling as a diagnostic tool in clinical chemistry: a review. *Clin Chem Lab Med*. 2005;43(12):1281-90.
- Brinkman JW, de Zeeuw D, Duker JJ, Gansevoort RT, Kema IP, Hillege HL, de Jong PE, Bakker SJ. Falsey low urinary albumin concentrations after prolonged frozen storage of urine samples. *Clin Chem*. 2005 Nov; 51 (11): 2181-3.
- op den Buijsch RA, Wijnen PA, van Diejen-Visser MP, de Vries JE, Bekers O. Rapid genotyping of the OATP1B1 polymorphisms A388G and T521C with real-time PCR FRET assays. *Pharmacogenomics*. 2005 Jun;6(4):393-7.
- Gerritsen WB, Asin J, Zanen P, van den Bosch JM, Haas FJ. Markers of inflammation and oxidative stress in exacerbated chronic obstructive Respir Med. 2005 Jan; 99 (1): 84-90.
- Gerritsen WB, Zanen P, Bauwens AA, van den Bosch JM, Haas FJ. Validation of a new method to measure hydrogen peroxide in exhaled breath Respir Med. 2005 Sep; 99 (9): 1132-7.
- Griffioen PH, de Jonge R, van Zelst BD, Montserrat Brouns R, Lindemans J. Detection and allele-frequencies of the 833T>C, 844ins68 and a novel mutation in the cystathione beta-synthase gene. *Clin Chim Acta*. 2005 Apr; 354 (1-2): 191-4.
- van Heeswijk JC, van Pelt J, van den Thillart GE. Free fatty acid metabolism in the air-breathing African catfish (*Clarias gariepinus*) during asphyxia. *Comp Biochem Physiol A Mol Integr Physiol*. 2005 May; 141 (1): 15-21.
- Helander A, Wielders JPM, te Stroet R, Bergström JP. Comparison of HPLC and Capillary Electrophoresis for Confirmatory Testing of the Alcohol Misuse Marker Carbohydrate-Deficient Transferrin Clinical Chemistry 2005; 51: 1528-1531.
- Jacobs EM, Hendriks JC, van Tits BL, Evans PJ, Breuer W, Liu DY, Jansen EH, Jauhainen K, Sturm B, Porter JB, Scheiber-Mojdekar B, von Bonsdorff L, Cabanthik ZI, Hider RC, Swinkels DW. Results of an international round robin for the quantification of serum non-transferrin-bound iron: Need for defining standardization and a clinically relevant isoform. *Anal Biochem*. 2005 Jun 15; 341 (2): 241-50.
- Kort SA, Bouman AA, Blankenstein MA, Bokenkamp A. Cystatin C can be measured reliably in capillary blood samples. *Clin Chem*. 2005 May; 51 (5): 903-4.
- Lases EC, van den Oever C, van Zuijlen-Frijns NA, Maes RAA, Haas FJLM Determination of glutamate and γ -aminobutyric acid in cerebrospinal fluid by high-performance liquid chromatography with fluorescence detection. *Ned Tijdschr Klin Chem Labgeneesk* 2005; 30 (2): 75.
- Michielsen ECHJ, Diris JHC, Hackeng CM, Wodzig WKWH, van Diejen-Visser MP. Highly sensitive immunoprecipitation method for extracting and concentrating low-abundance proteins from human serum Clin Chem 2005; 51 (1): 222-224.
- Mulder EJ, Oosterloo-Duinkerken A, Anderson GM, De Vries EG, Minderaa RB, Kema IP. Automated on-line solid-phase extraction coupled with HPLC for measurement of 5-hydroxy-indole-3-acetic acid in urine. *Clin Chem*. 2005 Sep; 51 (9): 1698-703.
- Pelsers MM, Glatz JF. Detection of brain injury by fatty acid-binding proteins. *Clin Chem Lab Med*. 2005;43(8):802-9.
- Poland DC, Garcia Vallejo JJ, Niessen HW, Nijmeyer R, Calafat J, Hack CE, van het Hof B, van Dijk W. Activated human PMN synthesize and release a strongly fucosylated glycoform of alpha1-acid glycoprotein, which is transiently deposited in human myocardial infarction. *J Leukoc Biol*. 2005 Aug; 78 (2): 453-61.
- Rayana MC, Burnett RW, Covington AK, D'Orazio P, Fogh-Andersen N, Jacobs E, Kulpmann WR, Kuwa K, Larsson L, Lewenstam A, Maas AH, Mager G, Naskalski JH, Okorodudu AO, Ritter C, St John A. Guidelines for sampling, measuring and reporting ionized magnesium in undiluted serum, plasma or blood: International Federation of Clinical Chemistry and Laboratory Medicine (IFCC): IFCC Scientific Division, Committee on Point of Care Testing. *Clin Chem Lab Med*. 2005; 43 (5): 564-9.
- Scharnhorst V, van der Graaf F. Het effect van de osmolaliteit op de detectie van erytrocyten in urine Ned Tijdschr Klin Chem Labgeneesk 2005; 30: 263-266.
- Schoonenboom NS, Mulder C, Vanderstichele H, van Elk EJ, Kok A, van Kamp GJ, Scheltens P, Blankenstein MA. Effects of processing and storage conditions on amyloid beta (1-42) and tau concentrations in cerebrospinal fluid: implications for use in clinical practice. *Clin Chem*. 2005 Jan; 51 (1): 189-95.
- Teerlink T. Measurement of asymmetric dimethylarginine in plasma: methodological considerations and clinical relevance. *Clin Chem Lab Med*. 2005; 43 (10): 1130-8.
- Teerlink T. Determination of the endogenous nitric oxide synthase inhibitor asymmetric dimethylarginine in biological samples by HPLC. *Methods Mol Med*. 2005; 108: 263-74.
- Vermeer HJ, Thomassen E, de Jonge N. Automated processing of serum indices used for interference detection by the laboratory information system. *Clin Chem*. 2005 Jan; 51 (1): 244-7.
- ### Analytisch: Moleculaire technieken
- Abid Hussein MN, Nieuwland R, Hau CM, Evers LM, Meesters EW, Sturk A. Cell-derived microparticles contain caspase 3 in vitro and in vivo. *J Thromb Haemost*. 2005 May; 3 (5): 888-96.
- Ajubi NE, Boymans DAG, Latumalea TOR, van den Bovenkamp EP, Bakker AG, Wolthuis A. Validation of the LightCycler-Apo E mutation detection kit using hybridisation probes for the genotyping of the apolipoprotein E point mutations (C3932T) and (C4070T). *Ned Tijdschr Klin Chem Labgeneesk* 2005; 30 (4): 280-282.
- van den Bergh FAJTM, Martens A. Diagnostiek van cystische fibrose; liever eenvoudige genotypering om de ziekte uit te sluiten dan starten met de zweettest. *Tijdschr Belgische Ver. Lab. Technologen/ Revue de l'association Belge des technologues de laboratoire* 2005; 32 (4): 269-277.
- Buijtenhuijs P, Buttafoco L, Poot AA, Sterk LM, de Vos RA, Geelkerken RH, Vermes I, Feijen J. Viability of smooth muscle cells cultured on collagenous scaffolds for tissue engineering of blood vessels. *J Control Release*. 2005 Jan 3; 101 (1-3): 320-2.
- Buttafoco L, Kolkman NG, Poot AA, Dijkstra PJ, Vermes I, Feijen J. Electrospinning collagen and elastin for tissue engineering small diameter blood vessels. *J Control Release*. 2005 Jan 3; 101 (1-3): 322-4.

Davies JH, Penney M, Abbes AP, Engel H, Gregory JW. Clinical features, diagnosis and molecular studies of familial central diabetes insipidus. *Horm Res.* 2005; 64 (5): 231-7.

Dijck-Brouwer DA, van Doornma JJ, Kema IP, Brugman AM, Kingma AW, Muskiet FA. Discovery and consequences of apolipoprotein-epsilon (3Groningen): a G-insertion in codon 95/96 that is predicted to cause a premature stop codon. *Ann Clin Biochem.* 2005 Jul; 42 (Pt 4): 264-8.

Engbers-Buijtenhuijs P, Buttafoco L, Poot AA, Geelkerken RH, Feijen J, Vermes I. Analysis of the Balance between Proliferation and Apoptosis of Cultured Vascular Smooth Muscle Cells for Tissue- Engineering Applications. *Tissue Eng.* 2005 November/December; 11 (11-12): 1631-1639.

Engbers-Buijtenhuijs P, Kamphuis M, van der Sluijs Veer G, Haanen C, Poot AA, Feijen J, Vermes I. A novel time resolved fluorometric assay of anoikis using Europium-labelled Annexin V in cultured adherent cells. *Apoptosis.* 2005 Mar; 10 (2): 429-37.

Franke HR, Smit WM, Vermes I. Gonadal protection by a gonadotropin-releasing hormone agonist depot in young women with Hodgkin's disease undergoing chemotherapy. *Gynecol Endocrinol.* 2005 May; 20 (5): 274-8.

Gellekink HJ, van Oppenraaij-Emmerzaal D, van Rooij A, Stuys EA, den Heijer M, Blom HJ. Stable-isotope dilution liquid chromatography-electrospray injection tandem mass spectrometry method for fast, selective measurement of S-adenosylmethionine and S-adenosylhomocysteine in plasma. *Clin Chem* 2005; 51: 1487-92.

Janssens PMW, Schmidt YMG, HermSEN R, Hubers, J, Tiemens N, Dasselaar M, Paardekooper J. DNA-onderzoek in een algemeen ziekenhuislaboratorium – alfa thalassemie. *Analyse* 2005; 60: 112-114.

Kemna E, Tjalsma H, Laarakkers C, Nemeth E, Willem H, Swinkels D. Novel urine hepcidin assay by mass spectrometry. *Blood.* 2005 Nov 1; 106 (9): 3268-70.

Onland W, Boing AN, Meijer AB, Schaap MC, Nieuwland R, Haasnoot K, Sturk A, Peters M. Congenital deficiency of factor XIII caused by two missense mutations in a Dutch family. *Haemophilia.* 2005 Sep; 11 (5): 539-47.

Siebum B, Grijpma DW, Poot AA, Vermes I, Kruijer W, Feijen J. Collagen scaffolds for hematopoietic progenitor cell expansion and controlled differentiation. *J Control Release.* 2005 Jan 3; 101 (1-3): 338-40.

Tijssen HJ, van der Zeeuw-Hingrez SC, Joosten I. Exon 2 sequence analysis of a novel HLA-DRB1 allele, DRB1*1450. *Tissue Antigens.* 2005 Oct; 66 (4): 332-3.

Valero A, Merino F, Wolbers F, Luttge R, Vermes I, Andersson H, van den Berg A. Apoptotic cell death dynamics of HL60 cells studied using a microfluidic cell trap device. *Lab Chip.* 2005 Jan; 5 (1): 49-55.

Werner HM, Franke HR, Vermes I. Apoptosis and proliferation in breast cancer cells, cultured in vitro: effects of SERMs. *Climacteric.* 2005 Sep; 8 (3): 294-9.

Yu BZ, Pan YH, Janssen MJ, Bahnsen BJ, Jain MK. Kinetic and structural properties of disulfide engineered phospholipase A2: insight into the role of disulfide bonding patterns. *Biochemistry.* 2005 Mar 8; 44 (9): 3369-79.

Bedrijfsvoering: Dienstverlening

Ruiter C, Swijnenburg C, Veldhuis BRJ, Thelen MHJ, van Suijlen JDE. Evaluatie beantwoording publieksvragen op de website van de NVKC. *Ned Tijdschr Klin Chem Labgeneesk* 2005; 30: 302-303.

Bedrijfsvoering: Diversen

Beastall G, Kenny D, Laitinen P, ten Kate J. A guide to defining the competence required of a consultant in clinical chemistry and laboratory medicine. *Clin Chem Lab Med.* 2005; 43 (6): 654-9.

Smit E, Beastall G, Björkes UM, Candito M, Fiorentini P; European Communities Confederation of Clinical Chemistry and Laboratory Medicine Working Group on Number of Consultant Clinical Chemists. The number of consultant clinical chemists in the 15-nation European Union. *Clin Chem Lab Med.* 2005; 43 (3): 335-41.

Vermeer HJ, Verheijen FM, de Hingh YCM. Klinische chemie en haar toekomst: ontwikkelingen en de relatie tot aanpalende laboratoriumspecialismen. *Ned Tijdschr Klin Chem Labgeneesk* 2005; 30: 113-120.

Bedrijfsvoering: Point-of-care tests

Chan CP, Wan TS, Watkins KL, Pelsers MM, Van der Voort D, Tang FP, Lam KH, Mill J, Yuan Y, Lehmann M, Hempel A, Sanderson JE, Glatz JF, Renneberg R. Rapid analysis of fatty acid-binding proteins with immunosensors and immunotests for early monitoring of tissue injury. *Biosens Bioelectron.* 2005 Jun 15; 20 (12): 2566-80.

Klinisch: Allergie / infectieziekten

Berckmans RJ, Nieuwland R, Kraan MC, Schaap MC, Pots D, Smeets TJ, Sturk A, Tak PP. Synovial microparticles from arthritic patients modulate chemokine and cytokine release by synoviocytes. *Arthritis Res Ther.* 2005; 7 (3): R536-44.

Bossink A, Thijssen S, van Houte AJ. Empyema in a patient treated with infliximab: it is not what it seems. *Ann Rheum Dis.* 2005 Nov; 64 (11): 1657-8.

Cobbaert CM, Jonker GJ. Allergy testing on the IMMULITE 2000 Random-Access immunoanalyzer - a clinical evaluation study. *Clin Chem Lab Med.* 2005; 43 (7): 772-81.

Geraats-Peters CW, Brouwers M, Schneeberger PM, van der Zanden AG, Bruisten SM, Weers-Pothoff G, Boel CH, van den Brule AJ, Harmsen HG, Hermans MH. Specific and sensitive detection of Neisseria gonorrhoeae in clinical specimens by real-time PCR. *J Clin Microbiol.* 2005 Nov; 43 (11): 5653-9.

Hoekstra M, Haagsma CJ, Doelman CJ, van de Laar MA. Intermittent rises in plasma homocysteine in patients with rheumatoid arthritis treated with higher dose methotrexate. *Ann Rheum Dis.* 2005 Jan; 64 (1): 141-3.

Janssen R, Kruit A, Grutters JC, Ruven HJ, van Moorsel CM, van den Bosch JM. TIMP-3 promoter gene polymorphisms in BFL. *Thorax.* 2005 Nov; 60 (11): 974.

Kemna E, Pickkers P, Nemeth E, van der Hoeven H, Swinkels D. Time-course analysis of hepcidin, serum iron, and plasma cytokine levels in humans injected with LPS. *Blood.* 2005 Sep 1; 106 (5): 1864-6.

Slieker MG, Sanders EA, Rijkers GT, Ruven HJ, van der Ent CK. Disease modifying genes in cystic fibrosis. *J Cyst Fibros.* 2005 Aug; 4 Suppl 2: 7-13.

Klinisch: Endocrinologie

van Aken MO, Pereira AM, Frölich M, Romijn JA, Pijl H, Veldhuis JD, Roelfsema F. Growth hormone secretion in primary adrenal Cushing's syndrome is disorderly and inversely correlated with body mass index. *Am J Physiol Endocrinol Metab.* 2005 Jan; 288 (1): E63-70.

van Aken MO, Pereira AM, van Thiel SW, van den Berg G, Frölich M, Veldhuis JD, Romijn JA, Roelfsema F. Irregular and frequent cortisol secretory episodes with preserved diurnal rhythmicity in primary adrenal Cushing's syndrome. *J Clin Endocrinol Metab.* 2005 Mar; 90 (3): 1570-7.

Appelhof BC, Fliers E, Wekking EM, Schene AH, Huyser J, Tijssen JG, Endert E, van Weert HC, Wiersinga WM. Combined therapy with levothyroxine and liothyronine in two ratios, compared with levothyroxine monotherapy in primary hypothyroidism: a double-blind, randomized, controlled clinical trial. *J Clin Endocrinol Metab.* 2005 May; 90 (5): 2666-74.

Blumer RM, van Thien H, Ruiter AF, Weverling GJ, vinh Thuan D, Endert E, Kager PA, Sauerwein HP. Adiponectin and glucose production in patients infected with Plasmodium falciparum. *Metabolism.* 2005 Jan; 54 (1): 60-6.

de Boer H, Verschoor L, Ruinemans-Koerts J, Jansen M. Letrozole normalizes serum testosterone in severely obese men with hypogonadotropic hypogonadism. *Diabetes Obes Metab.* 2005 May; 7 (3): 211-5.

den Brinker M, Joosten KF, Visser TJ, Hop WC, de Rijke YB, Hazelzet JA, Boonstra VH, Hokken-Koelega AC. Euthyroid sick syndrome in meningococcal sepsis: the impact of peripheral thyroid hormone metabolism and binding proteins. *J Clin Endocrinol Metab.* 2005 Oct; 90 (10): 5613-20.

Brouwer JP, Appelhof BC, Hoogendoijk WJ, Huyser J, Endert E, Zuketto C, Schene AH, Tijssen JG, Van Dyck R, Wiersinga WM, Fliers E. Thyroid and adrenal axis in major depression: a controlled study in outpatients. *Eur J Endocrinol.* 2005 Feb; 152 (2): 185-91.

Chatterjee SS, Doelman CJ, Noldner M, Biber A, Koch E. Influence of the Ginkgo extract EGb 761 on rat liver cytochrome P450 and steroid metabolism and excretion in rats and man. *J Pharm Pharmacol.* 2005 May; 57 (5): 641-50.

Dreijerink KM, van Beek AP, Lentjes EG, Post JG, van der Luijt RB, Cannings-van Dijk MR, Lips CJ. Acromegaly in a multiple endocrine neoplasia type 1 (MEN1) family with low penetrance of the disease. *Eur J Endocrinol.* 2005 Dec; 153 (6): 741-6.

Eijsbouts AM, van den Hoogen FH, Laan RF, Hermus AR, Sweep CG, van de Putte LB. Hypothalamic-pituitary-adrenal axis activity in patients with rheumatoid arthritis. *Clin Exp Rheumatol.* 2005 Sep-Oct; 23 (5): 658-64.

Eijsbouts AM, van den Hoogen FH, Laan RF, Sweep CG, Hermus AR, van de Putte LB. Decreased prolactin response to hypoglycaemia in patients with rheumatoid arthritis: correlation with disease activity. *Ann Rheum Dis.* 2005 Mar; 64 (3): 433-7.

Eisenhofer G, Huysmans F, Pacak K, Walther MM, Sweep FC, Lenders JW. Plasma metanephrenes in renal failure. *Kidney Int.* 2005 Feb; 67 (2): 668-77.

Endert E, Ouwehand A, Fliers E, Prummel MF, Wiersinga WM. Establishment of reference values for endocrine tests. Part IV: Adrenal insufficiency. *Neth J Med.* 2005 Dec; 63 (11): 435-43.

Fukumoto T, Kema IP, Levin M. Serotonin signaling is a very early step in patterning of the left-right axis in chick and frog embryos. *Curr Biol.* 2005 May 10; 15 (9): 794-803.

Geukers VG, Oudshoorn JH, Taminius JA, van der Ent CK, Schilte P, Ruiter AF, Ackermans MT, Endert E, Jonkers-Schuitema CF, Heymans HS, Sauerwein HP. Short-term protein intake and stimulation of protein synthesis in stunted children with cystic fibrosis. *Am J Clin Nutr.* 2005 Mar; 81 (3): 605-10.

Grebennichikov N, Maguire TM, Riisbro R, Geurts-Moespot A, O'Donovan N, Schmitt M, McGreal G, McDermott E, O'Higgins N, Brunner N, Sweep CG, Duffy MJ. Measurement of plasminogen activator system components in plasma and tumor tissue extracts obtained from patients with breast cancer: an EORTC Receptor and Biomarker Group collaboration. *Oncol Rep.* 2005 Jul; 14 (1): 235-9.

Grebennichikov N, van der Ven-Jongekrijg J, Pesman GJ, Geurts-Moespot A, van der Meer JW, Sweep FC. Development of a sensitive ELISA for the quantification of human tumour necrosis factor-alpha using 4 polyclonal antibodies. *Eur Cytokine Netw.* 2005 Sep; 16 (3): 215-22.

Heijckmann AC, Huijberts MS, Geusens P, de Vries J, Menheere PP, Wolffenbuttel BH. Hip bone mineral density, bone turnover and risk of fracture in patients on long-term suppressive L-thyroxine therapy for differentiated thyroid carcinoma. *Eur J Endocrinol.* 2005 Jul; 153 (1): 23-9.

Holleman F, Endert E, Prummel MF, van Vessem-Timmers M, Wiersinga WM, Fliers E. Evaluation of endocrine tests. B: screening for hypercortisolism. *Neth J Med.* 2005 Oct; 63 (9): 348-53.

van Houtum WH, Corssmit EP, Douwes Dekker PB, Jansen JC, van der Mey AG, Brocker-Vriens AH, Taschner PE, Losekoot M, Frolich M, Stokkel MP, Cornelisse CJ, Romijn JA. Increased prevalence of catecholamine excess and phaeochromocytomas in a well-defined Dutch population with SDHD-linked head and neck paragangliomas. *Eur J Endocrinol.* 2005 Jan; 152 (1): 87-94.

van der Jagt MF, Sweep FC, Waas ET, Hendriks T, Ruers TJ, Merry AH, Wobbes T, Span PN. Correlation of reversion-inducing cysteine-rich protein with kazal motifs (RECK) and extracellular matrix metalloproteinase inducer (EMMPRIN), with MMP-2, MMP-9, and survival in colorectal cancer. *Cancer Lett.* 2005 Jun 18; 237 (2): 289-97.

van Kempen AA, Ackermans MT, Endert E, Kok JH, Sauerwein HP. Glucose production in response to glucagon is comparable in preterm AGA and SGA infants. *Clin Nutr.* 2005 Oct; 24 (5): 727-36.

Kempers MJ, van Trotsenburg AS, van Tijn DA, Bakker E, Wiedijk BM, Endert E, de Vijlder JJ, Vulsma T. Disturbance of the fetal thyroid hormone state has long-term consequences for treatment of thyroidal and central congenital hypothyroidism. *J Clin Endocrinol Metab.* 2005 Jul; 90(7):4094-100.

Kok P, Roelfsema F, Frolich M, Meinders AE, Pijl H. Spontaneous diurnal thyrotropin secretion is enhanced in proportion to circulating leptin in obese premenopausal women. *J Clin Endocrinol Metab.* 2005 Nov; 90 (11): 6185-91.

Kok P, Roelfsema F, Langendonk JG, Frölich M, Burggraaf J, Meinders AE, Pijl H. High circulating thyrotropin levels in obese women are reduced after body weight loss induced by caloric restriction. *J Clin Endocrinol Metab.* 2005 Aug; 90 (8): 4659-63.

- Kok SW, Roelfsema F, Overeem S, Lammers GJ, Frölich M, Meinders AE, Pijl H. Altered setting of the pituitary-thyroid ensemble in hypocretin-deficient narcoleptic men. *Am J Physiol Endocrinol Metab.* 2005 May; 288 (5): E892-9.
- Manders RJ, Wagenmakers AJ, Koopman R, Zorenc AH, Menheere PPCA, Schaper NC, Saris WH, van Loon LJ. Co-ingestion of a protein hydrolysate and amino acid mixture with carbohydrate improves plasma glucose disposal in patients with type 2 diabetes. *Am J Clin Nutr.* 2005 Jul; 82 (1): 76-83.
- Mulder AH, Tack CJ, Olthaar AJ, Smits P, Sweep FC, Bosch RR. Adrenergic receptor stimulation attenuates insulin-stimulated glucose uptake in 3T3-L1 adipocytes by inhibiting GLUT4 translocation. *Am J Physiol Endocrinol Metab.* 2005 Oct; 289 (4): E627-33.
- Peeters RP, van den Beld AW, Attalki H, Toor H, de Rijke YB, Kuiper GG, Lamberts SW, Janssen JA, Uitterlinden AG, Visser TJ. A new polymorphism in the type II deiodinase gene is associated with circulating thyroid hormone parameters. *Am J Physiol Endocrinol Metab.* 2005 Jul; 289 (1): E75-81.
- Radstake TR, Sweep FC, Welsing P, Franke B, Vermeulen SH, Geurts-Moespot A, Calandra T, Donn R, van Riel PL. Correlation of rheumatoid arthritis severity with the genetic functional variants and circulating levels of macrophage migration inhibitory factor. *Arthritis Rheum.* 2005 Oct; 52 (10): 3020-9.
- Ross HA, Meuleman EJ, Sweep FC. A simple method for estimating equilibrium constants for serum testosterone binding resulting in an optimal free testosterone index for use in elderly men. *Clin Chem Lab Med.* 2005; 43 (6): 613-6.
- van Rossum EF, Russcher H, Lamberts SW. Genetic polymorphisms and multifactorial diseases: facts and fallacies revealed by the glucocorticoid receptor gene. *Trends Endocrinol Metab.* 2005 Dec; 16 (10): 445-50.
- Russcher H, Smit P, van den Akker EL, van Rossum EF, Brinkmann AO, de Jong FH, Lamberts SW, Koper JW. Two polymorphisms in the glucocorticoid receptor gene directly affect glucocorticoid-regulated gene expression. *J Clin Endocrinol Metab.* 2005 Oct; 90 (10): 5804-10.
- Russcher H, van Rossum EF, de Jong FH, Brinkmann AO, Lamberts SW, Koper JW. Increased expression of the glucocorticoid receptor-A translational isoform as a result of the ER22/23EK polymorphism. *Mol Endocrinol.* 2005 Jul; 19 (7): 1687-96.
- van Santen HM, Van Dijk JE, Rodermond H, Vansenne F, Meertens N, Haveman J, Endert E, De Vijlder JJ, Vulsmma T. The effect of cervical X-irradiation on activity index of thyrocytes and plasma TSH: a pre-clinical model for radiation-induced thyroid damage. *J Endocrinol Invest.* 2005 Mar; 28 (3): 261-9.
- Schreuder T, Karreman M, Rennings A, Ruinemans-Koerts J, Jansen M, de Boer H. Diazoxide-mediated insulin suppression in obese men: a dose-response study. *Diabetes Obes Metab.* 2005 May; 7 (3): 239-45.
- Smit JW, Eustatia-Rutten CF, Corssmit EP, Pereira AM, Frölich M, Bleeker GB, Holman ER, van der Wall EE, Romijn JA, Bax JJ. Reversible diastolic dysfunction after long-term exogenous subclinical hyperthyroidism: a randomized, placebo-controlled study. *J Clin Endocrinol Metab.* 2005 Nov; 90 (11): 6041-7.
- Smit P, Russcher H, de Jong FH, Brinkmann AO, Lamberts SW, Koper JW. Differential regulation of synthetic glucocorticoids on gene expression levels of glucocorticoid-induced leucine zipper and interleukin-2. *J Clin Endocrinol Metab.* 2005 May; 90 (5): 2994-3000.
- Smit P, van Schaik RH, van der Werf M, van den Beld AW, Koper JW, Lindemans J, Pols HA, Brinkmann AO, de Jong FH, Lamberts SW. A Common Polymorphism in the CYP3A7 Gene is Associated With a Nearly 50a% Reduction in Serum DHEAS levels. *J Clin Endocrinol Metab.* 2005 Sep; 90 (9): 513-6.
- Sprong H, Panakova D, Marois E, Thiele C, Eaton S. Lipoprotein particles are required for Hedgehog and Wingless signalling. *Nature.* 2005 May 5; 435 (7038): 58-65.
- van Thiel SW, Romijn JA, Pereira AM, Biermasz NR, Roelfsema F, van Hemert A, Ballieux B, Smit JW. Effects of dehydroepiandrosterone, superimposed on growth hormone substitution, on quality of life and insulin-like growth factor I in patients with secondary adrenal insufficiency: a randomized, placebo-controlled, cross-over trial. *J Clin Endocrinol Metab.* 2005 Jun; 90 (6): 3295-303.
- van Tits LJ, Arioglu-Oral E, Sweep CG, Smits P, Stalenhoef AF, Tack CJ. Anti-inflammatory effects of troglitazone in non-diabetic obese subjects independent of changes in insulin sensitivity. *Neth J Med.* 2005 Jul-Aug; 63 (7): 250-5.
- Visser L, Zuurbier CJ, Hoek FJ, Opmeer BC, de Jonge E, de Mol BA, van Wezel HB. Glucose, insulin and potassium applied as perioperative hyperinsulinaemic normoglycaemic clamp: effects on inflammatory response during coronary artery surgery. *Br J Anaesth.* 2005 Oct; 95 (4): 448-57.
- Wiersinga WJ, de Rooij SE, Huijmans JG, Fischer C, Hoekstra JB. Diagnosis of vitamin B12 deficiency revised. *Ned Tijdschr Geneesk.* 2005 Dec 10; 149 (50): 2789-94.
- Wouters RSME, van den Ouwehand JMW, Pouwels JG, Wollffenbuttel BHR. Gemiste hyperinsulinemie bij een patiënt met insulinoom. *Ned Tijdschr Geneesk.* 2005; 149 (17): 944-6.

Klinisch: Erfelijke stofwisselingsziekten

- Abeling NGGM, Abdenur JE, Jorge L, Chamoles NA. Novel diagnostic parameters for AADC deficiency in general metabolic urine screening. *Ned Tijdschr Klin Chem Labgeneesk.* 2005;30: 278-279.
- van Beynum IM, den Heijer M, Thomas CMG, Afman L, Oppenraay-van Emmerzaal D, Blom HJ. Total homocysteine and its predictors in Dutch children. *Am J Clin Nutr.* 2005; 81: 1110-6.
- Bosch AM, IJlst L, Oostheim W, Mulders J, Bakker HD, Wijburg FA, Wanders RJA, Waterham HR. Identification of novel mutations in classical galactosemia. *Hum Mutat.* 2005; 25: 502.
- van den Brink DM, van Miert JNI, Wanders RJA. Assay for Sjögren-Larsson syndrome based on a deficiency of Phytol degradation. *Clin Chem.* 2005; (51): 240-242.
- van den Brink DM, van Miert JNI, Wanders RJA. A novel assay for the prenatal diagnosis of Sjögren-Larsson syndrome. *J Inher Metab Dis.* 2005; (28): 965-969.
- van den Brink DM, van Miert JNI, Dacremont G, Rontani JF, Wanders RJA. Characterization of the final step in the conversion of phytol into phytanic acid. *J Biol Chem.* 2005; (280): 26838-26844.
- Caldeira Araujo H, Smit W, Verhoeven NM, Salomons GS, Silva S, Vasconcelos R, Tomas H, Tavares de Almeida I, Jakobs C, Duran M. Guanidinoacetate methyltransferase deficiency identified in adults and a child with mental retardation. *Am J Med Genet A.* 2005 Mar 1; 133 (2): 122-7.

- Cleary MA, Dorland L, de Koning TJ, Poll-The BT, Duran M, Mandell R, Shih VE, Berger R, Olpin SE, Besley GT. Ornithine aminotransferase deficiency: diagnostic difficulties in neonatal presentation. *J Inher Metab Dis* 2005; (28): 673-679.
- van Coster RN, Gerlo EA, Giardina TG, Engelke UF, Smet JE, de Praeter CM, Meerschaut VA, De Meirlier LJ, Seneca SH, Devreese B, Leroy JG, Herga S, Perrier JP, Wevers RA, Lissens W. Aminoacylase I deficiency: a novel inborn error of metabolism. *Biochem Biophys Res Commun* 2005; 338(3): 1322-1326.
- Derkx TG, Duran M, Waterham HR, Reijngoud DJ, ten Kate LP, Smit GP. The difference between observed and expected prevalence of MCAD deficiency in The Netherlands: a genetic epidemiological study. *Eur J Hum Genet* 2005; (13): 947-952.
- Dhonukshe-Rutten RAM, van Zutphen M, de Groot LCPGM, Eussem SJPM, Blom HJ, van Staveren WA. Effect of supplementation with cobalamin carried either by a milk product or a capsule in mildly cobalamin-deficient elderly Dutch persons. *Am J Clin Nutr* 2005; 82: 568-74.
- Djouadi F, Aubey F, Schlemmer D, Ruiter JPN, Wanders RJA, Strauss AW, Bastin J. Bezafibrate increases very-long-chain acyl-CoA dehydrogenase protein and mRNA expression in deficient fibroblasts and is a potential therapy for fatty acid oxidation disorders. *Hum Mol Genet* 2005; (14): 2695-2703.
- Duran M, Tavares d'Almeida I. Fatty acid oxidation disorders. In: Practical approach to rare metabolic disorders in Adulthood. e Valk HW, Barriento Martinez ZM, editors Utrecht, 2005: pp. 161-167.
- Engelke UF, Tangeman A, Willemse MA, Moskau D, Loss S, Mudd SH, Wevers RA Dimethyl sulfone in human cerebrospinal fluid and blood plasma confirmed by one-dimensional ¹H and two-dimensional ¹H-¹³C NMR. *NMR in Biomedicine* 2005; 18 (5): 331-336.
- Farhoud MH, Wessels HJ, Wevers RA, van Engelen BG, van den Heuvel LP, Smeitink JA Serial isoelectric focusing as an effective and economic way to obtain maximal resolution and high-throughput in 2D-based comparative proteomics of scarce samples: proof-of-principle *J Proteome Res* 2005; 4 (6): 2364-2368.
- Farhoud MH, Wessels HJCT, Steenbakkers PJM, Mattijssen S, Wevers RA, van Engelen BG, Jetten MSM, Smeitink JA, van den Heuvel LP, Keltjens JT. Protein complexes in the archaeon methanothermobacter thermautotrophicus analyzed by blue native/SDS-PAGE and mass spectrometry. *Mol Cell Proteomics* 2005; 4: 1653-1663.
- Ferdinandusse S, Denis SW, Overmars H, van Eeckhoudt L, van Veldhoven PP, Duran M, Wanders RJA, Baes M. Developmental changes of bile acid composition and conjugation in L- and D-bifunctional protein single and double knockout mice. *J Biol Chem* 2005; (280): 18658-18666.
- Ferrer I, Kapfhammer JP, Hindelang C, Kemp S, Troffer-Charlier N, Broccoli V, Callyzot N, Mooyer PAW, Selhorst JJA, Vreken P, Wanders RJA, Mandel JL, Pujol A. Inactivation of the peroxisomal ABCD2 transporter in the mouse leads to late-onset ataxia involving mitochondria, Golgi and endoplasmic reticulum damage. *Hum Mol Genet* 2005; (14): 3565-3577.
- Frishberg Y, Rinat C, Shalata A, Khatib I, Feinstein S, Becker-Cohen R, Weismann I, Wanders RJA, Rumsby G, Roels F, Mandel H. Intra-familial clinical heterogeneity: absence of genotype-phenotype correlation in primary hyperoxaluria type I in Israel. *Am J Nephrol* 2005; (25): 269-275.
- García-Villoria J, Ofman R, Sala PR, Merinero B, Ramos J, García-Silva MT, Beseler B, Dalmau J, Wanders RJA, Ugarte M. 2-Methyl-3-Hydroxybutyryl-CoA Dehydrogenase (MHBD) Deficiency: An X-linked inborn error of esoleucine metabolism that may mimic a mitochondrial disease. *Pediatr Res* 2005; (58): 488-491.
- Gloerich J, van Vlies N, Jansen GA, Denis S, Ruiter JP, van Werkhoven MA, Duran M, Vaz FM, Wanders RJ, Ferdinandusse S. A phytol-enriched diet induces changes in fatty acid metabolism in mice both via PPARalpha-dependent and -independent pathways. *J Lipid Res*. 2005 Apr; 46 (4): 716-26.
- Guyant-Maréchal L, Verrips A, Girard C, Wevers RA, Zijlstra F, Sistermans E, Vera P, Campion D, Hannequin D. Unusual cerebrotendinous xanthomatosis with fronto-temporal dementia phenotype. *Am J Med Genet* 2005; 139 (2): 114-117.
- Hashimoto K, Kato Z, Nagase T, Shimoza N, Kuwata K, Omoya K, Li A, Matsukuma E, Yamamoto Y, Ohnishi H, Tochio H, Shirakawa M, Suzuki Y, Wanders RJA, Kondo N. Molecular mechanism of a temperature-sensitive phenotype in peroxisomal biogenesis disorder. *Pediatr Res* 2005; (58): 263-269.
- Hunt MC, Ruiter JPN, Mooyer PAW, van Roermund CWT, Ofman R, IJlst L, Wanders RJA. Identification of fatty acid oxidation disorder patients with lowered acyl-CoA thioesterase activity in human skin fibroblasts. *Eur J Clin Invest* 2005; (35): 38-46.
- Jacobs JF, Willemse MA, Groot-Loonen JJ, Wevers RA, Hoogerbrugge PM. Allogeneic BMT followed by substrate reduction therapy in a child with subacute Tay-Sachs disease. *Bone Marrow Transplant* 2005; 36: 925-926.
- Jorens PG, Parizel PM, Demey HE, Smets K, Jadoul K, Verbeek MM, Wevers RA, Cras P. Meningoencephalitis caused by Streptococcus pneumoniae: a diagnostic and therapeutic challenge. Diagnosis with diffusion-weighted MRI leading to treatment with corticosteroids. *Neuroradiology* 2005; 47: 758-764.
- van Karnebeek CDM, Schepers FY, Abeling NGGM, Alders M, Barth PG, Hoovers JMN, Koevoets C, Wanders RJA, Hennekam RCM. Etiology of mental retardation in children referred to a tertiary care center: a prospective study. *Am J Ment Retard* 2005; (110): 253-267.
- Kashiwayama Y, Asahina K, Shibata H, Morita M, Muntau AC, Roscher AA, Wanders RJA, Shimoza N, Sakaguchi M, Kato H, Imanaka T. Role of Pex19p in the targeting of PMP70 to peroxisome. *Biochim Biophys Acta* 2005; (1764): 116-128.
- Kemp S, Valianpour F, Denis SW, Ofman R, Sanders RJ, Mooyer PAW, Barth PG, Wanders RJA. Elongation of very long-chain fatty acids is enhanced in X-linked adrenoleukodystrophy. *Mol Genet Metab* 2005; (84) 144-151.
- Komen JC, Duran M, Wanders RJA. Characterization of phytanic acid omega-hydroxylation in human liver microsomes. *Mol Genet Metab* 2005; (85): 190-195.
- Korman SH, Waterham HR, Gutman A, Jakobs C, Wanders RJA. Novel metabolic and molecular findings in hepatic carnitine palmitoyltransferase I deficiency. *Mol Genet Metab* 2005; (86): 337-343.
- Lamhonwah AM, Ackerley CA, Tilups A, Edwards VD, Wanders RJA, Tein I. OCTN3 is a mammalian peroxisomal membrane carnitine transporter. *Biochem Biophys Res Commun* 2005; (338): 1966-1972.
- Levtchenko E, de Graaf-Hess A, Wilmer M, van den Heuvel L, Monnens L, Blom H. Altered status of glutathione and its metabolites in cystinotic cells. *Nephrol Dial Transplant* 2005; 20: 1828-32.

- van Maldegem BT, Waterham HR, Duran M, van der Vlies M, van Woerden CS, Bobu LL, Wanders RJA, Wijburg FA. The 625G>A SCAD gene variant is common but not associated with increased C4-carnitine in newborn blood spots. *J Inher Metab Dis* 2005; (28): 557-562.
- van Maldergem L, Moser AB, Vincent M-F, Roland D, Reding R, Otte J-B, Wanders RJA, Sokal E. Orthotopic liver transplantation from a living-related donor in an infant with a peroxisome biogenesis defect of the infantile Refsum disease type. *J Inher Metab Dis* 28 (2005) 593-600.
- Mancini GM, Catsman-Berrevoets CE, de Coo IF, Aarsen FK, Kamphoven JH, Huijmans JG, Duran M, van der Knaap MS, Jakobs C, Salomons GS. Two novel mutations in SLC6A8 cause creatine transporter defect and distinctive X-linked mental retardation in two unrelated Dutch families. *Am J Med Genet A* 2005 Jan 30; 132 (3): 288-95.
- Monfregola J, Cevenini A, Terracciano A, van Vlies N, Arbucci S, Wanders RJA, D'Urso M, Vaz FM, Ursini MV. Functional analysis of TMLH variants and definition of domains required for catalytic activity and mitochondrial targeting. *J Cell Physiol* 2005; (204): 839-847.
- Morava E, Wopereis S, Coucke P, Gillessen-Kaesbach G, Voit T, Smeitink J, Wevers R, Grunewald S. Defective protein glycosylation in patients with cutis laxa syndrome. *Eur J Hum Genet* 2005; 13 (4): 414-21.
- Morava E, Wortmann SB, Zweers van Essen H, Liebrand van Sambeek R, Wevers RA, van Diggelen OP. Biochemical characteristics and increased tetraglucoside excretion in patients with phosphorylase kinase deficiency. *J Inh Metab Dis* 2005; 28, 5: 703-706.
- Riksen NP, Rongen GA, Boers GHJ, Blom HJ, van den Broek PHH, Smits P. Enhanced cellular adenosine uptake limits adenosine receptor stimulation in patients with hyperhomocysteinemia. *Arterioscler Thromb Vasc Biol* 2005; 25: 1-6.
- Riksen NP, Rongen GA, Blom HJ, Boers GH, Smits P. Reduced adenosine receptor stimulation as a pathogenic factor in hyperhomocysteinemia. *Clin Chem Lab Med*. 2005; 43: 1001-6
- Oey NA, den Boer MEJ, Wijburg FA, Vekemans M, Augé J, Steiner C, Wanders RJA, Waterham HR, Ruiter JPN and Attié-Bitach T. Long-chain fatty acid oxidation during early human development. *Pediatr Res* 57 (2005) 755-759.
- Oey NA, IJlst L, van Roermund CWT, Wijburg FA, Wanders RJA. Dif-1 and colt, both implicated in early embryonic development, encode carnitine acylcarnitine translocase. *Mol Genet Metab* 2005; (85): 121-124.
- Oezen I, Rossmanith W, Forss-Petter S, Kemp S, Voigtlander T, Moser-Thier K, Wanders RJA, Bittner RE, Berger J. Accumulation of very long-chain fatty acids does not affect mitochondrial function in adrenoleukodystrophy protein deficiency. *Hum Mol Genet* 2005; (14): 1127-1137.
- Poll-The BT, Wevers RA, Duran M. Klinisch-biochemische genetica. In: Leerboek medische genetica. Maarssen, 2005; 285-304.
- Read MH, Bonamy C, Laloum D, Belloy F, Constans JM, Guillois B, Kottler ML, Verhoeven NM, Jakobs C. Clinical, biochemical, magnetic resonance imaging (MRI) and proton magnetic resonance spectroscopy (¹H MRS) findings in a fourth case of combined D- and L-2 hydroxyglutaric aciduria. *J Inher Metab Dis* 2005; 28 (6): 1149-50.
- Ruijter GJ, Boer M, Weykamp CW, de Vries R, den Berg I, Janssens-Puister J. External quality assurance programme for enzymatic analysis of lysosomal storage diseases: A pilot study *J Inher Metab Dis* 2005; 28 (6): 979-90.
- Sander J, Sander S, Steuerwald U, Janzen N, Peter M, Wanders RJA, Marquardt I, Korenke GC, Das, AM. Neonatal screening for defects of the mitochondrial trifunctional protein. *Mol Genet Metab* 2005; (85): 108-114.
- Sanders RJ, Ofman R, Valianpour F, Kemp S, Wanders RJA. Evidence for two enzymatic pathways for omega-oxidation of docosanoic acid in rat liver microsomes. *J Lipid Res* 2005; (46): 1001-1008.
- Soorani-Lunsing RJ, van Spronsen FJ, Stolte-Dijkstra I, Wanders RJA, Ferdinandusse S, Waterham HR, Poll-The BT, Rake JP. Normal very-long-chain fatty acids in peroxisomal D-bifunctional protein deficiency: A diagnostic pitfall. *J Inher Metab Dis* 2005; (29): 1172-1174.
- Spaan AN, IJlst L, van Roermund CWT, Wijburg FA, Wanders RJA, Waterham HR. Identification of the human mitochondrial FAD transporter and its potential role in multiple acyl-CoA dehydrogenase deficiency. *Mol Genet Metab* 2005; (86): 441-447.
- Spaapen LJ, Bakker JA, van der Meer SB, Sijstermans HJ, Steet RA, Wevers RA, Jaeken J. Clinical and biochemical presentation of siblings with COG-7 deficiency, a lethal multiple O- and N-glycosylation disorder. *J Inher Metab Dis*. 2005; 28 (5): 707-14.
- Spiekerkoetter U, Tokunaga C, Wendel U, Mayatepek E, IJlst L, Vaz FM, van Vlies N, Overmars H, Duran M, Wijburg FA, Wanders RJA, Strauss AW. Tissue carnitine homeostasis in very-long-chain acyl-CoA dehydrogenase-deficient mice. *Pediatr Res* 2005; (57): 760-764.
- van Straaten HLM, van Tintelen JP, Trijbels JMF, van den Heuvel LP, Troost D, Rozemuller JM, Duran M, de Vries LS, Schuelke M, Barth PG. Neonatal lactic acidosis, complex I/IV deficiency, and fetal cerebral disruption. *Neuropediatrics* 2005; (36): 193-199.
- Struys EA, Korman SH, Salomons GS, Darmin PS, Achouri Y, van Schaftingen E, Verhoeven NM, Jakobs C. Mutations in phenotypically mild D-2-hydroxyglutaric aciduria. *Ann Neurol*. 2005 Oct; 58 (4): 626-30.
- Struys EA, Verhoeven NM, ten Brink HJ, Wickenhagen WV, Gibson KM, Jakobs C. Kinetic characterization of human hydroxyacid-oxoacid transhydrogenase: relevance to D-2-hydroxyglutaric and gamma-hydroxybutyric acidurias. *J Inher Metab Dis* 2005; 28 (6): 921-30.
- Valianpour F, Mitsakos V, Schlemmer D, Towbin JA, Taylor JM, Ekert PG, Thorburn DR, Munnich A, Wanders RJ, Barth PG, Vaz FM. Monolysocardiolipins accumulate in Barth syndrome but do not lead to enhanced apoptosis. *J Lipid Res*. 2005 Jun; 46 (6): 1182-95.
- Ventura FV, Ruiter JPN, IJlst L, Tavares d'Almeida I, Wanders RJA. Differential inhibitory effect of long-chain acyl-CoA esters on succinate and glutamate transport into rat liver mitochondria and its possible implications for long-chain fatty acid oxidation defects. *Mol Genet Metab* 2005; (86): 344-352.
- Verhoeven NM, Salomons GS, Jakobs C. Laboratory diagnosis of defects of creatine biosynthesis and transport. *Clin Chim Acta*. 2005 Nov; 361 (1-2): 1-9.

Verhoeven NM, Wallot M, Huck JH, Dirsch O, Ballauf A, Neudorf U, Salomons GS, van der Knaap MS, Voit T, Jakobs C. A newborn with severe liver failure, cardiomyopathy and transaldolase deficiency. *J Inherit Metab Dis.* 2005; 28 (2): 169-79.

Vilarinho L, Cardoso ML, Gaspar P, Barbot C, Azevedo L, Diogo L, Santos M, Carrilho I, Fineza I, Kok F, Chorao R, Alegria P, Martins E, Teixeira J, Cabral Fernandes H, Verhoeven NM, Salomons GS, Santorelli FM, Cabral P, Amorim A, Jakobs C. Novel L2HGDH mutations in 21 patients with L-2-hydroxyglutaric aciduria of Portuguese origin. *Hum Mutat.* 2005 Oct; 26 (4): 395-6.

Visser WF, van Roermund CWT, IJlst L, Hellingwerf KJ, Wanders RJA, Waterham HR. Demonstration and characterization of phosphate transport in mammalian peroxisomes. *Biochem J* 2005; (389): 717-722.

Vlies van N, Tian L, Overmars H, Bootsma AH, Kulik W, Wanders RJA, Wood PA, Vaz FM. Characterization of carnitine and fatty acid metabolism in the long-chain acyl-CoA dehydrogenase-deficient mouse. *Biochem J* 387 (2005) 185-193.

Voermans NC, Lammens M, Hermus AR, Wevers RA, van Engelen BG. Statin-disclosed acid maltase deficiency. *J Int Med* 2005; 258:196-197.

Wamelink MM, Smith DE, Jakobs C, Verhoeven NM. Analysis of polyols in urine by liquid chromatography-tandem mass spectrometry: a useful tool for recognition of inborn errors affecting polyol metabolism. *J Inherit Metab Dis.* 2005; 28 (6): 951-63.

Wamelink MM, Struys EA, Huck JH, Roos B, van der Knaap MS, Jakobs C, Verhoeven NM. Quantification of sugar phosphate intermediates of the pentose phosphate pathway by LC-MS/MS: application to two new inherited defects of metabolism. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2005 Aug 25; 823 (1): 18-25.

Wanders RJA, Waterham HR. Peroxisomal disorders I: biochemistry and genetics of peroxisome biogenesis disorders. *Clin Genet* 2005; 67:107-133.

Wevers RA, Engelke UF The magician from Transsylvania; on the use of proton NMR spectroscopy in the clinical chemistry laboratory. *Ned Tijdschr Klin Chem Labgeneesk* 2005; 30: 272-275.

Willemse MAAP, Mavinkurve-Groothuis AMC, Wevers RA, Rotteveel JJ, Jakobs C. Pipecolic acid: a diagnostic marker in pyridoxine-dependent epilepsy *Ann Neurol*; 2005; 58 (4): 653.

Willemse MAAP, Wevers RA, Verbeek MM. Cerebral folate deficiency syndrome. *N Eng J Med* 2005; 353; 7: 740.

Wilmer MJ, de Graaf-HessA, Blom HJ, Dijkman HB, Monnens LA, van den Heuvel LP, Levchenko EN. Elevated oxidized glutathione in cystinotic proximal tubular epithelial cells. *Biochem Biophys Res Commun.* 2005 Nov 18; 337: 610-14.

Wopereis S, Morava E, Gruenewald S, Adamowicz M, Huijben KMLC, Lefeber DJ, Wevers RA. Patients with unsolved Congenital Disorders of Glycosylation type II can be subdivided in six distinct biochemical groups. *Glycobiology* 2005; 15, 12: 1312-1319.

Wopereis S, Morava E, Grünwald S, Mills PB, Winchester BG, Clayton P, Coucke P, Huijben KMLC, Wevers RA. A combined defect in the biosynthesis of N- and O-glycans in patients with cutis laxa and neurological involvement: the biochemical characteristics. *Biochim Biophys Acta* 2005; 1741 (1-2): 156-64.

Zha S, Ferdinandusse S, Hicks JL, Denis SW, Dunn TA, Wanders RJA, Luo J, de Marzo AM, Isaacs WB. Peroxisomal branched chain fatty acid beta-oxidation pathway is upregulated in prostate cancer. *The Prostate* 2005; 63:316-323.

Klinisch: Gynaecologie / obstetrie / perinatologie

Afman LA, Blom HJ, Drittij MJ, Brouns MR, van Straaten HW. Inhibition of transmethylation disturbs neurulation in chick embryos. *Brain Res Dev Brain Res* 2005 8; 158:59-65.

van den Berg A, van Elburg RM, Teerlink T, Lafeber HN, Twisk JW, Fetter WP. A randomized controlled trial of enteral glutamine supplementation in very low birth weight infants: plasma amino acid concentrations. *J Pediatr Gastroenterol Nutr.* 2005 Jul; 41 (1): 66-71.

Brouns MR, Afman LA, Vanhauten BA, Hekking JW, Kohler ES, Straaten HW. Morphogenetic movements during cranial neural tube closure in the chick embryo and the effect of homocysteine *Anat Embryol* 2005; 210:81-90.

Chim SS, Tong YK, Chiu RW, Lau TK, Leung TN, Chan LY, Oudejans CB, Ding C, Lo YM. Detection of the placental epigenetic signature of the maspin gene in maternal plasma. *Proc Natl Acad Sci U S A.* 2005 Oct 11; 102 (41): 14753-8.

van Dijk M, Mulders J, Poutsma A, Konst AA, Lachmeijer AM, Dekker GA, Blankenstein MA, Oudejans CB. Maternal segregation of the Dutch preeclampsia locus at 10q22 with a new member of the winged helix gene family. *Nat Genet.* 2005 May; 37 (5): 514-9.

van Dormaël PD, Duk MJ, Wielders JPM. Zon uit een pilletje. *Ned Tijdschrift voor Obstetrie & Gynaecologie* 2005; 118.

Go AT, Hupkes HW, Lomecky M, Twisk J, Blankenstein MA, van Vugt JM. Evaluation of a programme for the prenatal screening for Down's syndrome by ultrasonographic nuchal translucency measurement and serum determinations in the first trimester of pregnancy. *Ned Tijdschr Geneeskd.* 2005 Dec 10; 149 (50): 2795-9.

Janssens PM, Dunselman GA, Simons AH, Kloosterman MD. The Dutch law on artificial-insemination donor data: content and consequences. *Ned Tijdschr Geneeskd.* 2005 Jun 18; 149 (25): 1412-6.

Janssens PMW, Blokzijl E. Semenbewerking in het laboratorium: tijd telt. *Ned Tijdschr Klin Chem Labgeneesk.* 2005; 30: 260-262.

Janssens PMW, Blokzijl E. Tijd voor verscherping van de eisen voor semenbewerking in vitro? *Ned Tijdschr Geneeskd.* 2005; 149: 2254.

Janssens PMW, Dunselman GAJ, Simons AHM, Kloosterman MD. Ontstaansgeschiedenis van de Wet donorgegevens kunstmatige bevruchtting. *Ned Tijdschr Obstet Gynaecol.* 2005; 118: 196-200.

Janssens PMW. De wet donorgegevens kunstmatige bevruchtting: eliminatie van een probleem, maar dilemma's blijven. *Tijdschr Gezondheidsrecht.* 2005; 5: 399-403.

Keijzer-Veen MG, Finken MJ, Nauta J, Dekker FW, Hille ET, Frölich M, Wit JM, van der Heijden AJ. Dutch POPS-19 Collaborative Study Group. Is blood pressure increased 19 years after intrauterine growth restriction and preterm birth? A prospective follow-up study in The Netherlands. *Pediatrics* 2005 Sep; 116 (3): 725-31.

Manten GT, van der Hoek YY, Marko Sikkema J, Voorbij HA, Hameeteman TM, Visser GH, Franx A. The role of lipoprotein (a) in pregnancies complicated by pre-eclampsia. *Med Hypotheses* 2005; 64 (1): 162-9.

- Manten GT, Voorbij HA, Hameeteman TM, Visser GH, Franx A. Lipoprotein (a) in pregnancy: a critical review of the literature. *Eur J Obstet Gynecol Reprod Biol.* 2005 Sep 1; 122 (1): 13-21.
- Roes EM, Raijmakers MTM, Roelofs HMJ, Peters WHM, Steegers EAP. Urinary GSTP1-1 excretion is markedly increased in normotensive pregnancy as well as in preeclampsia. *J Nephrol.* 2005 Jul-Aug; 18 (4): 405-8.
- Roes EM, Sieben R, Raijmakers MTM, Peters WHM, Steegers EAP. Severe preeclampsia is associated with a positive family history of hypertension and hypercholesterolemia. *Hypertens Pregnancy.* 2005; 24 (3): 259-71.
- Smeenk JM, Verhaak CM, Vingerhoets AJ, Sweep CG, Merkus JM, Willemse SJ, van Minnen A, Straatman H, Braat DD. Stress and outcome success in IVF: the role of self-reports and endocrine variables. *Hum Reprod.* 2005 Apr; 20 (4): 991-6.
- van Trommel NE, Massuger LF, Verheijen RH, Sweep FC, Thomas CM. The curative effect of a second curettage in persistent trophoblastic disease: a retrospective cohort survey. *Gynecol Oncol.* 2005 Oct; 99 (1): 6-13.
- van Trommel NE, Sweep FC, Schijf CP, Massuger LF, Thomas CM. Diagnosis of hydatidiform mole and persistent trophoblastic disease: diagnostic accuracy of total human chorionic gonadotropin (hCG), free hCG alpha- and beta-subunits, and their ratios. *Eur J Endocrinol.* 2005 Oct; 153 (4): 565-75.
- Wijnands MJN, Sancken U, Pandian R, Van den Ouwendijk JW, Bruijn de HWA, Holm JP, Mantingh A. Invasive trophoblast antigen (hyperglycosylated human chorionic gonadotropin) as a first-trimester serum marker for Down syndrome. *Clin Chem.* 2005; 51 (7): 1276-9.
- Zusterzeel PLM, te Morsche RHM, Raijmakers MTM, Roes EM, Peters WHP, Steegers-Theunissen RPM, Steegers EAP. N-acetyl-transferase phenotype and risk for preeclampsia. *Am J Obstet Gynecol.* 2005 Sep; 193 (3 Pt 1): 797-802.
- ### Klinisch: Hart- en vaatziekten
- van der A DL, Grobbee DE, Roest M, Marx JJ, Voorbij HA, van der Schouw YT. Serum ferritin is a risk factor for stroke in postmenopausal women. *Stroke.* 2005 Aug; 36 (8): 1637-41.
- Beishuizen A, Hartemink KJ, Vermes I, Groeneveld AJ. Circulating cardiovascular markers and mediators in acute illness: an update. *Clin Chim Acta.* 2005 Apr; 354 (1-2): 21-34.
- Biro E, Akkerman JW, Hoek FJ, Gorter G, Pronk LM, Sturk A, Nieuwland R. The phospholipid composition and cholesterol content of platelet-derived microparticles: a comparison with platelet membrane fractions. *J Thromb Haemost.* 2005 Dec; 3 (12): 2754-63.
- de Bree A, van der Put NMJ, Mennen LI, Verschuren WMM, Blom HJ, Galan P, Bates CJ, Herrmann W, Ullrich M, Dierkes J, Westphal S, Bouter LM, Heine RJ, Stehouwer CDA, Dekker JM, Nijpels GN, Araujo F, Cunha-Ribeiro LM, Refsum H, Vollset S, Nygard O, Uel PM. Prevalences of hyperhomocysteinemia, unfavorable cholesterol profile and hypertension in European populations. *Eur J Clin Nutr.* 2005; 59: 480-488.
- Bultink IE, Teerlink T, Heijst JA, Dijkmans BA, Voskuyl AE. Raised plasma levels of asymmetric dimethylarginine are associated with cardiovascular events, disease activity, and organ damage in patients with systemic lupus erythematosus. *Ann Rheum Dis.* 2005 Sep; 64 (9): 1362-5.
- Castro R, Rivera I, Martins C, Struys EA, Jansen EEW, Clode N, Graça LM, Blom, HJ, Jakobs C, Tavares de Almeida I. Intracellular S-adenosylhomocysteine increased levels are associated with DNA hypomethylation in HUVEC. *J Mol Med.* 2005; 83: 831-6.
- Gellekink H, den Heijer M, Heil SG, Blom HJ. Genetic determinants of plasma total homocysteine. *Seminars in Vascular Medicine.* 2005; 5: 98-109.
- Heil DSG, Trijbels JMF, Blom HJ. De rol van hyperhomocysteïne in endotheel-afhankelijke vaatverwijding. *Ned Tijdschr Klin Chem Labgeneesk.* 2005; 30: 203-7.
- Heil SG, de Vries AS, Kluijtmans LAJ, Dijkman H, van Strien D, Akkers R, Blom HJ. Cytochrome P450-2C11 mRNA is not expressed in endothelial cells dissected from rat renal arterioles. *Nephron Physiol.* 2005; 99: 43-49.
- van Himbergen TM, van Tits LJ, Voorbij HA, de Graaf J, Stalenhoef AF, Roest M. The effect of statin therapy on plasma high-density lipoprotein cholesterol levels is modified by paraoxonase-1 in patients with familial hypercholesterolemia. *J Intern Med.* 2005 Nov; 258 (5): 442-9.
- van Himbergen TM, van Tits LJ, Hectors MP, de Graaf J, Roest M, Stalenhoef AF. Paraoxonase-1 and linoleic acid oxidation in familial hypercholesterolemia. *Biochem Biophys Res Commun.* 2005 Aug 5; 333 (3): 787-93.
- Holm PI, Ueland PM, Vollset SE, Midttun Ø, Blom HJ, Keijzer MBAJ, den Heijer M. Betaine and folate status as cooperative determinants of plasma homocysteine in humans. *Arterioscler Thromb Vasc Biol.* 2005; 25: 379-385.
- Hommels MJ, van der Ven AJ, Kroon AA, Kessels AG, van Dieijken-Visser MP, van Engelshoven JA, Bruggeman CA, de Leeuw PW. C-reactive protein, atherosclerosis and kidney function in hypertensive patients. *J Hum Hypertens.* 2005 Jul; 19 (7): 521-6.
- de Jager J, Kooy A, Lehert P, Bets D, Wulffele MG, Teerlink T, Scheffer PG, Schalkwijk CG, Donker AJ, Stehouwer CD. Effects of short-term treatment with metformin on markers of endothelial function and inflammatory activity in type 2 diabetes mellitus: a randomized, placebo-controlled trial. *J Intern Med.* 2005 Jan; 257 (1): 100-9.
- Lases EC, Schepens MA, Haas FJ, Aarts LP, ter Beek HT, van Dongen EP. Clinical prospective study of biochemical markers and evoked potentials for identifying adverse neurological outcome after thoracic and thoracoabdominal aortic aneurysm surgery. *Br J Anaesth.* 2005 Nov; 95 (5): 651-61.
- Leivadaros E, van der Velden U, Bizzarro S, ten Heggeler JM, Gerdes VE, Hoek FJ, Nagy TO, Scholma J, Bakker SJ, Gans RO, ten Cate H, Loos BG. A pilot study into measurements of markers of atherosclerosis in periodontitis. *J Periodontol.* 2005 Jan; 76 (1): 121-8.
- Malagon I, Hogenbirk K, van Pelt J, Hazekamp MG, Bovill JG. Effect of dexamethasone on postoperative cardiac troponin T production in pediatric cardiac surgery. *Intensive Care Med.* 2005 Oct; 31 (10): 1420-6.
- Malagon I, Hogenbirk K, van Pelt J, Hazekamp MG, Bovill JG. Effect of three different anaesthetic agents on the postoperative production of cardiac troponin T in paediatric cardiac surgery. *Br J Anaesth.* 2005 Jun; 94 (6): 805-9.
- Michielsen EC, Diris JH, Hackeng CM, Wodzig WK, Van Dieijken-Visser MP. Highly sensitive immunoprecipitation method for extracting and concentrating low-abundance proteins from human serum. *Clin Chem.* 2005 Jan; 51 (1): 222-4.

- Michielsen ECHJ, Donners MMPC, Daeneb MJAP, Wodzig KWH, Heeneman S, van Diejen-Visser MP. SELDI-TOF proteomic profiles to predict atherosclerotic plaque rupture. *Ned Tijdschr Klin Chem Labgeneesk* 2005; 30: 294-295.
- Moesgaard SG, Pedersen LG, Teerlink T, Haggstrom J, Pedersen HD. Neurohormonal and circulatory effects of short-term treatment with enalapril and quinapril in dogs with asymptomatic mitral regurgitation. *J Vet Intern Med.* 2005 Sep-Oct; 19 (5): 712-9.
- Moons AH, van der Zee PM, Bholasingh R, Sturk A, Hack CE, Meijers JC, Kamp O, Cornel JH, Peters RJ, de Winter RJ. The value of haemostatic markers in the triage of patients with chest pain presenting with a normal or non-diagnostic ECG. *Heart.* 2005 Sep; 91 (9): 1215-6.
- Nanayakkara PW, Teerlink T, Stehouwer CD, Allajar D, Spijkerman A, Schalkwijk C, ter Wee PM, van Guldener C. Plasma asymmetric dimethylarginine (ADMA) concentration is independently associated with carotid intima-media thickness and plasma soluble vascular cell adhesion molecule-1 (sVCAM-1) concentration in patients with mild-to-moderate renal failure. *Kidney Int.* 2005 Nov; 68 (5): 2230-6.
- Pelsers MM, Hermens WT, Glatz JF. Performance of FABP as plasma marker of tissue injury. *Clin Chim Acta.* 2005 Feb; 352 (1-2): 15-35.
- Prins HA, Gosselink MP, Mitaes LE, Buise MP, Teerlink T, Esser C, Schouten WR. The effect of oral administration of L-arginine on anal resting pressure and anodermal blood flow in healthy volunteers. *Tech Coloproctol.* 2005 Dec; 9 (3): 229-33.
- Roest M, Jansen AC, Barendrecht A, Leus FR, Kastelein JJ, Voorbij HA. Variation at the paraoxonase gene locus contributes to carotid arterial wall thickness in subjects with familial hypercholesterolemia. *Clin Biochem.* 2005 Feb; 38 (2): 123-7.
- Scheffer PG, Teerlink T, Heine RJ. Clinical significance of the physicochemical properties of LDL in type 2 diabetes. *Diabetologia.* 2005 May; 48 (5): 808-16.
- Schindhelm RK, Diamant M, Bakker SJ, van Dijk RA, Scheffer PG, Teerlink T, Kostense PJ, Heine RJ. Liver alanine aminotransferase, insulin resistance and endothelial dysfunction in normotriglyceridaemic subjects with type 2 diabetes mellitus. *Eur J Clin Invest.* 2005 Jun; 35 (6): 369-74.
- Schnog JB, Teerlink T, van der Dijs FP, Duits AJ, Muskiet FA. CURAMA Study Group. Plasma levels of asymmetric dimethylarginine (ADMA), an endogenous nitric oxide synthase inhibitor, are elevated in sickle cell disease. *Ann Hematol.* 2005 May; 84 (5): 282-6.
- Siroen MP, van der Sijp JR, Teerlink T, van Schaik C, Nijveldt RJ, van Leeuwen PA. The human liver clears both asymmetric and symmetric dimethylarginine. *Hepatology* 2005 Mar; 41 (3): 559-65.
- Siroen MP, van Leeuwen PA, Nijveldt RJ, Teerlink T, Wouters PJ, Van den Berghe G. Modulation of asymmetric dimethylarginine in critically ill patients receiving intensive insulin treatment: a possible explanation of reduced morbidity and mortality? *Crit Care Med.* 2005 Mar; 33 (3): 504-10.
- Soedamah-Muthu SS, Chaturvedi N, Teerlink T, Idzior-Walus B, Fuller JH, Stehouwer CD; Eurodiab Prospective Complications Study Group. Plasma homocysteine and microvascular and macrovascular complications in type 1 diabetes: a cross-sectional nested case-control study. *J Intern Med.* 2005 Nov; 258 (5): 450-9.
- Sommeijer DW, Joop K, Leyte A, Reitsma PH, ten Cate H. Pravastatin reduces fibrinogen receptor gpIIIa on platelet-derived microparticles in patients with type 2 diabetes. *J Thromb Haemost.* 2005 Jun; 3 (6): 1168-71.
- Spijkerman AM, Smulders YM, Kostense PJ, Henry RM, Becker A, Teerlink T, Jakobs C, Dekker JM, Nijpels G, Heine RJ, Bouter LM, Stehouwer CD. S-adenosylmethionine and 5-methyltetrahydrofolate are associated with endothelial function after controlling for confounding by homocysteine: the Hoorn Study. *Arterioscler Thromb Vasc Biol.* 2005 Apr; 25 (4): 778-84.
- Teerlink T. ADMA metabolism and clearance. *Vasc Med.* 2005 Jul; 10 Suppl 1: S73-81.
- van Tellingen A, Schalkwijk CG, Teerlink T, Barto R, Grooteman MP, van der Ploeg T, ter Wee PM, Nube MJ. Influence of different haemodialysis modalities on AGE peptide levels: intradialytic versus long-term results. *Nephron Clin Pract.* 2005; 100 (1): c1-7.
- Thijssen MA, Hornstra G, Mensink RP. Stearic, oleic, and linoleic acids have comparable effects on markers of thrombotic tendency in healthy human subjects. *J Nutr.* 2005 Dec; 135 (12): 2805-11.
- Thijssen MA, Malpuech-Brugere C, Gregoire S, Chardigny JM, Sebedio JL, Mensink RP. Effects of specific CLA isomers on plasma fatty acid profile and expression of desaturases in humans. *Lipids.* 2005 Feb; 40 (2): 137-45.
- Thijssen MA, Mensink RP. Fatty acids and atherosclerotic risk. *Handb Exp Pharmacol.* 2005; (170): 165-94.
- Thijssen MA, Mensink RP. Small differences in the effects of stearic acid, oleic acid, and linoleic acid on the serum lipoprotein profile of humans. *Am J Clin Nutr.* 2005 Sep; 82 (3): 510-6.
- Thijssen MAMA, Mensink RP. Effecten van vetzuren in de voeding op de totaal-, LDL- en HDL cholesterolconcentraties. *Ned Tijdschr Klin Chem Labgeneesk* 2005; 30: 199-203.
- Vainas T, Stassen FR, de Graaf R, Twiss EL, Herngreen SB, Welten RJ, van den Akker LH, van Diejen-Visser MP, Bruggeman CA, Kitslaar PJ. C-reactive protein in peripheral arterial disease: relation to severity of the disease and to future cardiovascular events. *J Vasc Surg.* 2005 Aug; 42 (2): 243-51.
- de Winter RJ, Windhausen F, Cornel JH, Dunselman PH, Janus CL, Bendermacher PE, Michels HR, Sanders GT, Tijssen JG, Verheugt FW. Invasive versus Conservative Treatment in Unstable Coronary Syndromes (ICTUS) Investigators. Early invasive versus selectively invasive management for acute coronary syndromes. *N Engl J Med.* 2005 Sep 15; 353 (11): 1095-104.
- van der Zee PM, Verberne HJ, van Straalen JP, Sanders GT, Van Eck-Smit BL, de Winter RJ, Fischer JC. Ischemia-modified albumin measurements in symptom-limited exercise myocardial perfusion scintigraphy reflect serum albumin concentrations but not myocardial ischemia. *Clin Chem.* 2005 Sep; 51 (9): 1744-6.

Klinisch: Hematologie

- Andrade Ferreira I, Akkerman JW. IRS-1 and vascular complications in diabetes mellitus. *Vitam Horm.* 2005; 70: 25-67.
- Badlou BA, IJsseldijk MJ, Smid WM, Akkerman JW. Prolonged platelet preservation by transient metabolic suppression. *Transfusion.* 2005 Feb; 45(2): 214-22.

ten Bert MJ, Huisman A, van den Bemt PMLA, Schobben AFAM, Egberts ACG, van Solinge WW. Database koppelt gegevens laboratorium en apotheek. Pharmaceutisch Weekblad 2005, 50, 1602-1604.

Biro E, Akkerman JW, Hoek FJ, Gorter G, Pronk LM, Sturk A, Nieuwland R. The phospholipid composition and cholesterol content of platelet-derived microparticles: a comparison with platelet membrane fractions. *J Thromb Haemost*. 2005 Dec; 3 (12): 2754-63.

Boonstra JG, Overbeeke MA, de Rijke YB, Duvekot JJ. A pregnant woman with irregular erythrocyte antibodies for whom no compatible packed red blood cells were available. *Ned Tijdschr Geneesk*. 2005 Nov 19; 149 (47): 2633-6.

Demir AY, Groothuis PG, Dunselman GA, Schurgers L, Evers JL, de Goeij AF. Molecular characterization of soluble factors from human menstrual effluent that induce epithelial to mesenchymal transitions in mesothelial cells. *Cell Tissue Res*. 2005 Nov; 322 (2): 299-311.

Demir AY, van Solinge WW, Kemperman H. Handling of and direct sampling from primary barcode-labeled pediatric tubes on Vitros clinical chemistry analyzers integrated into an enGen work cell. *Clin Chem*. 2005 May; 51 (5): 920-1.

Denis CV, Roberts SJ, Hackeng TM, Lenting PJ. In vivo clearance of human protein S in a mouse model: influence of C4b-binding protein and the Heerlen polymorphism. *Arterioscler Thromb Vasc Biol*. 2005 Oct; 25 (10): 2209-15.

Drayer AL, Boer AK, Los EL, Esselink MT, Vellenga E. Stem cell factor synergistically enhances thrombopoietin-induced STAT5 signaling in megakaryocyte progenitors through JAK2 and Src kinase. *Stem Cells*. 2005 Feb; 23 (2): 240-51.

Ferreira IA, Mocking AI, Urbanus RT, Varlack S, Wnuk M, Akkerman JW. Glucose uptake via glucose transporter 3 by human platelets is regulated by protein kinase B. *J Biol Chem*. 2005 Sep 23; 280 (38): 32625-33. Epub 2005 Jul 26.

van Himbergen TM, Roest M, de Graaf J, Jansen EH, Hattori H, Kastelein JJ, Voorbij HA, Stalenhoef AF, van Tits LJ. Indications that paraoxonase-1 contributes to plasma high density lipoprotein levels in familial hypercholesterolemia. *J Lipid Res*. 2005 Mar; 46 (3): 445-51.

van Himbergen TM, van Tits LJ, Voorbij HA, de Graaf J, Stalenhoef AF, Roest M. The effect of statin therapy on plasma high-density lipoprotein cholesterol levels is modified by paraoxonase-1 in patients with familial hypercholesterolemia. *J Intern Med*. 2005 Nov; 258 (5): 442-9.

Hulstein JJ, de Groot PG, Silence K, Veyradier A, Fijnheer R, Lenting PJ. A novel nanobody that detects the gain-of-function phenotype of von Willebrand factor in ADAMTS13 deficiency and von Willebrand disease type 2B. *Blood*. 2005 Nov 1; 106 (9): 3035-42.

Jacobs EM, Meulendijks CF, Elving L, van der Wilt GJ, Swinkels DW. Impact of the introduction of a guideline on the targeted detection of hereditary haemochromatosis. *Neth J Med*. 2005 Jun; 63 (6): 205-14.

Jansen FH, van der Straaten HM, Roest M, Haas F, de Groot PG, Fijnheer R. Elevated levels of D-dimer and fragment 1+2 upon central venous catheter insertion and factor V Leiden predict subclavian vein thrombosis. *Haematologica*. 2005 Apr; 90 (4): 499-504.

Koop EA, Gebbink MF, Sweeney TE, Mathy MJ, Heijnen HF, Spaan JA, Voest EE, VanBavel E, Peters SL. Impaired flow-induced dilation in mesenteric resistance arteries from receptor protein tyrosine phosphatase-mu-deficient mice. *Am J Physiol Heart Circ Physiol*. 2005 Mar; 288 (3): H1218-23.

Korporaal SJ, Gorter G, van Rijn HJ, Akkerman JW. Effect of oxidation on the platelet-activating properties of low-density lipoprotein. *Arterioscler Thromb Vasc Biol*. 2005 Apr; 25 (4): 867-72.

Lam MG, Lips CJ, Jager PL, Dullaart RP, Lentjes EG, van Rijk PP, de Klerk JM. Repeated [131I]metaiodobenzylguanidine therapy in two patients with malignant pheochromocytoma. *J Clin Endocrinol Metab*. 2005 Oct; 90 (10): 5888-95.

Lentjes EGWM. Externe kwaliteitsbewaking van PSA. *Nederlands Tijdschrift voor Klinische Chemie*, 2005; 30, 19-21.

van Lier M, Lee F, Farndale RW, Gorter G, Verhoef S, Ohno-Iwashita Y, Akkerman JW, Heijnen HF. Adhesive surface determines raft composition in platelets adhered under flow. *J Thromb Haemost*. 2005 Nov; 3 (11): 2514-25.

Linn FH, Voorbij HA, Rinkel GJ, Algra A, van Gijn J. Visual inspection versus spectrophotometry in detecting bilirubin in cerebrospinal fluid. *J Neurol Neurosurg Psychiatry*. 2005 Oct; 76 (10): 1452-4.

Litjens PE, Van Willigen G, Weeterings C, Ijsseldijk MJ, Van Lier M, Koivunen E, Gahmberg CG, Akkerman JW. A tripeptide mimetic of von Willebrand factor residues 981-983 enhances platelet adhesion to fibrinogen by signaling through integrin alpha(IIb)beta3. *J Thromb Haemost*. 2005 Jun; 3 (6): 1274-83.

Luken BM, Turenhout EA, Hulstein JJ, Van Mourik JA, Fijnheer R, Voorberg J. The spacer domain of ADAMTS13 contains a major binding site for antibodies in patients with thrombotic thrombocytopenic purpura. *Thromb Haemost*. 2005 Feb; 93 (2): 267-74.

Malingre M, Ververs T, Bos S, van Kesteren C, van Rijn H. Alcohol swabs and venipuncture in a routine hospital setting: no effect on blood ethanol measurement. *Ther Drug Monit*. 2005 Jun; 27 (3): 403-4.

Manten GT, van der Hoek YY, Marko Sikkema J, Voorbij HA, Hameeteman TM, Visser GH, Franx A. The role of lipoprotein (a) in pregnancies complicated by pre-eclampsia. *Med Hypotheses*. 2005; 64 (1): 162-9.

Manten GT, Voorbij HA, Hameeteman TM, Visser GH, Franx A. Lipoprotein (a) in pregnancy: a critical review of the literature. *Eur J Obstet Gynecol Reprod Biol*. 2005 Sep 1; 122 (1): 13-21.

Marx PF, Havik SR, Bouma BN, Meijers JC. Role of isoleucine residues 182 and 183 in thrombin-activatable fibrinolysis inhibitor. *J Thromb Haemost*. 2005 Jun; 3 (6): 1293-300.

Meijer E, Spijkers S, Moschatsis S, Boland GJ, Thijssen SF, van Loon AM, Verdonck LF. Active Epstein-Barr virus infection after allogeneic stem cell transplantation: re-infection or reactivation? *Transpl Infect Dis*. 2005 Mar; 7 (1): 4-10.

van Putte BP, Huisman A, Hendriks JM, van Schil PE, van Boven WJ, Schramel F, Nijkamp F, Folkerts G. Pulmonary intravascular volume can be used for dose calculation in isolated lung perfusion. *Eur J Cardiothorac Surg*. 2005 Oct; 28 (4): 594-8.

Raat NJ, Berends F, Verhoeven AJ, de Korte D, Ince C. The age of stored red blood cell concentrates at the time of transfusion. *Transfus Med*. 2005 Oct; 15 (5): 419-23.

Roest M, Jansen AC, Barendrecht A, Leus FR, Kastelein JJ, Voorbij HA. Variation at the paraoxonase gene locus contributes to carotid arterial wall thickness in subjects with familial hypercholesterolemia. *Clin Biochem*. 2005 Feb; 38 (2): 123-7.

- Schooten CJ, Tjernberg P, Westein E, Terraube V, Castaman G, Mourik JA, Hollestelle MJ, Vos HL, Bertina RM, Berg HM, Eikenboom JC, Lenting PJ, Denis CV. Cysteine-mutations in von Willebrand factor associated with increased clearance. *J Thromb Haemost*. 2005 Oct; 3 (10): 2228-37.
- Schutgens RE, Beckers MM, Haas FJ, Biesma DH. The predictive value of D-dimer measurement for cancer in patients with deep vein thrombosis. *Haematologica*. 2005 Feb; 90 (2): 214-9.
- Schutgens RE, Haas FJ, Biesma DH. Reduced efficacy of clinical probability score and D-dimer assay in elderly subjects suspected of having deep vein thrombosis. *Br J Haematol*. 2005 Jun; 129 (5): 653-7.
- van Solinge WW. Enzymes Tietz Textbook of Clinical Chemistry and Molecular Diagnostics, Elsevier Saunders, 2005, pp. 597-643.
- Stork AD, Kemperman H, Erkelens DW, Veneman TF. Comparison of the accuracy of the HemoCue glucose analyzer with the Yellow Springs Instrument glucose oxidase analyzer, particularly in hypoglycemia. *Eur J Endocrinol*. 2005 Aug; 153 (2): 275-81.
- Vermeer HJ, Ypma P, van Strijen MJ, Muradin AA, Hudig F, Jansen RW, Wijermans PW, Gerrits WB. Exclusion of venous thromboembolism: evaluation of D-Dimer PLUS for the quantitative determination of D-dimer. *Thromb Res*. 2005; 115 (5): 381-6.
- Visser LE, van Schaik RH, van Vliet M, Trienekens PH, De Smet PA, Vulto AG, Hofman A, van Duijn CM, Stricker BH. Allelic variants of cytochrome P450 2C9 modify the interaction between nonsteroidal anti-inflammatory drugs and coumarin anticoagulants. *Clin Pharmacol Ther*. 2005 Jun; 77 (6): 479-85.
- de Vooght KM, van Wijk R, van Oirschot BA, Rijken G, van Solinge WW. Pyruvate kinase regulatory element 1 (PKR-RE1) mediates hexokinase gene expression in K562 cells. *Blood Cells Mol Dis*. 2005 Mar-Apr; 34 (2): 186-90.
- Vroonhof K, van Solinge WW, Rovers MM, Huisman A. Differences in mortality on the basis of laboratory parameters in an unselected population at the Emergency Department. *Clin Chem Lab Med*. 2005; 43 (5): 536-41.
- van Wijk R, van Solinge WW. The energy-less red blood cell is lost: erythrocyte enzyme abnormalities of glycolysis. *Blood*. 2005 Dec 15; 106 (13): 4034-42.
- ### Klinisch: Interne geneeskunde
- Bartels PCM, Schoorl M, Schoorl M. Activatie van stolling tijdens hemodialyse is afhankelijk van de wijze van antistolling. *Ned Tijdschr Klin Chem Labgeneesk* 2005; 30: 282-284.
- Boer AK, Kroese J. Necrotiserende pancreatitis door zwangerschap en een heterozygote lipoproteïnelipasedeficiëntie. *Ned Tijdschr Klin Chem Labgeneesk* 2005; 30: 263-266.
- Bouwman LH, Eerlich P, Terpstra OT, Daha MR, de Knijff P, Ballieux BE, Bruining GJ, van der Slik AR, Roos A, Roep BO. Elevated levels of mannose-binding lectin at clinical manifestation of type 1 diabetes in juveniles. *Diabetes*. 2005 Oct; 54 (10): 3002-6.
- Bouwman LH, Roos A, Terpstra OT, de Knijff P, van Hoek B, Verspaget HW, Berger SP, Daha MR, Frölich M, van der Slik AR, Doxiadis II, Roep BO, Schaapherder AF. Mannose binding lectin gene polymorphisms confer a major risk for severe infections after liver transplantation. *Gastroenterology*. 2005 Aug; 129 (2): 408-14.
- Gilissen LP, Bierau J, Derijks LJ, Bos LP, Hooymans PM, van Gennip A, Stockbrugger RW, Engels LG. The pharmacokinetic effect of discontinuation of mesalazine on mercaptopurine metabolite levels in inflammatory bowel disease patients. *Aliment Pharmacol Ther*. 2005 Oct 1; 22 (7): 605-11.
- Groeneveld GJ, Beijer C, Veldink JH, Kalmijn S, Wokke JH, van den Berg LH. Few adverse effects of long-term creatine supplementation in a placebo-controlled trial. *Int J Sports Med*. 2005 May; 26 (4): 307-13.
- Hesselink DA, van Gelder T, van Schaik RH. The pharmacogenetics of calcineurin inhibitors: one step closer toward individualized immunosuppression? *Pharmacogenomics*. 2005 Jun; 6 (4): 323-337.
- Hesselink DA, van Schaik RHN, Weimar W, van Gelder T Tacrolimus, but not cyclosporine dose requirement is correlated with genetic polymorphisms in the CYP3A4 and CYP3A5 genes. *Daniel den Hoed Cancer News*, May 2005: 26-28.
- Jansen TLTA, van Houte D, de Vries T, Wolthuis A. ANCA seropositivity in HIV, a serological pitfall. *Neth J Med*. 2005; 63 (7): 270-4.
- Jazet IM, Pijl H, Frölich M, Romijn JA, Meinders AE. Two days of a very low calorie diet reduces endogenous glucose production in obese type 2 diabetic patients despite the withdrawal of blood glucose-lowering therapies including insulin. *Metabolism*. 2005 Jun; 54 (6): 705-12.
- Jazet IM, Pijl H, Frölich M, Schoemaker RC, Meinders AE. Factors predicting the blood glucose lowering effect of a 30-day very low calorie diet in obese Type 2 diabetic patients. *Diabet Med*. 2005 Jan; 22 (1): 52-5.
- van Kampen CA, van de Linde P, Duinkerken G, van Schip JJ, Roelen DL, Keymeulen B, Pipeleers DG, Claas FH, Roep BO. Alloreactivity against repeated HLA mismatches of sequential islet grafts transplanted in non-uremic type 1 diabetes patients. *Transplantation*. 2005 Jul 15; 80(1):118-26.
- Keijzer-Veen MG, Schrevel M, Finken MJ, Dekker FW, Nauta J, Hille ET, Frölich M, van der Heijden BJ; Dutch POPS-19 Collaborative Study Group. Microalbuminuria and lower glomerular filtration rate at young adult age in subjects born very premature and after intrauterine growth retardation. *J Am Soc Nephrol*. 2005 Sep; 16 (9): 2762-8.
- Kruit A, Ruven HJ, Grutters JC, van den Bosch JM. Angiotensin-converting enzyme 2 (ACE2) haplotypes are associated with pulmonary disease phenotypes in sarcoidosis patients. *Sarcoidosis Vasc Diffuse Lung Dis*. 2005 Oct; 22 (3): 195-203.
- van Lent PL, Span PN, Sloetjes AW, Radstake TR, van Lieshout AW, Heuvel JJ, Sweep CG, van den Berg WB. Expression and localisation of the new metalloproteinase inhibitor RECK (reversion inducing cysteine-rich protein with Kazal motifs) in inflamed synovial membranes of patients with rheumatoid arthritis. *Ann Rheum Dis*. 2005 Mar; 64 (3): 368-74.
- Mairuhu A, Setiati T, Koraka P, Hack C, Leyte A, Faradz S, Ten Cate H, Brandjes D, Osterhaus A, Reitsma P, van Gorp E. Increased PAI-1 plasma levels and risk of death from dengue: no association with the 4G/5G promoter polymorphism. *Thromb J*. 2005 Nov 7; 3: 17.
- van Rossum LK, Cransberg K, de Rijke YB, Zietse R, Lindemanns J, Vulto AG. Determination of inulin clearance by single injection or infusion in children. *Pediatr Nephrol*. 2005 Jun; 20 (6): 777-81.

Symersky T, Biemond I, Frölich M, Masclee AA. Effect of peptide YY on pancreatico-biliary secretion in humans. *Scand J Gastroenterol*. 2005 Aug; 40 (8): 944-9.

Vermont CL, den Brinker M, Kakeci N, de Kleijn ED, de Rijke YB, Joosten KF, de Groot R, Hazelzet JA. Serum lipids and disease severity in children with severe meningococcal sepsis. *Crit Care Med*. 2005 Jul;33(7):1610-5.

Klinisch: Neurologie / psychiatrie

Abulrob A, Sprong H, van Bergen en Henegouwen P, Stani-mirovic D. The blood-brain barrier transmigrating single domain antibody: mechanisms of transport and antigenic epitopes in human brain endothelial cells. *J Neurochem*. 2005 Nov; 95 (4): 1201-14.

Albronda T, Kootstra-Ros JE, Vollema MG, van der Weide J, Klaverwijken G. De waarde van genotypering bij de diagnostiek van de ziekte van Alzheimer. *Tijdschr Psychiatrie* 2005; 47: 199-208.

Boor PK, de Groot K, Waisfisz Q, Kamphorst W, Oudejans CB, Powers JM, Pronk JC, Scheper GC, van der Knaap MS. MLC1: a novel protein in distal astroglial processes. *J Neuropathol Exp Neurol*. 2005 May; 64 (5): 412-9.

Harteveld CL, Thelen MH, Rutten JJ, Leuverman J, Akkermans N, van Delft P, Arkesteijn S, Giordano PC. Hb Geldrop St. Anna [β 94(FG1)Asp --> Tyr]: a new hemoglobin variant observed in a diabetic patient. *Hemoglobin*. 2005; 29 (2): 107-12.

Janssen P, van der Weide J, Proost H, Graatsma H, Touw D. De rol van CYP. *Pharmaceutisch Weekblad* 2005; 37: 1132-1135.

Kootstra-Ros JE, Smallegoor W, van der Weide J. The cytochrome P450 CYP1A2 genetic polymorphisms *1F and *1D do not affect clozapine clearance in a group of schizophrenic patients. *Ann Clin Biochem*. 2005; 42:216-219.

Kootstra-Ros JE, van der Weide J. Detectie van cytochrom P450 2D6 *5-allel met behulp van multiplex-PCR. *Ned Tijdsch Klin Chem Labgeneesk*. 2005; 30: 125-127.

Lases EC, Schepens MA, Haas FJ, Aarts LP, ter Beek HT, van Dongen EP, Siegers HP, van der Tweel I, Boezeman EH. Clinical prospective study of biochemical markers and evoked potentials for identifying adverse neurological outcome after thoracic and thoracoabdominal aortic aneurysm surgery. *Br J Anaesth*. 2005 Nov; 95 (5): 651-61.

Linn FH, Voorbij HA, Rinkel GJ, Algra A, van Gijn J. Visual inspection versus spectrophotometry in detecting bilirubin in cerebrospinal fluid. *J Neurol Neurosurg Psychiatry*. 2005 Oct; 76 (10): 1452-4.

Mooijaart SP, Gussekloo J, Fröhlich M, Jolles J, Stott DJ, Westendorp RG, de Craen AJ. Homocysteine, vitamin B-12, and folic acid and the risk of cognitive decline in old age: the Leiden 85-Plus study. *Am J Clin Nutr*. 2005 Oct; 82 (4): 866-71.

Mulder C, Schoonenboom NS, Jansen EE, Verhoeven NM, van Kamp GJ, Jakobs C, Scheltens P. The transmethylation cycle in the brain of Alzheimer patients. *Neurosci Lett*. 2005 Sep 30; 386 (2): 69-71.

Mulder EJ, Anderson GM, Kema IP, Brugman AM, Ketelaars CE, de Bildt A, van Lang ND, den Boer JA, Minderaa RB. Serotonin transporter intron 2 polymorphism associated with rigid-compulsive behaviors in Dutch individuals with pervasive developmental disorder. *Am J Med Genet B Neuropsychiatr Genet*. 2005 Feb 5; 133 (1): 93-6.

Muntgewerff JW, Blom HJ. Aberrant folate status in schizophrenic patients: what is the evidence? *Prog Neuropsychopharmacol Biol Psychiatry* 2005; 29: 1133-1139.

Muntgewerff JW, Hoogendoorn ML, Kahn RS, Sinke RJ, den Heijer HJ, Kluijtmans LA, Blom HJ. Hyperhomocysteinemia, methylenetetrahydrofolate reductase 677TT genotype, and the risk for schizophrenia: a Dutch population based case-control study. *Am J Med Genet B Neuropsychiatr Genet* 2005; 135: 69-72.

Russo S, Kema IP, Haagsma EB, Boon JC, Willemse PH, den Boer JA, de Vries EG, Korf J. Irritability rather than depression during interferon treatment is linked to increased tryptophan catabolism. *Psychosom Med*. 2005 Sep-Oct; 67 (5): 773-7.

Schoonenboom NS, Mulder C, Van Kamp GJ, Mehta SP, Scheltens P, Blankenstein MA, Mehta PD. Amyloid beta 38, 40, and 42 species in cerebrospinal fluid: more of the same? *Ann Neurol*. 2005 Jul; 58 (1): 139-42.

Stapert S, de Kruijk J, Houx P, Menheere P, Twijnstra A, Jolles J. S-100B concentration is not related to neurocognitive performance in the first month after mild traumatic brain injury. *Eur Neurol*. 2005; 53 (1): 22-6.

Teunissen CE, van Boxtel MP, Jolles J, de Vente J, Vreeling F, Verhey F, Polman CH, Dijkstra CD, Blom HJ. Homocysteine in relation to cognitive performance in pathological and non-pathological conditions. *Clin Chem Lab Med*. 2005; 43: 1089-95.

van der Weide J, Hinrichs JWJ. Clozapine en CYP1A2. *Cobo-bulletin* 2005;(1):15-17.

van der Weide J, van Baalen-Benedek EH, Kootstra-Ros JE. Metabolic Ratios of Psychotropics as Indication of Cytochrome P450 2D6/2C19 Genotype. *Ther Drug Monit*. 2005; 27: 478-483.

van Weelden M, van der Weide J. Genotypering nieuwe taak voor de apotheker. *Pharmaceutisch Weekblad* 2005; 44: 1396-1398.

Wunderlich MT, Hanhoff T, Goertler M, Spener F, Glatz JF, Wallesch CW, Pelsers MM. Release of brain-type and heart-type fatty acid-binding proteins in serum after acute ischaemic stroke. *J Neurol*. 2005 Jun;252(6):718-24.

Klinisch: Oncologie

Dekker LJ, Boogerd W, Stockhammer G, Dalebout JC, Siccam I, Zheng P, Bonfrer JM, Verschueren JJ, Jenster G, Verbeek MM, Luider TM, Smitt PA. MALDI-TOF mass spectrometry analysis of cerebrospinal fluid tryptic peptide profiles to diagnose leptomeningeal metastases in patients with breast cancer. *Mol Cell Proteomics*. 2005 Sep; 4 (9): 1341-9.

Duffy MJ, Bonfrer JM, Kulpa J, Rustin GJ, Soletormos G, Torre GC, Tuxen MK, Zwirner M. CA125 in ovarian cancer: European Group on Tumor Markers guidelines for clinical use. *Int J Gynecol Cancer*. 2005 Sep-Oct; 15 (5): 679-91.

Fiets WE, Bellot FE, Struikmans H, Blankenstein MA, Nortier JW. Prognostic value of mitotic counts in axillary node negative breast cancer patients with predominantly well-differentiated tumours. *Eur J Surg Oncol*. 2005 Mar; 31 (2): 128-33.

Franke HR, Smit WM, Vermes I. Gonadal protection by a gonadotropin-releasing hormone agonist depot in young women with Hodgkin's disease undergoing chemotherapy. *Gynecol Endocrinol*. 2005 May; 20 (5): 274-8.

de Jonge R, Hooijberg JH, van Zelst BD, Jansen G, van Zantwijk CH, Kaspers GJ, Peters GJ, Ravindranath Y, Pieters R, Lindemans J. Effect of polymorphisms in folate-related genes on in vitro methotrexate sensitivity in pediatric acute lymphoblastic leukemia. *Blood* 2005 Jul 15; 106 (2): 717-20.

de Kok JB, Roelofs RW, Giesendorf BA, Pennings JL, Waas ET, Feuth T, Swinkels DW, Span PN. Normalization of gene expression measurements in tumor tissues: comparison of 13 endogenous control genes. *Lab Invest*. 2005 Jan; 85 (1): 154-9.

Koopmans KP, Brouwers AH, De Hooge MN, Van der Horst-Schrivers AN, Kema IP, Wolffenbuttel BH, De Vries EG, Jager PL. Carcinoid crisis after injection of 6-18F-fluorodihydroxyphenylalanine in a patient with metastatic carcinoid. *J Nucl Med*. 2005 Jul; 46 (7): 1240-3.

Kotzsch M, Farthmann J, Meye A, Fuessel S, Baretton G, Tjan-Heijnen VC, Schmitt M, Luther T, Sweep FC, Magdolen V, Span PN. Prognostic relevance of uPAR-del4/5 and TIMP-3 mRNA expression levels in breast cancer. *Eur J Cancer*. 2005 Nov; 41 (17): 2760-8.

Leers MP, Hoop JG, van Beers M, van Rodijnen N, Pannebakker M, Nap M. Determination of threshold values for determining the size of the fraction of steroid hormone receptor-positive tumor cells in paraffin-embedded breast carcinomas. *Cytometry B Clin Cytom*. 2005 Mar; 64 (1): 43-52.

Lepper ER, Baker SD, Permenter M, Ries N, van Schaik RH, Schenk PW, Price DK, Ahn D, Smith NF, Cusatis G, Ingersoll RG, Bates SE, Mathijssen RH, Verweij J, Figg WD, Sparreboom A. Effect of common CYP3A4 and CYP3A5 variants on the pharmacokinetics of the cytochrome P450 3A phenotyping probe midazolam in cancer patients. *Clin Cancer Res*. 2005 Oct 15; 11 (20): 7398-404.

Reijneveld JC, Brandsma D, Boogerd W, Bonfrer JG, Kalmijn S, Voest EE, Geurts-Moespot A, Visser MC, Taphoorn MJ. CSF levels of angiogenesis-related proteins in patients with leptomeningeal metastases. *Neurology*. 2005 Oct 11; 65 (7): 1120-2.

Roumen RM, Slooter GD, Croiset van Uchelen FA, Vader HL. Preoperative serum vascular endothelial growth factor is not a marker for subsequent recurrence during long-term follow-up of colorectal cancer patients. *Dis Colon Rectum*. 2005 May; 48 (5): 1070-5.

van Schaik RH. Cancer treatment and pharmacogenetics of cytochrome P450 enzymes. *Invest New Drugs*. 2005 Dec; (26): 513-22

Schultz IJ, Kiemeney LA, Witjes JA, Schalken JA, Willems JL, Swinkels DW, de Kok JB. CDC91L1 (PIG-U) mRNA expression in urothelial cell carcinomas. *Int J Cancer*. 2005 Aug 20; 116 (2): 282-4.

Smit LH, Korse CM, Hart AA, Bonfrer JM, Haanen JB, Kerst JM, Nieweg OE, de Gast GC. Normal values of serum S-100B predict prolonged survival for stage IV melanoma patients. *Eur J Cancer*. 2005 Feb; 41 (3): 386-92.

Smit LH, Nieweg OE, Korse CM, Bonfrer JM, Kroon BB. Significance of serum S-100B in melanoma patients before and after sentinel node biopsy. *J Surg Oncol*. 2005 May 1;90 (2): 66-9; discussion 69-70.

Soepenberg O, Dumez H, Verweij J, de Jong FA, de Jonge MJ, Thomas J, Eskens FA, van Schaik RH, Selleslach J, Ter Steeg J, Lefebvre P, Assadourian S, Sanderink GJ, Sparreboom A, van Oosterom AT. Phase I pharmacokinetic, food effect, and pharmacogenetic study of oral irinotecan given as semisolid matrix capsules in patients with solid tumors. *Clin Cancer Res*. 2005 Feb 15; 11 (4): 1504-11.

Span PN, Sweep FC. Mammaglobin as molecular marker of breast cancer (micro)metastases. *Clin Cancer Res*. 2005 Oct 1;11 (19 Pt 1): 7043.

de Vries H, Wijffels RT, Willemse PH, Verschueren RC, Kema IP, Karrenbeld A, Prins TR, deVries EG. Abdominal angina in patients with a midgut carcinoid, a sign of severe pathology. *World J Surg*. 2005 Sep; 29 (9): 1139-42.

van de Wiel MA, Costa JL, Smid K, Oudejans CB, Bergman AM, Meijer GA, Peters GJ, Ylstra B. Expression microarray analysis and oligo array comparative genomic hybridization of acquired gemcitabine resistance in mouse colon reveals selection for chromosomal aberrations. *Cancer Res*. 2005 Nov 15; 65 (22): 10208-13.

Klinisch: Toxicologie

Boer AK, Al Ali S, Hulshof R, Saalmann NH, Vermes I. Routinematisch meten van de sepsismarkers 'lipopolysaccharide binding protein' en interleukine-6 op de intensive care. *Ned Tijdschr Klin Chem Labgeneesk* 2005; 30: 285-286.

op den Buijsch RA, de Vries JE, Loots WJ, Landt O, Wijnen PA, van Diejen-Visser MP, Bekers O. Genotyping of the PXR A11156C polymorphism with locked nucleic acid containing fluorogenic probes. *Pharmacogenomics J*. 2005; 5 (2): 72-4.

Dissertaties

Chon H. Gene expression profiling in conditions predisposing to cardiovascular disease.

Engbers-Buijtenhuijs P. Biological characterisation of tissue-engineered vascular grafts.

Lases EC. Biomarkers for neurological injury in aortic surgery.

Spijkers P. New aspects of LRP-binding.